

# SAFETY DATA SHEET

## Car Polish PDI - Wholesale Automotive (UK) Ltd.

### SECTION 1: Identification of the substance/mixture and of the company/undertaking

#### 1.1. Product identifier

**Product name** Car Polish PDI - Wholesale Automotive (UK) Ltd.

#### 1.2. Relevant identified uses of the substance or mixture and uses advised against

**Identified uses** Polish.

**Uses advised against** This product is not recommended for any other purpose than stated above.

#### 1.3. Details of the supplier of the safety data sheet

##### Supplier

Wholesale Automotive (UK) Ltd.  
Unit 18, Upminster Trading Park  
Warley Street  
Upminster  
Essex  
RM14 3PJ  
01708 726995

sales@wacuk.com

#### 1.4. Emergency telephone number

**Emergency telephone** As Above - Opening Hours 9 am - 4 pm (Monday - Friday)

### SECTION 2: Hazards identification

#### 2.1. Classification of the substance or mixture

##### Classification (EC 1272/2008)

**Physical hazards** Not Classified

**Health hazards** STOT SE 3 - H336

**Environmental hazards** Not Classified

#### 2.2. Label elements

##### Pictogram



**Signal word** Warning

**Hazard statements** H336 May cause drowsiness or dizziness.

**Precautionary statements** P261 Avoid breathing vapour/ spray.  
P304+P340 IF INHALED: Remove person to fresh air and keep comfortable for breathing.  
P405 Store locked up.  
P501 Dispose of contents/ container in accordance with national regulations.

**Contains** Hydrocarbons, C9-C11, n-alkanes, cyclics, <2% arom

**Supplementary precautionary statements** P271 Use only outdoors or in a well-ventilated area.  
P312 Call a POISON CENTER/ doctor if you feel unwell.  
P403+P233 Store in a well-ventilated place. Keep container tightly closed.

#### 2.3. Other hazards

## Car Polish PDI - Wholesale Automotive (UK) Ltd.

### SECTION 3: Composition/information on ingredients

#### 3.2. Mixtures

<b>Hydrocarbons, C9-C11, n-alkanes, cyclics, &lt;2% arom</b>		<b>10-30%</b>
CAS number: —	EC number: 919-857-5	REACH registration number: 01-2119463258-33-XXXX
<b>Classification</b>	<b>Classification (67/548/EEC or 1999/45/EC)</b>	
Flam. Liq. 3 - H226	Xn;R65. R10,R66.	
STOT SE 3 - H336		
Asp. Tox. 1 - H304		

The Full Text for all R-Phrases and Hazard Statements are Displayed in Section 16.

### SECTION 4: First aid measures

#### 4.1. Description of first aid measures

<b>Inhalation</b>	Remove from further exposure. For those providing assistance, avoid exposure to yourself or others. Use adequate respiratory protection. If respiratory irritation, dizziness, nausea, or unconsciousness occurs, seek immediate medical assistance. If breathing has stopped, assist ventilation with a mechanical device or use mouth-to-mouth resuscitation.
<b>Ingestion</b>	Do not induce vomiting. Seek immediate medical attention.
<b>Skin contact</b>	Wash contact areas with soap and water. Remove contaminated clothing. Launder contaminated clothing before reuse.
<b>Eye contact</b>	Flush thoroughly with water. If irritation occurs, get medical assistance.

#### 4.2. Most important symptoms and effects, both acute and delayed

<b>General information</b>	No important symptoms or effects.
----------------------------	-----------------------------------

#### 4.3. Indication of any immediate medical attention and special treatment needed

<b>Notes for the doctor</b>	If ingested, material may be aspirated into the lungs and cause chemical pneumonitis. Treat appropriately.
-----------------------------	--

### SECTION 5: Firefighting measures

#### 5.1. Extinguishing media

<b>Suitable extinguishing media</b>	Extinguish with the following media: water fog, foam, dry chemical or carbon dioxide (CO2) to extinguish flames.
<b>Unsuitable extinguishing media</b>	Do not use: Straight streams of water.

#### 5.2. Special hazards arising from the substance or mixture

<b>Hazardous combustion products</b>	Smoke, Fume, Incomplete combustion products, Oxides of carbon
--------------------------------------	---

#### 5.3. Advice for firefighters

<b>Protective actions during firefighting</b>	Evacuate area. Prevent run-off from fire control or dilution from entering streams, sewers or drinking water supply. Fire-fighters should use standard protective equipment and in enclosed spaces, self-contained breathing apparatus (SCBA). Use water spray to cool fire exposed surfaces and to protect personnel.
---	--

Unusual Fire Hazards: Combustible.

## Car Polish PDI - Wholesale Automotive (UK) Ltd.

### SECTION 6: Accidental release measures

#### 6.1. Personal precautions, protective equipment and emergency procedures

##### Personal precautions

##### NOTIFICATION PROCEDURES

In the event of a spill or accidental release, notify relevant authorities in accordance with all applicable regulations.

##### PROTECTIVE MEASURES

Avoid contact with spilled material.

#### 6.2. Environmental precautions

##### Environmental precautions

Large Spills: Dyke far ahead of liquid spill for later recovery and disposal. Prevent entry into waterways, sewers, basements or confined areas.

#### 6.3. Methods and material for containment and cleaning up

##### Methods for cleaning up

Stop leak if you can do so without risk. Absorb or cover with dry earth, sand or other non-combustible material and transfer to containers. Recover by pumping or with suitable absorbent.

#### 6.4. Reference to other sections

Reference to other sections See section 6.1

### SECTION 7: Handling and storage

#### 7.1. Precautions for safe handling

##### Usage precautions

Avoid contact with skin. Prevent small spills and leakage to avoid slip hazard. Material can accumulate static charges which may cause an electrical spark (ignition source).

#### 7.2. Conditions for safe storage, including any incompatibilities

##### Storage precautions

Keep in cool, dry, ventilated storage and closed containers Handle containers with care. Open slowly in order to control possible pressure release.

#### 7.3. Specific end use(s)

##### Specific end use(s)

The identified uses for this product are detailed in Section 1.2.

### SECTION 8: Exposure Controls/personal protection

#### 8.1. Control parameters

##### Ingredient comments

WEL = Workplace Exposure Limits

##### Hydrocarbons, C9-C11, n-alkanes, cyclics, <2% arom

##### DNEL

Consumer - Oral; Long term systemic effects: 300 mg/kg/day  
 Consumer - Dermal; Long term systemic effects: 300 mg/kg/day  
 Workers - Dermal; Long term systemic effects: 300 mg/kg/day  
 Workers - Inhalation; Short term systemic effects: 1500 mg/m<sup>3</sup>  
 Consumer - Inhalation; Long term systemic effects: 900 mg/m<sup>3</sup>

#### 8.2. Exposure controls

##### Protective equipment



## Car Polish PDI - Wholesale Automotive (UK) Ltd.

<b>Appropriate engineering controls</b>	The level of protection and types of controls necessary will vary depending upon potential exposure conditions. Control measures to consider: Adequate ventilation should be provided so that exposure limits are not exceeded. Use explosion-proof ventilation equipment.
<b>Eye/face protection</b>	If contact is likely, safety glasses with side shields are recommended.
<b>Hand protection</b>	Any specific glove information provided is based on published literature and glove manufacturer data. Glove suitability and breakthrough time will differ depending on the specific use conditions. Contact the glove manufacturer for specific advice on glove selection and breakthrough times for your use conditions. Inspect and replace worn or damaged gloves. The types of gloves to be considered for this material include: Chemical resistant gloves are recommended. Nitrile, CEN standards EN 420 and EN 374 provide general requirements and lists of glove types.
<b>Other skin and body protection</b>	Any specific clothing information provided is based on published literature or manufacturer data. The types of clothing to be considered for this material include: Chemical/oil resistant clothing is recommended.
<b>Hygiene measures</b>	Based on and limited to our experience of this product, the following special advice is believed to provide satisfactory protection for the industrial user or handler. The choice of suitable protective equipment depends on work conditions and what methods are used for handling the substance. This advice is not a substitute for each Company conducting their own Risk/COSHH Assessments, but is provided as general guidance. Always observe good personal hygiene measures, such as washing after handling the material and before eating, drinking and/or smoking. Routinely wash work clothing and protective equipment to remove contaminants. Discard contaminated clothing and footwear that cannot be cleaned. Practice good housekeeping.
<b>Respiratory protection</b>	If engineering controls do not maintain airborne contaminant concentrations at a level which is adequate to protect worker health, an approved respirator may be appropriate. Respirator selection, use, and maintenance must be in accordance with regulatory requirements, if applicable. Types of respirators to be considered for this material include: Half-face filter respirator Type A filter material, European Committee for Standardization (CEN) standards EN 136, 140 and 405 provide respirator masks and EN 149 and 143 provide filter recommendations.  For high airborne concentrations, use an approved supplied-air respirator, operated in positive pressure mode. Supplied air respirators with an escape bottle may be appropriate when oxygen levels are inadequate, gas/vapour warning properties are poor, or if air purifying filter capacity/rating may be exceeded.

### SECTION 9: Physical and Chemical Properties

#### 9.1. Information on basic physical and chemical properties

<b>Appearance</b>	Opaque liquid. Liquid.
<b>Colour</b>	Pink.
<b>Odour</b>	Perfume Scent.
<b>Relative density</b>	~ 0.95
<b>Solubility(ies)</b>	Immiscible with water.

#### 9.2. Other information

<b>Other information</b>	No relevant information available.
--------------------------	------------------------------------

## Car Polish PDI - Wholesale Automotive (UK) Ltd.

### SECTION 10: Stability and reactivity

#### 10.1. Reactivity

**Reactivity** See sub-sections below.

#### 10.2. Chemical stability

**Stability** Material is stable under normal conditions.

#### 10.3. Possibility of hazardous reactions

**Possibility of hazardous reactions** Not expected.

#### 10.4. Conditions to avoid

**Conditions to avoid** Avoid open flames and high energy ignition sources.

#### 10.5. Incompatible materials

**Materials to avoid** Strong oxidisers.

#### 10.6. Hazardous decomposition products

**Hazardous decomposition products** Material does not decompose at ambient temperatures.

### SECTION 11: Toxicological information

#### 11.1. Information on toxicological effects

**General information** Vapour concentrations above recommended exposure levels are irritating to the eyes and the respiratory tract, may cause headaches and dizziness, are anaesthetic and may have other central nervous system effects. Prolonged and/or repeated skin contact with low viscosity materials may defat the skin resulting in possible irritation and dermatitis. Small amounts of liquid aspirated into the lungs during ingestion or from vomiting may cause chemical pneumonitis or pulmonary edema.

#### Hydrocarbons, C9-C11, n-alkanes, cyclics, <2% arom

##### Acute toxicity - oral

**Acute toxicity oral (LD<sub>50</sub> mg/kg)** 5,000.0

**Species** Rat

**ATE oral (mg/kg)** 5,000.0

##### Acute toxicity - dermal

**Acute toxicity dermal (LD<sub>50</sub> mg/kg)** 5,000.0

**Species** Rat

**ATE dermal (mg/kg)** 5,000.0

### SECTION 12: Ecological Information

#### 12.1. Toxicity

#### Hydrocarbons, C9-C11, n-alkanes, cyclics, <2% arom

## Car Polish PDI - Wholesale Automotive (UK) Ltd.

<b>Toxicity</b>	LC/EC/IC 50: >1000 mg/l (fish) >1000 mg/l (algae) >1 <10 mg/l (Bacteria) >1 <10 mg/l (Activated Sludge)
-----------------	---

### Acute aquatic toxicity

<b>LE(C)<sub>50</sub></b>	0.1 < L(E)C <sub>50</sub> ≤ 1
---------------------------	-------------------------------

### 12.2. Persistence and degradability

**Persistence and degradability** Readily biodegradable.

### 12.3. Bioaccumulative potential

**Bioaccumulative potential** Likely to bio-accumulate, but with short retention of the order of a week or less.

### Hydrocarbons, C9-C11, n-alkanes, cyclics, <2% arom

**Bioaccumulative potential** May be accumulated in organism

### 12.4. Mobility in soil

**Mobility** No supplementary information available.

### 12.5. Results of PBT and vPvB assessment

**Results of PBT and vPvB assessment** No additional information available.

### 12.6. Other adverse effects

**Other adverse effects** No supplementary information available.

## **SECTION 13: Disposal considerations**

### 13.1. Waste treatment methods

**General information** Disposal recommendations based on material as supplied. Disposal must be in accordance with current applicable laws and regulations, and material characteristics at the time of disposal.

**Disposal methods** Product is suitable for burning in an enclosed controlled burner for fuel value or disposal by supervised incineration at very high temperatures to prevent formation of undesirable combustion products. REGULATORY DISPOSAL INFORMATION  
European Waste Code: 08 XX XX

NOTE: These codes are assigned based upon the most common uses for this material and may not reflect contaminants resulting from actual use. Waste producers need to assess the actual process used when generating the waste and its contaminants in order to assign the proper waste disposal code(s).

Empty Container Warning:

Empty Container Warning (where applicable): Empty containers may contain residue and can be dangerous. Do not attempt to refill or clean containers without proper instructions. Empty drums should be completely drained and safety stored until appropriately reconditioned or disposed. Empty containers should be taken for recycling, recovery or disposal through suitably qualified or licensed contractor and in accordance with governmental regulations. DO NOT PRESSURISE, CUT, WELD, BRAZE, SOLDER, DRILL, GRIND OR EXPOSE SUCH CONTAINERS TO HEAT, FLAME, SPARKS, STATIC ELECTRICITY, OR OTHER SOURCES OF IGNITION. THEY MAY EXPLODE AND CAUSE INJURY OR DEATH.

## Car Polish PDI - Wholesale Automotive (UK) Ltd.

### SECTION 14: Transport information

**General** The product is not covered by international regulations on the transport of dangerous goods (IMDG, IATA, ADR/RID).

#### 14.1. UN number

Not applicable.

#### 14.2. UN proper shipping name

Not applicable.

#### 14.3. Transport hazard class(es)

No transport warning sign required.

#### 14.4. Packing group

Not applicable.

#### 14.5. Environmental hazards

**Environmentally hazardous substance/marine pollutant**

No.

#### 14.6. Special precautions for user

Not applicable.

#### 14.7. Transport in bulk according to Annex II of MARPOL and the IBC Code

**Transport in bulk according to** Not applicable.

**Annex II of MARPOL 73/78  
and the IBC Code**

Not applicable.

### SECTION 15: Regulatory information

#### 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

**EU legislation**

Regulation (EC) No 1907/2006 of the European Parliament and of the Council of 18 December 2006 concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH) (as amended).

Regulation (EC) No 1272/2008 of the European Parliament and of the Council of 16 December 2008 on classification, labelling and packaging of substances and mixtures (as amended).

#### 15.2. Chemical safety assessment

No chemical safety assessment has been carried out.

### SECTION 16: Other information

**Revision date** 27/02/2017

**Revision** 4

**Supersedes date** 30/11/2015

**Risk phrases in full** R65 Harmful: may cause lung damage if swallowed.

**Hazard statements in full** H226 Flammable liquid and vapour.  
H304 May be fatal if swallowed and enters airways.  
H336 May cause drowsiness or dizziness.

## **Car Polish PDI - Wholesale Automotive (UK) Ltd.**

This information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process. Such information is, to the best of the company's knowledge and belief, accurate and reliable as of the date indicated. However, no warranty, guarantee or representation is made to its accuracy, reliability or completeness. It is the user's responsibility to satisfy himself as to the suitability of such information for his own particular use.