#### Safety data sheet According to 1907/2006/EC (REACH), 2015/830/EU

#### Spray Mini N. Oriental 60 Oriental (Al Oud)

#### SECTION 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

Product identifier: Spray Mini N. Oriental 60 Oriental (Al Oud)

1.2 Relevant identified uses of the substance or mixture and uses advised against:

Relevant uses: Air freshener

Uses advised against: All uses not specified in this section or in section 7.3

1.3 Details of the supplier of the safety data sheet:

L&D, S.A.U. Aromáticos

C/ Albert Einstein, 12 Parque Industrial Tecnológico de Almería

04131 Almería - Almería - España Phone.: +34 950 62 44 60 -Fax: +34 950 62 44 61

Id-aromaticos@Id-aromaticos.com

www.ld-aromaticos.com

1.4 **Emergency telephone number:** 

#### SECTION 2: HAZARDS IDENTIFICATION \*\*

#### Classification of the substance or mixture: 2.1

#### CLP Regulation (EC) nº 1272/2008:

Classification of this product has been carried out in accordance with CLP Regulation (EC) no 1272/2008.

Eye Irrit. 2: Eye irritation, Category 2, H319 Flam. Liq. 2: Flammable liquids, Category 2, H225

#### 2.2 Label elements:

#### CLP Regulation (EC) no 1272/2008:





#### **Hazard statements:**

Eye Irrit. 2: H319 - Causes serious eye irritation

Flam. Liq. 2: H225 - Highly flammable liquid and vapour

#### **Precautionary statements:**

P101: If medical advice is needed, have product container or label at hand

P102: Keep out of reach of children

P210: Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking

P264: Wash thoroughly after handling

P280: Wear protective gloves/protective clothing/eye protection/face protection

P305+P351+P338: IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing

P370+P378: In case of fire: Use ABC powder extinguisher to extinguish.

P501: Dispose of contents and / or their container according to the separated collection system used in your municipality

#### **Supplementary information:**

EUH208: Contains 1-(1,2,3,4,5,6,7,8-octahydro-2,3,8,8-tetramethyl-2-naphthyl)ethan-1-one. May produce an allergic reaction

#### 2.3 Other hazards:

Non-applicable

### SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

#### 3.1 Substance:

Non-applicable

3.2 Mixture:

Chemical description: Mixture of substances

Date of compilation: 30/09/2016 Revised: 16/02/2017 Version: 2 (Replaced 1) Page 1/11

<sup>\*\*</sup> Changes with regards to the previous version



#### Safety data sheet According to 1907/2006/EC (REACH), 2015/830/EU

#### Spray Mini N. Oriental 60 Oriental (Al Oud)

#### SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS (continued)

#### Components:

In accordance with Annex II of Regulation (EC) nº1907/2006 (point 3), the product contains:

	Identification		Chemical name/Classification			
CAS:		Propan-2-ol		ATP CLP00		
EC: 200-661-7 Index: 603-117-00-0 REACH: 01-2119457558-25-XXXX	Regulation 1272/2008	Eye Irrit. 2: H319; Flam. Liq. 2: H225; STOT SE 3: H336 - Danger	<u>(1)</u>	10 - <25 %		
CAS:		3-(5,5,6-trimethylbio	cyclo[2.2.1]hept-2-yl)cyclohexan-1-ol	Self-classified		
Index:	EC: 222-294-1 Index: Non-applicable REACH: 01-2119979583-21-XXXX	Regulation 1272/2008	Eye Irrit. 2: H319; Skin Irrit. 2: H315 - Warning	<b>(</b> )	1 - <2,5 %	
CAS:		1-(1,2,3,4,5,6,7,8-oc	tahydro-2,3,8,8-tetramethyl-2-naphthyl)ethan-1-one	Self-classified		
Index:	EC: 259-174-3 Index: Non-applicable REACH: Non-applicable	Regulation 1272/2008	Aquatic Acute 1: H400; Aquatic Chronic 1: H410; Skin Irrit. 2: H315; Skin Sens. H317 - Warning	. 1B: (!) (%)	0,1 - <1 %	

To obtain more information on the risk of the substances consult sections 8, 11, 12, 15 and 16.

#### **SECTION 4: FIRST AID MEASURES**

#### 4.1 Description of first aid measures:

The symptoms resulting from intoxication can appear after exposure, therefore, in case of doubt, seek medical attention for direct exposure to the chemical product or persistent discomfort, showing the SDS of this product.

#### By inhalation:

This product is not classified as hazardous through inhalation,however, it is recommended in case of intoxication symptoms to remove the person affected from the area of exposure, provide clean air and keep at rest. Request medical attention if symptoms persist.

#### By skin contact:

This product is not classified as hazardous when in contact with the skin. However, in case of skin contact it is recommended to remove contaminated clothes and shoes, rinse the skin or shower the person affected if necessary thoroughly with cold water and neutral soap. In case of serious reaction consult a doctor.

#### By eye contact:

Rinse eyes thoroughly with lukewarm water for at least 15 minutes. Do not allow the person affected to rub or close their eyes. If the injured person uses contact lenses, these should be removed unless they are stuck to the eyes, as this could cause further damage. In all cases, after cleaning, a doctor should be consulted as quickly as possible with the SDS of the product.

#### By ingestion/aspiration:

Do not induce vomiting, but if it does happen keep the head down to avoid aspiration. Keep the person affected at rest. Rinse out the mouth and throat, as they may have been affected during ingestion.

#### 4.2 Most important symptoms and effects, both acute and delayed:

Acute and delayed effects are indicated in sections 2 and 11.

#### 4.3 Indication of any immediate medical attention and special treatment needed:

Non-applicable

#### SECTION 5: FIREFIGHTING MEASURES

#### 5.1 Extinguishing media:

If possible use polyvalent powder fire extinguishers (ABC powder), alternatively use foam or carbon dioxide extinguishers (CO2). IT IS RECOMMENDED NOT to use tap water as an extinguishing agent.

#### 5.2 Special hazards arising from the substance or mixture:

As a result of combustion or thermal decomposition reactive sub-products are created that can become highly toxic and, consequently, can present a serious health risk.

#### 5.3 Advice for firefighters:

Depending on the magnitude of the fire it may be necessary to use full protective clothing and individual respiratory equipment. Minimum emergency facilities and equipment should be available (fire blankets, portable first aid kit,...) in accordance with Directive 89/654/EC.

#### **Additional provisions:**

## Safety data sheet According to 1907/2006/EC (REACH), 2015/830/EU

#### Spray Mini N. Oriental 60 Oriental (Al Oud)

#### SECTION 5: FIREFIGHTING MEASURES (continued)

Act in accordance with the Internal Emergency Plan and the Information Sheets on actions to take after an accident or other emergencies. Destroy any source of ignition. In case of fire, refrigerate the storage containers and tanks for products susceptible to inflammation, explosion or BLEVE as a result of high temperatures. Avoid spillage of the products used to extinguish the fire into an aqueous medium.

#### SECTION 6: ACCIDENTAL RELEASE MEASURES

#### 6.1 Personal precautions, protective equipment and emergency procedures:

Isolate leaks provided that there is no additional risk for the people performing this task. Evacuate the area and keep out those without protection. Personal protection equipment must be used against potential contact with the spilt product (See section 8). Above all prevent the formation of any vapour-air flammable mixtures, through either ventilation or the use of an inertization agent. Destroy any source of ignition. Eliminate electrostatic charges by interconnecting all the conductive surfaces on which static electricity could form, and also ensuring that all surfaces are connected to the ground.

#### 6.2 Environmental precautions:

This product is not classified as hazardous to the environment. Keep product away from drains, surface and underground water.

#### 6.3 Methods and material for containment and cleaning up:

It is recommended

Absorb the spillage using sand or inert absorbent and move it to a safe place. Do not absorb in sawdust or other combustible absorbents. For any concern related to disposal consult section 13.

#### 6.4 Reference to other sections:

See sections 8 and 13.

#### SECTION 7: HANDLING AND STORAGE

#### 7.1 Precautions for safe handling:

A.- Precautions for safe manipulation

Comply with the current legislation concerning the prevention of industrial risks. Keep containers hermetically sealed. Control spills and residues, destroying them with safe methods (section 6). Avoid leakages from the container. Maintain order and cleanliness where dangerous products are used.

B.- Technical recommendations for the prevention of fires and explosions

Transfer in well ventilated areas, preferably through localized extraction. Fully control sources of ignition (mobile phones, sparks,...) and ventilate during cleaning operations. Avoid the existence of dangerous atmospheres inside containers, applying inertization systems where possible. Transfer at a slow speed to avoid the creation of electrostatic charges. Against the possibility of electrostatic charges: ensure a perfect equipotential connection, always use groundings, do not wear work clothes made of acrylic fibres, preferably wearing cotton clothing and conductive footwear. Comply with the essential security requirements for equipment and systems defined in Directive 94/9/EC (ATEX 100) and with the minimum requirements for protecting the security and health of workers under the selection criteria of Directive 1999/92/EC (ATEX 137). Consult section 10 for conditions and materials that should be avoided.

C.- Technical recommendations to prevent ergonomic and toxicological risks

Do not eat or drink during the process, washing hands afterwards with suitable cleaning products.

D.- Technical recommendations to prevent environmental risks

It is recommended to have absorbent material available at close proximity to the product (See subsection 6.3)

#### 7.2 Conditions for safe storage, including any incompatibilities:

A.- Technical measures for storage

Minimum Temp.: 5 °C

Maximum Temp.: 30 °C

Maximum time: 12 Months

B.- General conditions for storage

Avoid sources of heat, radiation, static electricity and contact with food. For additional information see subsection 10.5

#### 7.3 Specific end use(s):

Except for the instructions already specified it is not necessary to provide any special recommendation regarding the uses of this product.

## Safety data sheet According to 1907/2006/EC (REACH), 2015/830/EU

#### Spray Mini N. Oriental 60 Oriental (Al Oud)

#### SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

#### 8.1 Control parameters:

Substances whose occupational exposure limits have to be monitored in the work environment There are no occupational exposure limits for the substances contained in the product

#### **DNEL (Workers):**

		Short e	Short exposure Long exposure		xposure
Identification		Systemic	Local	Systemic	Local
Propan-2-ol	Oral	Non-applicable	Non-applicable	Non-applicable	Non-applicable
CAS: 67-63-0	Dermal	Non-applicable	Non-applicable	888 mg/kg	Non-applicable
EC: 200-661-7	Inhalation	Non-applicable	Non-applicable	500 mg/m <sup>3</sup>	Non-applicable
3-(5,5,6-trimethylbicyclo[2.2.1]hept-2-yl)cyclohexan-1-ol	Oral	Non-applicable	Non-applicable	Non-applicable	Non-applicable
CAS: 3407-42-9	Dermal	Non-applicable	Non-applicable	0,995416667 mg/kg	Non-applicable
EC: 222-294-1	Inhalation	Non-applicable	Non-applicable	1,755076754 mg/m <sup>3</sup>	Non-applicable

#### **DNEL (General population):**

		Short e	Short exposure Long exposure		cposure
Identification		Systemic	Local	Systemic	Local
Propan-2-ol	Oral	Non-applicable	Non-applicable	26 mg/kg	Non-applicable
CAS: 67-63-0	Dermal	Non-applicable	Non-applicable	319 mg/kg	Non-applicable
EC: 200-661-7	Inhalation	Non-applicable	Non-applicable	89 mg/m <sup>3</sup>	Non-applicable
3-(5,5,6-trimethylbicyclo[2.2.1]hept-2-yl)cyclohexan-1-ol	Oral	Non-applicable	Non-applicable	1,00039375 mg/kg	Non-applicable
CAS: 3407-42-9	Dermal	Non-applicable	Non-applicable	0,497708333 mg/kg	Non-applicable
EC: 222-294-1	Inhalation	Non-applicable	Non-applicable	0,432789855 mg/m <sup>3</sup>	Non-applicable

#### PNEC:

I ILEO!				
Identification				
Propan-2-ol	STP	2251 mg/L	Fresh water	140,9 mg/L
CAS: 67-63-0	Soil	28 mg/kg	Marine water	140,9 mg/L
EC: 200-661-7	Intermittent	140,9 mg/L	Sediment (Fresh water)	552 mg/kg
	Oral	160 g/kg	Sediment (Marine water)	552 mg/kg
3-(5,5,6-trimethylbicyclo[2.2.1]hept-2-yl)cyclohexan-1-ol	STP	6,083 mg/L	Fresh water	0,01177 mg/L
CAS: 3407-42-9	Soil	278,8859128 mg/kg	Marine water	0,001177 mg/L
EC: 222-294-1	Intermittent	0,1177 mg/L	Sediment (Fresh water)	586,8489044 mg/kg
	Oral	Non-applicable	Sediment (Marine water)	586,8489044 mg/kg

#### 8.2 Exposure controls:

A.- General security and hygiene measures in the work place

As a preventative measure it is recommended to use basic Personal Protection Equipment, with the corresponding <<CE marking>> in accordance with Directive 89/686/EC. For more information on Personal Protection Equipment (storage, use, cleaning, maintenance, class of protection,...) consult the information leaflet provided by the manufacturer. For more information see subsection 7.1.

All information contained herein is a recommendation which needs some specification from the labour risk prevention services as it is not known whether the company has additional measures at its disposal.

B.- Respiratory protection

The use of protection equipment will be necessary if a mist forms or if the occupational exposure limits are exceeded.

C.- Specific protection for the hands

Pictogram	PPE	Labelling	CEN Standard	Remarks
Mandatory hand protection	Protective gloves against minor risks	CATI		Replace gloves in case of any sign of damage. For prolonged periods of exposure to the product for professional users/industrials, we recommend using CE III gloves in line with standards EN 420 and EN 374.

As the product is a mixture of several substances, the resistance of the glove material can not be calculated in advance with total reliability and has therefore to be checked prior to the application



### Safety data sheet

According to 1907/2006/EC (REACH), 2015/830/EU

#### Spray Mini N. Oriental 60 Oriental (Al Oud)

### SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION (continued)

#### D.- Ocular and facial protection

Pictogram	PPE	Labelling	CEN Standard	Remarks
Mandatory face protection	Panoramic glasses against splash/projections.	CATII	EN 166:2001 EN ISO 4007:2012	Clean daily and disinfect periodically according to the manufacturer's instructions. Use if there is a risk of splashing.

#### E.- Bodily protection

Pictogram	PPE	Labelling	CEN Standard	Remarks
	Work clothing	CATI		Replace before any evidence of deterioration. For periods of prolonged exposure to the product for professional/industrial users CE III is recommended, in accordance with the regulations in EN ISO 6529:2001, EN ISO 6530:2005, EN ISO 13688:2013, EN 464:1994.
	Anti-slip work shoes	CAT II	EN ISO 20347:2012	Replace before any evidence of deterioration. For periods of prolonged exposure to the product for professional/industrial users CE III is recommended, in accordance with the regulations in EN ISO 20345 y EN 13832-1

#### F.- Additional emergency measures

Emergency measure	Standards	Emergency measure	Standards
•	ANSI Z358-1 ISO 3864-1:2002	<b>* * * * * * * * * *</b>	DIN 12 899 ISO 3864-1:2002
Emergency shower		Eyewash stations	

#### **Environmental exposure controls:**

In accordance with the community legislation for the protection of the environment it is recommended to avoid environmental spillage of both the product and its container. For additional information see subsection 7.1.D

#### SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

#### 9.1 Information on basic physical and chemical properties:

For complete information see the product datasheet.

#### **Appearance:**

Physical state at 20 °C: Liquid Appearance: Oily

Colour: Characteristic
Odour: Characteristic
Odour threshold: Non-applicable \*

#### Volatility:

Boiling point at atmospheric pressure: 86 °C Vapour pressure at 20 °C: 4209 Pa

Vapour pressure at 50 °C: 20563 Pa (21 kPa) Evaporation rate at 20 °C: Non-applicable \*

### **Product description:**

Density at 20 °C: 856 kg/m³

Relative density at 20 °C: 0,856

Dynamic viscosity at 20 °C: 1,23 cP

Kinematic viscosity at 20 °C: 1,44 cSt

Kinematic viscosity at 40 °C: Non-applicable \*

Concentration: Non-applicable \*

stNot relevant due to the nature of the product, not providing information property of its hazards.

Date of compilation: 30/09/2016 Revised: 16/02/2017 Version: 2 (Replaced 1) Page 5/11

## Safety data sheet According to 1907/2006/EC (REACH), 2015/830/EU

#### Spray Mini N. Oriental 60 Oriental (Al Oud)

#### SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES (continued)

Non-applicable \* Vapour density at 20 °C: Non-applicable \* Partition coefficient n-octanol/water 20 °C: Non-applicable \* Solubility in water at 20 °C: Non-applicable \* Solubility properties: Non-applicable \* Decomposition temperature: Non-applicable \* Melting point/freezing point: Non-applicable \* Explosive properties: Non-applicable \* Non-applicable \* Oxidising properties:

Flammability:

Flash Point: 21 °C

Flammability (solid, gas): Non-applicable \*

Autoignition temperature: 235 °C

Lower flammability limit: Not available

Upper flammability limit: Not available

9.2 Other information:

Surface tension at 20 °C:

Refraction index:

Non-applicable \*

Non-applicable \*

#### SECTION 10: STABILITY AND REACTIVITY

#### 10.1 Reactivity:

No hazardous reactions are expected because the product is stable under recommended storage conditions. See section 7.

#### 10.2 Chemical stability:

Chemically stable under the conditions of storage, handling and use.

#### 10.3 Possibility of hazardous reactions:

Under the specified conditions, hazardous reactions that lead to excessive temperatures or pressure are not expected.

#### 10.4 Conditions to avoid:

Applicable for handling and storage at room temperature:

Shock and friction	Contact with air	Increase in temperature	Sunlight	Humidity
Not applicable	Not applicable	Risk of combustion	Avoid direct impact	Not applicable

#### 10.5 Incompatible materials:

Acids	Water	Combustive materials	Combustible materials	Others
Avoid strong acids	Not applicable	Avoid direct impact	Not applicable	Avoid alkalis or strong bases

#### 10.6 Hazardous decomposition products:

See subsection 10.3, 10.4 and 10.5 to find out the specific decomposition products. Depending on the decomposition conditions, complex mixtures of chemical substances can be released: carbon dioxide (CO2), carbon monoxide and other organic compounds.

#### SECTION 11: TOXICOLOGICAL INFORMATION

#### 11.1 Information on toxicological effects:

The experimental information related to the toxicological properties of the product itself is not available

#### **Dangerous health implications:**

In case of exposure that is repetitive, prolonged or at concentrations higher than recommended by the occupational exposure limits, it may result in adverse effects on health depending on the means of exposure:

A.- Ingestion (acute effect):

Date of compilation: 30/09/2016 Revised: 16/02/2017 Version: 2 (Replaced 1) Page 6/11

<sup>\*</sup>Not relevant due to the nature of the product, not providing information property of its hazards.

## Safety data sheet According to 1907/2006/EC (REACH), 2015/830/EU

#### Spray Mini N. Oriental 60 Oriental (Al Oud)

#### SECTION 11: TOXICOLOGICAL INFORMATION (continued)

- Acute toxicity: Based on available data, the classification criteria are not met, as it does not contain substances classified as dangerous for consumption. For more information see section 3.
- Corrosivity/Irritability: Based on available data, the classification criteria are not met, however it does contain substances classified as dangerous for this effect. For more information see section 3.

#### B- Inhalation (acute effect):

- Acute toxicity: Based on available data, the classification criteria are not met, as it does not contain substances classified as dangerous for inhalation. For more information see section 3.
- Corrosivity/Irritability: Based on available data, the classification criteria are not met, as it does not contain substances classified as dangerous for this effect. For more information see section 3.
- C- Contact with the skin and the eyes (acute effect):
  - Contact with the skin: Based on available data, the classification criteria are not met, however, it contains substances classified as dangerous for skin contact. For more information see section 3.
  - Contact with the eyes: Produces eye damage after contact.
- D- CMR effects (carcinogenicity, mutagenicity and toxicity to reproduction):
  - Carcinogenicity: Based on available data, the classification criteria are not met, as it does not contain substances classified as dangerous for the effects mentioned. For more information see section 3.
  - Mutagenicity: Based on available data, the classification criteria are not met, as it does not contain substances classified as dangerous for this effect. For more information see section 3.
  - Reproductive toxicity: Based on available data, the classification criteria are not met, as it does not contain substances classified as dangerous for this effect. For more information see section 3.

#### E- Sensitizing effects:

- Respiratory: Based on available data, the classification criteria are not met, as it does not contain substances classified as dangerous with sensitising effects. For more information see section 3.
- Cutaneous: Based on available data, the classification criteria are not met, however, it contains substances classified as dangerous with sensitising effects. For more information see section 3.
- F- Specific target organ toxicity (STOT) single exposure:

Based on available data, the classification criteria are not met, however, it contains substances classified as dangerous for inhalation. For more information see section 3.

- G- Specific target organ toxicity (STOT)-repeated exposure:
  - Specific target organ toxicity (STOT)-repeated exposure: Based on available data, the classification criteria are not met, as it does not contain substances classified as dangerous for this effect. For more information see section 3.
  - Skin: Based on available data, the classification criteria are not met, as it does not contain substances classified as dangerous for this effect. For more information see section 3.
- H- Aspiration hazard:

Based on available data, the classification criteria are not met, as it does not contain substances classified as dangerous for this effect. For more information see section 3.

#### Other information:

Non-applicable

#### Specific toxicology information on the substances:

Identification	Acu	Genus	
Propan-2-ol	LD50 oral	5280 mg/kg	Rat
CAS: 67-63-0	LD50 dermal	12800 mg/kg	Rat
EC: 200-661-7	LC50 inhalation	72,6 mg/L (4 h)	Rat
3-(5,5,6-trimethylbicyclo[2.2.1]hept-2-yl)cyclohexan-1-ol	LD50 oral	2777 mg/kg	Rat
CAS: 3407-42-9	LD50 dermal	5700 mg/kg	Rabbit
EC: 222-294-1	LC50 inhalation	Non-applicable	

#### SECTION 12: ECOLOGICAL INFORMATION

The experimental information related to the eco-toxicological properties of the product itself is not available

### 12.1 Toxicity:

Identification	Acute toxicity		Species	Genus
Propan-2-ol	LC50	9640 mg/L (96 h)	Pimephales promelas	Fish
CAS: 67-63-0	EC50	13299 mg/L (48 h)	Daphnia magna	Crustacean
EC: 200-661-7	EC50	1000 mg/L (72 h)	Scenedesmus subspicatus	Algae

Date of compilation: 30/09/2016 Revised: 16/02/2017 Version: 2 (Replaced 1) Page 7/11



### Safety data sheet

According to 1907/2006/EC (REACH), 2015/830/EU

#### Spray Mini N. Oriental 60 Oriental (Al Oud)

#### SECTION 12: ECOLOGICAL INFORMATION (continued)

Identification	Acute toxicity		Species	Genus
1-(1,2,3,4,5,6,7,8-octahydro-2,3,8,8-tetramethyl-2-naphthyl) ethan-1-one	LC50	0.1 - 1 mg/L (96 h)		Fish
CAS: 54464-57-2	EC50	0.1 - 1 mg/L		Crustacean
EC: 259-174-3	EC50	0.1 - 1 mg/L		Algae

#### 12.2 Persistence and degradability:

Identification	Degradability		Biodegradability	
Propan-2-ol	BOD5	1.19 g O2/g	Concentration	100 mg/L
CAS: 67-63-0	COD	2.23 g O2/g	Period	14 days
EC: 200-661-7	BOD5/COD	0.53	% Biodegradable	86 %

#### 12.3 Bioaccumulative potential:

Identification	Bioaccumulation potential		
Propan-2-ol	BCF	3	
CAS: 67-63-0	Pow Log	0.05	
EC: 200-661-7	Potential	Low	

#### 12.4 Mobility in soil:

Identification	Absorption/desorption		Volatility	
Propan-2-ol	Koc	1.5	Henry	8,207E-1 Pa·m³/mol
CAS: 67-63-0	Conclusion	Very High	Dry soil	Yes
EC: 200-661-7	Surface tension	2,24E-2 N/m (25 °C)	Moist soil	Yes

#### 12.5 Results of PBT and vPvB assessment:

Non-applicable

#### 12.6 Other adverse effects:

Not described

#### SECTION 13: DISPOSAL CONSIDERATIONS

#### 13.1 Waste treatment methods:

	Code	Description	Waste class (Regulation (EU) No 1357/2014)
07 01 04* Other organic solvents, washing liquids and mother liquor		Other organic solvents, washing liquids and mother liquor	Dangerous

#### Type of waste (Regulation (EU) No 1357/2014):

HP3 Flammable

#### Waste management (disposal and evaluation):

Consult the authorized waste service manager on the assessment and disposal operations in accordance with Annex 1 and Annex 2 (Directive 2008/98/EC). As under 15 01 (2014/955/EC) of the code and in case the container has been in direct contact with the product, it will be processed the same way as the actual product. Otherwise, it will be processed as non-dangerous residue. We do not recommended disposal down the drain. See paragraph 6.2.

#### Regulations related to waste management:

In accordance with Annex II of Regulation (EC)  $n^01907/2006$  (REACH) the community or state provisions related to waste management are stated

Community legislation: Directive 2008/98/EC, 2014/955/EU, Regulation (EU) No 1357/2014

#### **SECTION 14: TRANSPORT INFORMATION**

#### Transport of dangerous goods by land:

With regard to ADR 2015 and RID 2015:

#### Safety data sheet

According to 1907/2006/EC (REACH), 2015/830/EU

#### Spray Mini N. Oriental 60 Oriental (Al Oud)

#### SECTION 14: TRANSPORT INFORMATION (continued)



UN1993 14.1 UN number:

14.2 UN proper shipping name: FLAMMABLE LIQUID, N.O.S. (Ethanol)

14.3 Transport hazard class(es):

Labels: 3

Π 14.4 Packing group: 14.5 Dangerous for the No

environment:

14.6 Special precautions for user

Special regulations: 274, 601, 640D

Tunnel restriction code: D/E

see section 9 Physico-Chemical properties:

Limited quantities: 1 I

14.7 Transport in bulk according to Annex II of Marpol and

the IBC Code:

Non-applicable

#### Transport of dangerous goods by sea:

With regard to IMDG 38-16:

14.1 UN number: UN1993

14.2 UN proper shipping name: FLAMMABLE LIQUID, N.O.S. (Ethanol)

14.3 Transport hazard class(es): 3

> Labels: 3

14.4 Packing group: ΙΙ

14.5 Dangerous for the No environment:

14.6 Special precautions for user

Special regulations: 274 EmS Codes: F-E, S-E

Physico-Chemical properties: see section 9

Limited quantities: 1 I

14.7 Transport in bulk according Non-applicable

to Annex II of Marpol and

the IBC Code:

#### Transport of dangerous goods by air:

With regard to IATA/ICAO 2017:



14.1 UN number: HN1993

**14.2** UN proper shipping name: FLAMMABLE LIQUID, N.O.S. (Ethanol)

14.3 Transport hazard class(es): Labels: 3

14.4 Packing group: Π 14.5 Dangerous for the No environment:

14.6 Special precautions for user

Physico-Chemical properties: see section 9 Non-applicable

14.7 Transport in bulk according

the IBC Code:

to Annex II of Marpol and

#### **SECTION 15: REGULATORY INFORMATION**

#### 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture:

Regulation (EC) No 528/2012: contains a preservative to protect the initial properties of the treated article. Contains Ethanol.

Candidate substances for authorisation under the Regulation (EC) 1907/2006 (REACH): Non-applicable

Substances included in Annex XIV of REACH ("Authorisation List") and sunset date: Non-applicable

Regulation (EC) 1005/2009, about substances that deplete the ozone layer: Non-applicable

Date of compilation: 30/09/2016 Revised: 16/02/2017 Version: 2 (Replaced 1) Page 9/11

## Safety data sheet According to 1907/2006/EC (REACH), 2015/830/EU

#### Spray Mini N. Oriental 60 Oriental (Al Oud)

#### SECTION 15: REGULATORY INFORMATION (continued)

Article 95, REGULATION (EU) No 528/2012: Propan-2-ol (Product-type 1, 2, 4)

REGULATION (EU) No 649/2012, in relation to the import and export of hazardous chemical products: Non-applicable

## Limitations to commercialisation and the use of certain dangerous substances and mixtures (Annex XVII REACH, etc ....):

Non-applicable

#### Specific provisions in terms of protecting people or the environment:

It is recommended to use the information included in this safety data sheet as data used in a risk evaluation of the local circumstances in order to establish the necessary risk prevention measures for the manipulation, use, storage and disposal of this product.

#### Other legislation:

The product could be affected by sectorial legislation

#### 15.2 Chemical safety assessment:

The supplier has not carried out evaluation of chemical safety.

#### **SECTION 16: OTHER INFORMATION**

#### Legislation related to safety data sheets:

This safety data sheet has been designed in accordance with ANNEX II-Guide to the compilation of safety data sheets of Regulation (EC) No 1907/2006 (Regulation (EC) No 2015/830)

#### Modifications related to the previous Safety Data Sheet which concerns the ways of managing risks.:

CLP Regulation (EC) nº 1272/2008 (SECTION 2, SECTION 16):

· Precautionary statements

#### Texts of the legislative phrases mentioned in section 2:

H319: Causes serious eye irritation

H225: Highly flammable liquid and vapour

#### Texts of the legislative phrases mentioned in section 3:

The phrases indicated do not refer to the product itself; they are present merely for informative purposes and refer to the individual components which appear in section 3

#### CLP Regulation (EC) nº 1272/2008:

Aquatic Acute 1: H400 - Very toxic to aquatic life

Aquatic Chronic 1: H410 - Very toxic to aquatic life with long lasting effects

Eye Irrit. 2: H319 - Causes serious eye irritation

Flam. Liq. 2: H225 - Highly flammable liquid and vapour

Skin Irrit. 2: H315 - Causes skin irritation

Skin Sens. 1B: H317 - May cause an allergic skin reaction STOT SE 3: H336 - May cause drowsiness or dizziness

#### Classification procedure:

Eye Irrit. 2: Calculation method

Flam. Liq. 2: Calculation method (2.6.4.3)

#### Advice related to training:

Minimal training is recommended to prevent industrial risks for staff using this product, in order to facilitate their comprehension and interpretation of this safety data sheet, as well as the label on the product.

#### Principal bibliographical sources:

http://esis.jrc.ec.europa.eu http://echa.europa.eu http://eur-lex.europa.eu

#### **Abbreviations and acronyms:**

## Safety data sheet According to 1907/2006/EC (REACH), 2015/830/EU

#### Spray Mini N. Oriental 60 Oriental (Al Oud)

#### SECTION 16: OTHER INFORMATION (continued)

ADR: European agreement concerning the international carriage of dangerous goods by road

IMDG: International maritime dangerous goods code IATA: International Air Transport Association

ICAO: International Civil Aviation Organisation COD: Chemical Oxygen Demand

BOD5: 5-day biochemical oxygen demand

BCF: Bioconcentration factor LD50: Lethal Dose 50 LC50: Lethal Concentration 50 EC50: Effective concentration 50

Log-POW: Octanol—water partition coefficient Koc: Partition coefficient of organic carbon

The information contained in this safety data sheet is based on sources, technical knowledge and current legislation at European and state level, without being able to guarantee its accuracy. This information cannot be considered a guarantee of the properties of the product, it is simply a description of the security requirements. The occupational methodology and conditions for users of this product are not within our awareness or control, and it is ultimately the responsibility of the user to take the necessary measures to obtain the legal requirements concerning the manipulation, storage, use and disposal of chemical products. The information on this safety data sheet only refers to this product, which should not be used for needs other than those specified.

Date of compilation: 30/09/2016 Revised: 16/02/2017 Version: 2 (Replaced 1) Page 11/11