



Premium Detailing
Products

2021 Catalog

For all your
detailing needs,
look no further than
Lat 26°



All-Purpose Clean

Great for those tough cleaning jobs where soap and water just will not get the job done. This ready-to-use formula is ideal for removing stains on a variety of surfaces such as paint, gelcoat, vinyl, rubber, hypalon, plastics, fabrics, woods, etc.

5 Gallon: LAT-APC5
1 Gallon: LAT-APC1
32 oz: LAT-APC32



Black Stain Remover

Extremely effective soot remover. Use it to remove deeply embedded exhaust stains and black streaks. Designed for marine paint, gelcoat, vinyl, plastic and canvas surfaces.

1 Gallon: LAT-BSR1
32 oz: LAT-BSR32



Boat Soap

Creates volumes of suds, yet rinses away in seconds without leaving any film. This amazing boat soap is so gentle it won't remove even the most delicate waxes. One Gallon is enough for buckets and buckets of wash solution with suds that won't quit until the wash is complete. Safe to use on ceramic coated surfaces.

5 Gallon: LAT-BS5
1 Gallon: LAT-BS1
16 oz: LAT-BS16



Clean Wax

A one step product that cleans, polishes and protects paint and gelcoat! **Clean Wax** is a simple to use "all-in-one" product that shines & protects while removing corrosion, water spots, exhaust residue, light scratches and swirl marks. Add Lat 26° **Carbon Guard®** or Lat 26° **UV (Protect) Heat Guard** to area after applying **Clean Wax** for additional protection.

1 Gallon: LAT-CW1
16 oz: LAT-CW16



Detail (Wax) Spray

An environmentally friendly water-based cleaner and wax spray. Because it is water repellent, it helps protect against both pollution and dirt adhesion. Lat 26° **Detail Spray** works on most surfaces and is an excellent cleaner/protection booster spray for surfaces that have been coated by Lat 26° **UV (Protect) Heat Guard**, Lat 26° **Carbon Guard®** and Lat 26° **Clean Wax**.

1 Gallon: LAT-DW1
32 oz: LAT-DW32



Mildew Remove

A professional strength formula that removes mildew on contact. Even really tough stains are no match for Lat 26° **Mildew Remove**. Amazing results can be seen after only 30 second of product penetration.

1 Gallon: LAT-MR1
24 oz: LAT-MR24



Rust Remove

Quickly and easily removes stains on fiberglass and paint. It is a concentrated spray gel solution manufactured from ingredients chosen for their biodegradability and their compatibility with the environment. Watch the rust disappear before your eyes!

5 Gallon: LAT-RR5
1 Gallon: LAT-RR1
32 oz: LAT-RR32



Screen & Glass Clean

An effective and safe cleaner that leaves your glass and electronic screens clean, protected and streak free. This formula is specifically formulated to be used with microfiber cloths. Use not only on Navigation & Bridge screens - but great for all types of screens and glass: phones, glasses, mirrors, shower glass, as well as, Interior & Exterior windows!

1 Gallon: LAT-SC1
10 oz: LAT-SC10
4 oz: LAT-SC4



Surface Prep

To be used before applying Lat 26° **Nano Ceramic®** or other ceramic coatings to paint and gelcoat surfaces.

1 Gallon: LAT-SP1
32 oz: LAT-SP32



Teak Clean

Use for cleaning teak decks, teak furniture, wooden decks and other wooden surfaces whenever needed. It effectively removes dirt, oil grime and most stains without damaging the wood grain. It is easy to use and will not damage surrounding surfaces.

40 Lbs: LAT-TC40
8 Lbs: LAT-TC8
2 Lbs: LAT-TC2



Teak Bright

Very effective at brightening teak decks, teak furniture, wooden decks and other wooden surfaces. It also effectively removes rust stains in the wood. It is easy to use and safe on most surrounding surfaces.

2.5 Gallons: LAT-TB2
1 Gallon: LAT-TB1
32 oz: LAT-TB32

Complete Teak Care

Clean, Brighten, Seal with Lat 26°



Deep Cleaning Formula.

Teak Clean's granulated formula is safe for surrounding caulk, metal and painted or gelcoat surfaces.




Wood Brightener & Rust Remover.

Teak Bright penetrates deep into wood to remove stubborn stains, brighten teak and all hardwoods, and removes rust stains.



Keep the Grey Away.

Teak Seal's mildew-resistant formula provides extreme UV protection and prevents oxidation of wood while keeping your decks free of food and drink stains.



Screen & Glass Clean



- Works on matte finish & glass screens
- Streak free
- Safe on bridge/nav screens, exterior windows, glasses, phones & all electronics!
- Antimicrobial formula

Polish



Compound #1

Removes heavily oxidized and damaged surfaces on paint and gelcoat. It can also be used to remove 1500 grit sandpaper scratches. Uniform compounding beads break down while polishing to reduce swirl marks and micro scratches. Follow with Lat 26° **Medium Compound #2** and Lat 26° **Fine Polish #3** to restore surface to like new condition.

1 Gallon: LAT-C1
16 oz: LAT-C16



Medium Compound #2

Designed to remove medium oxidation & heavy compound scratches from both painted and gelcoat surfaces. Follow with **Fine Polish #3** to restore gloss and remove fine scratches. Used by professionals and boat owners looking to restore damaged gelcoat/paint.

1 Gallon: LAT-MC1
16 oz: LAT-MC16



Fine Polish #3

Finishing polish designed to remove light oxidation, fine scratches and medium compound swirl marks from both paint and gelcoat.

1 Gallon: LAT-FP1
16 oz: LAT-FP16



Metal Polish

A liquid rouge that quickly removes oxidation, rust and scratches while restoring a brilliant shine to dull stainless steel, aluminum, brass and chrome. This ammonia-free formula polishes on and off with little effort. This product can be used by hand or by machine. To preserve finish after polishing, apply Lat 26° **Carbon Guard®** to metal.

1 Gallon: LAT-MP1
16 oz: LAT-MP16



Glass Polish


A completely water-based solution that can be used to remove hard water spots, light scratches, and stains providing a clean and prepped surface for any glass protection.

1 Gallon: LAT-GP1
32 oz: LAT-GP32

Metal Polish







- Liquid rouge
- Works on stainless steel, aluminum, brass & chrome
- Ammonia free
- Restores original finish while providing a brilliant shine



Paint & Gelcoat Polish

Recommended Buffing Process

| Product | Oxidation Level | | |
|---|--|--|--|
| | Heavy | Medium | Light |
| Compound  | 1 Buff with Compound and white wool to remove heavy oxidation and coarse scratches. | | |
| Medium Compound  | 2 Buff with Medium Compound and white wool to remove heavy oxidation and coarse scratches. | 1 Buff with Medium Compound and white wool to remove heavy oxidation and coarse scratches. | |
| Fine Polish  | 3 Light-buff with Fine Polish and yellow wool to remove light oxidation and scratches. | 2 Light-buff with Fine Polish and yellow wool to remove light oxidation and scratches. | 1 Light-buff with Fine Polish and yellow wool to remove light oxidation and scratches. |
| Carbon Guard® and /or UV (Protect) Heat Guard  | 4 Add Carbon Guard® and/or UV (Protect) Heat Guard and apply with either a Black Sealing Pad or Hand Applicator Pad . | 3 Add Carbon Guard® and/or UV (Protect) Heat Guard and apply with either a Black Sealing Pad or Hand Applicator Pad . | 2 Add Carbon Guard® and/or UV (Protect) Heat Guard and apply with either a Black Sealing Pad or Hand Applicator Pad . |

Protect



Carbon Guard®

Powerful polymer-based synthetic wax designed to seal and protect finishes from black streaks, engine exhaust, industrial fallout, acid rain and UV rays. It seals and protects paint, gelcoat, hypalon, rubber as well as hard plastic surfaces. Recommended for lighter colored paints & gelcoats.

1 Gallon: LAT-CG1
16 oz: LAT-CG16



UV (Protect) Heat Guard

UV Heat Guard can be applied to your Yacht/Boat, RV or Vehicle on a variety of surfaces including but not limited to paint, gelcoat, stainless steel, vinyl, leather, rubber, hypalon, isinglass & acrylic surfaces. Its unique slow cure formula allows for easy application on hot surfaces, UV Heat Guard is recommended for Darker Colored Paints & Gelcoat Surfaces.

1 Gallon: LAT-UVP1
16 oz: LAT-UVP16



Teak Seal

Provides months of UV protection and resistance to the greying of teak (oxidation). Helps repel salt water, dirt, mildew & other environmental elements from teak and other wood surfaces. Can be applied on top of already oiled or existing teak treatments to further preserve the wood.

1 Gallon: LAT-TS1
32 oz: LAT-TS32



Nano Ceramic® Coating

Specifically formulated for marine paint and gelcoat, resulting in a long lasting deep gloss finish. Incredible repellency against exhaust, dirt, saltwater and great protection against yellowing and oxidation.

32 oz: LAT-NC32
4 oz: LAT-NC4



Hydro Seal®

A SiO2 touchless ceramic spray that protects the surface from salt water corrosion, dirt, contamination and provides UV protection. Lat 26° Hydro Seal® also refreshes existing sealants and ceramics bringing back their effectiveness to near full strength. The spray on and rinse off formula saves time and allows vessels to quickly be protected. Hydro Seal will last up-to 4 weeks on a properly prepared & maintained surface.

1 Gallon: LAT-HS1
32 oz: LAT-HS32
4 oz: LAT-HS4

How Much Ceramic do I Need?

Nano Ceramic® Coverage Chart

| Vehicle or Vessel Size | Total Coats per Vehicle/Vessels from a 4oz Bottle |
|---|---|
| Jet Ski/Motorcycle | 5 coats |
| Inflatable (Novurania)/Small Car | 5 coats |
| Flats Boat (Key West 1520)/Mid Size | 4 coats |
| Hurricane Bow Rider/Full Size SUV | 4 coats |
| Sailfish 27'/15 ft RV | 3 coats |
| Intrepid 32'/30 ft RV | 3 coats |
| Grady White 36'/40 ft RV | 2 coats |
| Scout 42' lxf/45 ft RV | 2 coats |
| Cabo Sportfish 46'/45ft RV Full Size home | 1 coat |

The above coating coverage amounts are estimates only.
Actual amounts may vary.

2x coats = thorough protection, 3x coats = maximum effectiveness



(8) 4oz bottles = (1) 32oz bottle



Hydro Seal's Proven Results.



Before



After



After



Before

- Refreshes existing sealants & ceramics
- Extremely Hydrophobic
- Rejuvenates & Protects surface for up to 4 weeks



Accessories



**Hand Polisher/
Applicator**

4" x 6": LAT-H-PWAP



Hand Felt Pads

4" x 6": LAT-HFP6



Felt Disc

6": LAT-FD6




**Finessing Pad -
Black**

8": LAT-FNPS-DS-CCS



**Finishing Pad -
Red**

8": LAT-FPS-DS-CCS



**Coating Applicator
Foam Block**

Starter Pack (Block & 12pk): LAT-CAFB

Refill Sheets (12 pk): LAT-CAFR

Large Block (4.75" x 3.125"): LAT-CAFLG

Small Block (3" x 2.625"): LAT-CAFSM



**Velcro Backing
Plates 6"**

5/8" (Rotatry): LAT-BP6

5/16" (Dual Action): LAT-BP



Clay Sponge

4" x 6": LAT-MCS



Compound Wool - White

9": LAT-CP9DS
6": LAT-CP6DS
3": LAT-MWCP-3



Fine Polish Wool - Yellow

9": LAT-FPP9DS
6": LAT-FPP6DS



Microfiber Applicator Sponge

Small: LAT-APPLSmall
Large (4 pk): LAT-APPL3X5MultiPk



Sealing Pad - Black

6": LAT-SP6



Swirl Remover Pad - Red

6": LAT-SRP6-CCS
3": LAT-MSRP-3-CCS



Polishing Pad - Orange

6": LAT-PP6
3": LAT-MPP-3-CCS



Polishing Pad with Advanced Air Flow - Orange

6": LAT-PP6CH

Find us at: **www.Lat26degrees.com**
(754) 206-2356

205 Southwest 30th Street
Fort Lauderdale, Florida 33315

email: **info@Lat26degrees.com**

    @lat26degrees



Clean,
Polish,
Protect,
Enjoy.




Lat
26°

**Premium
Detailing
Products**



Headquarters & Manufacturing based in **FLORIDA**