## Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations Issue date: 04/30/2023 Version: 1.0

SECTION 1: Identification	
1.1. Identification	
Product form	: Mixture
Product name	: STREAK-FREE GLASS CLEANER
Product code	: SP-SFGC
1.2. Relevant identified uses of the su	Ibstance or mixture and uses advised against
1.3. Details of the supplier of the safe	ty data sheet
Slick Products	
PO BOX #1994	
Hoboken, NJ 07030 - USA T (855) 745-2501	
www.slickproductsusa.com	
1.4. Emergency telephone number	
Emergency number	: Chemtrec 1-800-424-9300
SECTION 2: Hazard(s) identification	n .
2.1. Classification of the substance o	r mixture
GHS US classification	
Flam. Liq. 4 Combustible liquid	
2.2. Label elements	
GHS US labeling	
Signal word (GHS US)	E Warning
Hazard statements (GHS US)	: Combustible liquid
Precautionary statements (GHS US)	
Prevention	: Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No
	smoking. Wear protective gloves/protective clothing/eye protection/face protection.
Response	: In case of fire: Use media other than water to extinguish.
Storage	: Store in a well-ventilated place. Keep cool.
Disposal	: Dispose of contents/container to hazardous or special waste collection point, in accordance
Dioposa	with local, regional, national and/or international regulation.
2.3. Other hazards	

## 2.4. Unknown acute toxicity (GHS US)

# SECTION 3: Composition/Information on ingredients

## 3.1. Substances

## Not applicable

## 3.2. Mixtures

Name	Product identifier	%	GHS US classification
butyl glycolether	(CAS-No.) 111-76-2	0.1 – 3	Flam. Liq. 4, H227 Acute Tox. 4 (Oral), H302 Acute Tox. 3 (Dermal), H311 Acute Tox. 4 (Inhalation), H332 Skin Irrit. 2, H315 Eye Irrit. 2B, H320

# Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Full text of hazard	classes and H-statements : see section 16	
SECTION	4: First aid measures	
4.1. Des	scription of first aid measures	
First-aid mea	sures after inhalation :	Remove person to fresh air and keep comfortable for breathing.
First-aid mea	sures after skin contact :	Wash skin with plenty of water.
First-aid mea	sures after eye contact :	Rinse eyes with water as a precaution.
First-aid mea	sures after ingestion :	Call a poison center/doctor/physician if you feel unwell.
4.2. Mo	st important symptoms and effects	, both acute and delayed
4.3. Ind	ication of any immediate medical a	ttention and special treatment needed
Treat sympto		
SECTION	5: Firefighting measures	
	inguishing media	
		Water spray. Dry powder. Foam. Carbon dioxide.
	ecial hazards arising from the subs	
Fire hazard		Combustible liquid.
Reactivity		The product is non-reactive under normal conditions of use, storage and transport.
	vice for firefighters	· · · · · · · · · · · · · · · · · · ·
		Do not attempt to take action without suitable protective equipment. Self-contained breathing
1 Totoolion du		apparatus. Complete protective clothing.
SECTION	C. A acidental release masse	
	6: Accidental release measu	
6.1. Pei	sonal precautions, protective equi	oment and emergency procedures
	non-emergency personnel	
Emergency p	rocedures :	Ventilate spillage area. No open flames, no sparks, and no smoking.
6.1.2. For	emergency responders	
Protective eq	uipment :	Do not attempt to take action without suitable protective equipment. For further information
		refer to section 8: "Exposure controls/personal protection".
6.2. Env	vironmental precautions	
Avoid release	to the environment.	
6.3. Me	thods and material for containment	and cleaning up
Methods for c	leaning up :	Take up liquid spill into absorbent material. Notify authorities if product enters sewers or public
0.1		waters.
Other informa	ation :	Dispose of materials or solid residues at an authorized site.
6.4. Ref	ference to other sections	
For further inf	formation refer to section 13.	
SECTION	7: Handling and storage	
7.1. Pre	ecautions for safe handling	
Precautions f	or safe handling :	Ensure good ventilation of the work station. Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Wear personal protective equipment.
Hygiene mea	sures :	Do not eat, drink or smoke when using this product. Always wash hands after handling the product.
7.2. Co	nditions for safe storage, including	any incompatibilities
Storage cond		Store in a well-ventilated place. Keep cool.
SECTION	8: Exposure controls/persor	nal protection
8.1. Co	ntrol parameters	
butyl glyco	lether (111-76-2)	

20 ppm

ACGIH

ACGIH OEL TWA [ppm]

# Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

butyl glycolether (111-76-2)	butyl glycolether (111-76-2)			
ACGIH	Remark (ACGIH)	Eye & URT irr		
OSHA	OSHA PEL (TWA) [1]	240 mg/m <sup>3</sup>		
OSHA	OSHA PEL (TWA) [2]	50 ppm		

8.2. Exposure controls	
Appropriate engineering controls	: Ensure good ventilation of the work station.
Hand protection	: Protective gloves.
Eye protection	: Safety glasses.
Skin and body protection	: Wear suitable protective clothing.
Respiratory protection	: In case of insufficient ventilation, wear suitable respiratory equipment.
Environmental exposure controls	: Avoid release to the environment.

# **SECTION 9: Physical and chemical properties**

9.1. Information on basic physical and o	hemical properties
Physical state	: Liquid
	: No data available
	: No data available
Odor threshold	: No data available
рН	: 6-8
Melting point	: Not applicable
Freezing point	: ≈ 32 °F
Boiling point	: No data available
Flash point	: No data available
Relative evaporation rate (butyl acetate=1)	: No data available
Flammability	: Not applicable.
Vapor pressure	: No data available
Relative vapor density at 20 °C	: No data available
Relative density	: No data available
Density	: 8.29 lb/gal
Solubility	: No data available
Partition coefficient n-octanol/water (Log Pow)	: No data available
Auto-ignition temperature	: No data available
Decomposition temperature	: No data available
Viscosity, kinematic	: No data available
Viscosity, dynamic	: No data available
Explosion limits	: No data available
Explosive properties	: No data available
Oxidizing properties	: No data available

9.2. Other information

SECTION 10: Stability and reactivity						
10.1.	Reactivity					
The product is non-reactive under normal conditions of use, storage and transport.						
10.2.	Chemical stability					
Stable u	Stable under normal conditions.					
10.3.	Possibility of hazardous reactions					
No dangerous reactions known under normal conditions of use.						
10.4.	Conditions to avoid					
Avoid contact with hot surfaces. Heat. No flames, no sparks. Eliminate all sources of ignition.						

## Safety Data Sheet

Acute toxicity

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

# 10.5. Incompatible materials

No additional information available

### 10.6. Hazardous decomposition products

Under normal conditions of storage and use, hazardous decomposition products should not be produced.

# SECTION 11: Toxicological information

11.1. Information on toxicological effects

: Not classified

butyl glycolether (111-76-2)			
LD50 oral rat	1746 mg/kg body weight (Equivalent or similar to OECD 401, Rat, Male, Experimental value, Oral, 14 day(s))		
LD50 dermal rat	> 2000 mg/kg body weight (Rat; Experimental value; OECD 402: Acute Dermal Toxicity)		
LD50 dermal rabbit	435 mg/kg body weight (Rabbit; Experimental value; OECD 402: Acute Dermal Toxicity; 435 mg/kg bodyweight; Rabbit; Weight of evidence; Equivalent or similar to OECD 402)		
LC50 Inhalation - Rat	> 4.26 mg/l (4 h, Rat, Male / female, Experimental value, Inhalation (vapours), 14 day(s))		
ATE US (oral)	1746 mg/kg body weight		
ATE US (dermal)	435 mg/kg body weight		
ATE US (gases)	4500 ppmV/4h		
ATE US (vapors)	11 mg/l/4h		
ATE US (dust, mist)	1.5 mg/l/4h		
Skin corrosion/irritation	: Not classified		
	pH: 6 – 8		
Serious eye damage/irritation	: Not classified		
	pH: 6 – 8		
Respiratory or skin sensitization	: Not classified		
Germ cell mutagenicity	: Not classified		
Carcinogenicity	: Not classified		
butyl glycolether (111-76-2)			
IARC group	3 - Not classifiable		
Reproductive toxicity	: Not classified		
STOT-single exposure	: Not classified		
STOT-repeated exposure	: Not classified		
Aspiration hazard	: Not classified		
SECTION 12: Ecological informat	tion		
2.1. Toxicity			
Ecology - general	: The product is not considered harmful to aquatic organisms or to cause long-term adverse effects in the environment.		
butyl glycolether (111-76-2)			
butyl glycolether (111-76-2) LC50 - Fish [1]	1474 mg/l (OECD 203: Fish, Acute Toxicity Test, 96 h, Oncorhynchus mykiss, Static system, Fresh water, Experimental value, Lethal)		
LC50 - Fish [1]	Fresh water, Experimental value, Lethal)           1550 mg/l (OECD 202: Daphnia sp. Acute Immobilisation Test, 48 h, Daphnia magna, Static		
LC50 - Fish [1] EC50 - Crustacea [1]	Fresh water, Experimental value, Lethal)           1550 mg/l (OECD 202: Daphnia sp. Acute Immobilisation Test, 48 h, Daphnia magna, Static system, Fresh water, Experimental value, Locomotor effect)		
LC50 - Fish [1] EC50 - Crustacea [1] ErC50 algae	Fresh water, Experimental value, Lethal)           1550 mg/l (OECD 202: Daphnia sp. Acute Immobilisation Test, 48 h, Daphnia magna, Static system, Fresh water, Experimental value, Locomotor effect)		
LC50 - Fish [1] EC50 - Crustacea [1] ErC50 algae 2.2. Persistence and degradability	Fresh water, Experimental value, Lethal)           1550 mg/l (OECD 202: Daphnia sp. Acute Immobilisation Test, 48 h, Daphnia magna, Static system, Fresh water, Experimental value, Locomotor effect)		
LC50 - Fish [1] EC50 - Crustacea [1] ErC50 algae 2.2. Persistence and degradability butyl glycolether (111-76-2)	Fresh water, Experimental value, Lethal)         1550 mg/l (OECD 202: Daphnia sp. Acute Immobilisation Test, 48 h, Daphnia magna, Static system, Fresh water, Experimental value, Locomotor effect)         ≈ 911 mg/l (72 Hr.)		
LC50 - Fish [1] EC50 - Crustacea [1] ErC50 algae 2.2. Persistence and degradability butyl glycolether (111-76-2) Persistence and degradability	Fresh water, Experimental value, Lethal)         1550 mg/l (OECD 202: Daphnia sp. Acute Immobilisation Test, 48 h, Daphnia magna, Static system, Fresh water, Experimental value, Locomotor effect)         ≈ 911 mg/l (72 Hr.)         Readily biodegradable in water. Biodegradable in the soil. Photodegradation in the air.		
LC50 - Fish [1] EC50 - Crustacea [1] ErC50 algae 2.2. Persistence and degradability butyl glycolether (111-76-2) Persistence and degradability Biochemical oxygen demand (BOD)	Fresh water, Experimental value, Lethal)         1550 mg/l (OECD 202: Daphnia sp. Acute Immobilisation Test, 48 h, Daphnia magna, Static system, Fresh water, Experimental value, Locomotor effect)         ≈ 911 mg/l (72 Hr.)         Readily biodegradable in water. Biodegradable in the soil. Photodegradation in the air.         0.71 g O₂/g substance		
LC50 - Fish [1] EC50 - Crustacea [1] ErC50 algae 2.2. Persistence and degradability butyl glycolether (111-76-2)	Fresh water, Experimental value, Lethal)         1550 mg/l (OECD 202: Daphnia sp. Acute Immobilisation Test, 48 h, Daphnia magna, Stat system, Fresh water, Experimental value, Locomotor effect)         ≈ 911 mg/l (72 Hr.)		
LC50 - Fish [1] EC50 - Crustacea [1] ErC50 algae 2.2. Persistence and degradability butyl glycolether (111-76-2) Persistence and degradability Biochemical oxygen demand (BOD) Chemical oxygen demand (COD)	Fresh water, Experimental value, Lethal)         1550 mg/l (OECD 202: Daphnia sp. Acute Immobilisation Test, 48 h, Daphnia magna, Static system, Fresh water, Experimental value, Locomotor effect)         ≈ 911 mg/l (72 Hr.)         Readily biodegradable in water. Biodegradable in the soil. Photodegradation in the air.         0.71 g O₂/g substance         2.2 g O₂/g substance		

# Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

butyl glycolether (111-76-2)			
Partition coefficient n-octanol/water (Log Pow)	0.81 (Experimental value; BASF test; 25 °C)		
Bioaccumulative potential Low potential for bioaccumulation (Log Kow < 4).			
butyl glycolether (111-76-2)			
butyl glycolether (111-76-2) Surface tension	0.027 N/m (25 °C)		
, ,	0.027 N/m (25 °C) 0.451 – 0.882 (log Koc, SRC PCKOCWIN v2.0, Calculated value)		

 SECTION 13: Disposal considerations

 13.1.
 Waste treatment methods

 Waste treatment methods
 : Dispose of contents/container in accordance with licensed collector's sorting instructions.

 SECTION 14: Transport information

#### Department of Transportation (DOT)

In accordance with DOT Not regulated

### **Transportation of Dangerous Goods**

Not applicable

### Transport by sea

Not applicable

## Air transport

Not applicable

## **SECTION 15: Regulatory information**

15.1. US Federal regulations

butyl glycolether (111-76-2)			
SARA Section 311/312 Hazard Classes	Fire hazard Immediate (acute) health hazard Delayed (chronic) health hazard		
SARA Section 313 - Emission Reporting	1 %		
ethylene glycol (107-21-1)			
Subject to reporting requirements of United Sta	ates SARA Section 313		
CERCLA RQ	5000 lb		
SARA Section 313 - Emission Reporting	1 %		
Proprietary Surfactants (Trade Secret)			
Not listed on the United States TSCA (Toxic Substances Control Act) inventory			

## Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

### STREAK-FREE GLASS CLEANER

#### Water (7732-18-5)

Listed on the United States TSCA (Toxic Substances Control Act) inventory - Status: Active

di(tetramethylammonium)(29H,31H-phthalocyanin-N29,N30,N31,N32)disulfonamide disulfonate, cuprate(2-)complex, derivates (12222-04-7)

Not listed on the United States TSCA (Toxic Substances Control Act) inventory Not listed on the Canadian DSL (Domestic Substances List)/NDSL (Non-Domestic Substances List)

#### butyl glycolether (111-76-2)

Listed on the United States TSCA (Toxic Substances Control Act) inventory - Status: Active

#### ethylene glycol (107-21-1)

Listed on the United States TSCA (Toxic Substances Control Act) inventory - Status: Active Listed on EPA Hazardous Air Pollutant (HAPS)

#### Proprietary Surfactants (Trade Secret)

Not listed on the Canadian DSL (Domestic Substances List)/NDSL (Non-Domestic Substances List)

#### BLUE AGAVE

Not listed on the Canadian DSL (Domestic Substances List)/NDSL (Non-Domestic Substances List)

#### 15.3. US State regulations

ethylene glycol (107-21-1)				
U.S California - Proposition 65 - Carcinogens List	U.S California - Proposition 65 - Developmental Toxicity	U.S California - Proposition 65 - Reproductive Toxicity - Female	U.S California - Proposition 65 - Reproductive Toxicity - Male	No significant risk level (NSRL)
No	Yes	No	No	

### butyl glycolether (111-76-2)

- U.S. Massachusetts Right To Know List
- U.S. New Jersey Right to Know Hazardous Substance List
- U.S. Pennsylvania RTK (Right to Know) List

### ethylene glycol (107-21-1)

- U.S. Massachusetts Right To Know List
- U.S. New Jersey Right to Know Hazardous Substance List
- U.S. Pennsylvania RTK (Right to Know) List

### **SECTION 16: Other information**

### Full text of H-phrases:

Acute Tox. 3 (Dermal)	Acute toxicity (dermal) Category 3
Acute Tox. 4 (Inhalation)	Acute toxicity (inhalation) Category 4
Acute Tox. 4 (Oral)	Acute toxicity (oral) Category 4
Eye Irrit. 2B	Serious eye damage/eye irritation Category 2B
Flam. Liq. 4	Flammable liquids Category 4
Skin Irrit. 2	Skin corrosion/irritation Category 2

SDS US (GHS HazCom 2012) - Custom