Safety Data Sheet according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations Issue date: 04/30/2023 Version: 1.0

SECTION 1: Identification	
1.1. Identification	
Product form	: Mixture
Product name	: SUPER CONCENTRATED TOUCHLESS PRE-SOAK
Product code	: SP-SCTP
1.2. Relevant identified uses of the su	ubstance or mixture and uses advised against
1.3. Details of the supplier of the safe	ty data sheet
Slick Products	
PO BOX #1994 Hoboken, NJ 07030 - USA	
T (855) 745-2501	
www.slickproductsusa.com	
1.4. Emergency telephone number	
Emergency number	: Chemtrec 1-800-424-9300
SECTION 2: Hazard(s) identification	
2.1. Classification of the substance o	r mixture
GHS US classification	
Skin Irrit. 2 Causes skin irritation	
Eye Irrit. 2 Causes serious eye irritation	
2.2. Label elements	
GHS US labeling	
Hazard pictograms (GHS US)	: GHS07
Signal word (GHS US)	· Warning
Hazard statements (GHS US)	: Causes skin irritation
	Causes serious eye irritation
Precautionary statements (GHS US)	
Prevention	: Wash hands, forearms and face thoroughly after handling. Wear protective gloves/protective clothing/eye protection/face protection.
Response	 If on skin: Wash with plenty of water. IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Specific treatment (see supplemental first aid instruction on this label). If skin irritation occurs: Get medical advice/attention. If eye irritation persists: Get medical advice/attention. Take off contaminated clothing and wash it before reuse.
2.3. Other hazards	
2.4. Unknown acute toxicity (GHS US	
SECTION 3: Composition/Information	tion on ingredients

SECTION 3: COM	position/information o	on ingreale

3.1.	Substances

Not applicable

3.2. **Mixtures**

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Name	Product identifier	%	GHS US classification
Sodium xylenesulfonate	(CAS-No.) 1300-72-7	3 – 5	Skin Irrit. 2, H315 Eye Irrit. 2B, H320 STOT SE 3, H335
butyl glycolether	(CAS-No.) 111-76-2	3-5	Flam. Liq. 4, H227 Acute Tox. 4 (Oral), H302 Acute Tox. 3 (Dermal), H311 Acute Tox. 4 (Inhalation), H332 Skin Irrit. 2, H315 Eye Irrit. 2B, H320
UNDECETH-5	(CAS-No.) 34398-01-1	1 – 5	Skin Irrit. 2, H315 Eye Irrit. 2A, H319

Full text of hazard classes and H-statements : see section 16

SECTI	ON 4: First aid measures	
4.1.	Description of first aid measures	
		 Remove person to fresh air and keep comfortable for breathing. Wash skin with plenty of water. Take off contaminated clothing. If skin irritation occurs: Get medical advice/attention.
First-aid	measures after eye contact	: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention.
First-aid	measures after ingestion	: Call a poison center/doctor/physician if you feel unwell.
4.2.	Most important symptoms and effects	s, both acute and delayed
, ,		: Irritation. : Eye irritation.
4.3.	Indication of any immediate medical a	attention and special treatment needed
Treat sy	mptomatically.	
SECTI	ON 5: Firefighting measures	
5.1.	Extinguishing media	
Suitable	extinguishing media	: Water spray. Dry powder. Foam. Carbon dioxide.
5.2.	Special hazards arising from the subs	stance or mixture
Reactivit	У	: The product is non-reactive under normal conditions of use, storage and transport.
5.3.	Advice for firefighters	
Protectio	on during firefighting	: Do not attempt to take action without suitable protective equipment. Self-contained breathing apparatus. Complete protective clothing.
SECTI	ON 6: Accidental release measu	ures
6.1.	Personal precautions, protective equi	pment and emergency procedures
6.1.1.	For non-emergency personnel	
Emerger	ncy procedures	: Ventilate spillage area. Avoid contact with skin and eyes.
6.1.2.	For emergency responders	
Protectiv		: Do not attempt to take action without suitable protective equipment. For further information refer to section 8: "Exposure controls/personal protection".
6.2. Avoid re	Environmental precautions lease to the environment.	
6.3.	Methods and material for containmen	t and cleaning up
Methods	for cleaning up	: Take up liquid spill into absorbent material.
Other inf	formation	: Dispose of materials or solid residues at an authorized site.
	ornation	
6.4.	Reference to other sections	
••••		
For furth	Reference to other sections	
For furth	Reference to other sections er information refer to section 13.	

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Hygiene measures

: Wash contaminated clothing before reuse. Do not eat, drink or smoke when using this product. Always wash hands after handling the product.

7.2. Conditions for safe storage, including any incompatibilities

Storage conditions

: Store in a well-ventilated place. Keep cool.

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

butyl glycolether (111-76-2)		
ACGIH AC	GIH OEL TWA [ppm]	20 ppm
ACGIH Re	mark (ACGIH)	Eye & URT irr
OSHA OS	HA PEL (TWA) [1]	240 mg/m ³
OSHA OS	HA PEL (TWA) [2]	50 ppm
UNDECETH-5 (34398-01-1)		1
Not applicable		
Sodium xylenesulfonate (1300-72	2-7)	
Not applicable		
.2. Exposure controls		
ppropriate engineering controls	: Ensure good ventilation	n of the work station.
land protection	: Protective gloves.	
ye protection	: Safety glasses.	
kin and body protection	: Wear suitable protectiv	e clothing.
Respiratory protection	: In case of insufficient v	entilation, wear suitable respiratory equipment.
invironmental exposure controls	: Avoid release to the en	vironment.
SECTION 9: Physical and cl	nemical properties	
	sical and chemical properties	
Physical state : Liquid		
	: No data available	
	: No data available	
Odor threshold	: No data available	
н	: No data available	
H solution	: 8 – 10 1% Solution	
felting point	: Not applicable	
reezing point	: ≈ 32 °F	
Boiling point	: No data available	
lash point	: > 212 °F	
Relative evaporation rate (butyl aceta	ate=1) : No data available	
lammability	: Not applicable.	
apor pressure	: No data available	
Relative vapor density at 20 °C	: No data available	
elative density	: No data available	
Pensity	: 8.48 lb/gal	
Solubility	: No data available	
Partition coefficient n-octanol/water (
uto-ignition temperature	: No data available	
Decomposition temperature	: No data available	
	: No data available	
iscosity, kinematic		

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Explosion limits	: No data available
Explosive properties	: No data available
Oxidizing properties	: No data available

9.2. Other information

SECT	ON 10: Stability and reactivity				
10.1.	Reactivity				
The pro	The product is non-reactive under normal conditions of use, storage and transport.				
10.2.	Chemical stability				
Stable u	inder normal conditions.				
10.3.	Possibility of hazardous reactions				
No dang	perous reactions known under normal conditions of use.				
10.4.	Conditions to avoid				
None ur	nder recommended storage and handling conditions (see section 7).				
10.5.	Incompatible materials				
No addi	tional information available				
10.6.	Hazardous decomposition products				
Under n	ormal conditions of storage and use, hazardous decomposition products should not be produced.				
SECT	ON 11: Toxicological information				
11.1.	Information on toxicological effects				

Acute toxicity

: Not classified

butyl glycolether (111-76-2)		
LD50 oral rat	1746 mg/kg body weight (Equivalent or similar to OECD 401, Rat, Male, Experimental value, Oral, 14 day(s))	
LD50 dermal rat	> 2000 mg/kg body weight (Rat; Experimental value; OECD 402: Acute Dermal Toxicity)	
LD50 dermal rabbit	435 mg/kg body weight (Rabbit; Experimental value; OECD 402: Acute Dermal Toxicity; 435 mg/kg bodyweight; Rabbit; Weight of evidence; Equivalent or similar to OECD 402)	
LC50 Inhalation - Rat	> 4.26 mg/l (4 h, Rat, Male / female, Experimental value, Inhalation (vapours), 14 day(s))	
ATE US (oral)	1746 mg/kg body weight	
ATE US (dermal)	435 mg/kg body weight	
ATE US (gases)	4500 ppmV/4h	
ATE US (vapors)	11 mg/l/4h	
ATE US (dust, mist)	1.5 mg/l/4h	
UNDECETH-5 (34398-01-1)		
LD50 oral rat	> 1400 mg/kg	
LD50 dermal rabbit	> 2000 mg/kg	
Sodium xylenesulfonate (1300-72-7)		
LD50 oral rat	> 7000 mg/kg body weight (OECD 401: Acute Oral Toxicity, Rat, Male / female, Experimental value, Oral, 14 day(s))	
LD50 dermal rabbit	 > 2000 mg/kg body weight (Equivalent or similar to OECD 402, Rabbit, Experimental value, Dermal, 14 day(s)) 	
LC50 Inhalation - Rat	> 6.41 mg/l (Equivalent or similar to OECD 403, 232 minutes, Rat, Male / female, Experimental value, Inhalation (aerosol), 14 day(s))	
Skin corrosion/irritation	Causes skin irritation.	
Serious eye damage/irritation	: Causes serious eye irritation.	
Respiratory or skin sensitization	: Not classified	
Germ cell mutagenicity	: Not classified	
Carcinogenicity	: Not classified	
butyl glycolether (111-76-2)		
IARC group	3 - Not classifiable	
05/22/2023	EN (English LIS) ///	

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Reproductive toxicity STOT-single exposure	-	Not classified Not classified
STOT-repeated exposure	:	Not classified
Aspiration hazard	:	Not classified
Symptoms/effects after skin contact Symptoms/effects after eye contact		Irritation. Eye irritation.

Symptoms/enects after eye contact	
SECTION 12: Ecological information	
12.1. Toxicity	
Ecology - general	 The product is not considered harmful to aquatic organisms or to cause long-term adverse effects in the environment.

butyl glycolether (111-76-2)				
LC50 - Fish [1]	1474 mg/l (OECD 203: Fish, Acute Toxicity Test, 96 h, Oncorhynchus mykiss, Static system, Fresh water, Experimental value, Lethal)			
EC50 - Crustacea [1]	1550 mg/l (OECD 202: Daphnia sp. Acute Immobilisation Test, 48 h, Daphnia magna, Static system, Fresh water, Experimental value, Locomotor effect)			
ErC50 algae	≈ 911 mg/l (72 Hr.)			
UNDECETH-5 (34398-01-1)				
LC50 - Fish [1]	1 – 10 mg/l (96 hr.)			
EC50 - Crustacea [1]	1 – 10 mg/l (48 hr.)			
EC50 - Other aquatic organisms [1]	1 – 10 mg/l (96 hr.)(Algae)			
Sodium xylenesulfonate (1300-72-7)				
LC50 - Fish [1]	> 1000 mg/l (EPA OTS 797.1400, 96 h, Oncorhynchus mykiss, Static system, Fresh water, Experimental value)			
EC50 - Crustacea [1]	> 1000 mg/l (EPA OTS 797.1300, 48 h, Daphnia magna, Static system, Fresh water, Experimental value)			

12.2. Persistence and degradability

butyl glycolether (111-76-2)		
Persistence and degradability	Readily biodegradable in water. Biodegradable in the soil. Photodegradation in the air.	
Biochemical oxygen demand (BOD)	0.71 g O ₂ /g substance	
Chemical oxygen demand (COD)	2.2 g O ₂ /g substance	
ThOD	2.305 g O ₂ /g substance	
BOD (% of ThOD)	0.31	
Sodium xylenesulfonate (1300-72-7)		
Persistence and degradability	Readily biodegradable in water.	

Bioaccumulative potential 12.3.

butyl glycolether (111-76-2)		
Partition coefficient n-octanol/water (Log Pow) 0.81 (Experimental value; BASF test; 25 °C)		
Bioaccumulative potential Low potential for bioaccumulation (Log Kow < 4).		
Sodium xylenesulfonate (1300-72-7)		
Partition coefficient n-octanol/water (Log Pow)	-3.12 (Experimental value, EU Method A.8: Partition Coefficient, 20 °C)	
Bioaccumulative potential	Not bioaccumulative.	

12.4. Mobility in soil

butyl glycolether (111-76-2)		
Surface tension	0.027 N/m (25 °C)	
Organic Carbon Normalized Adsorption Coefficient (Log Koc)	0.451 – 0.882 (log Koc, SRC PCKOCWIN v2.0, Calculated value)	
Ecology - soil	Highly mobile in soil.	
Sodium xylenesulfonate (1300-72-7)		
Surface tension	71 mN/m (20 °C, 90 %, EU Method A.5: Surface tension)	
05/22/2023	EN (Enalish US)	5/9

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Sodium xylenesulfonate (1300-72-7)	
Organic Carbon Normalized Adsorption 1.42 (log Koc, SRC PCKOCWIN v2.0, Calculated value) Coefficient (Log Koc) 1.42 (log Koc, SRC PCKOCWIN v2.0, Calculated value)	
Ecology - soil	Highly mobile in soil.
12.5. Other adverse effects	

SECTION 13: Disposal consideration	ons
13.1. Waste treatment methods	
Waste treatment methods	: Dispose of contents/container in accordance with licensed collector's sorting instructions.
SECTION 14: Transport information	1
Department of Transportation (DOT)	
In accordance with DOT	
Not applicable	
Transportation of Dangerous Goods	
Not applicable	
μ μ	
Transport by sea	
Not applicable	
Air transport	

SECTION 15: Regulatory information

15.1. US Federal regulations

Contains chemical(s) subject to TSCA 12b export notification if product is shipped outside the U.S

Acetaldehyde	CAS-No. 75-07-0	< 0.1%
· · ·		
hutul alugalathan (444, 70, 0)		

butyl glycolether (111-76-2)		
SARA Section 311/312 Hazard Classes	Fire hazard Immediate (acute) health hazard Delayed (chronic) health hazard	
SARA Section 313 - Emission Reporting	1 %	
ethylene glycol (107-21-1)		
Subject to reporting requirements of United State	s SARA Section 313	
CERCLA RQ	5000 lb	
SARA Section 313 - Emission Reporting	1 %	
UNDECETH-5 (34398-01-1)		
EPA TSCA Regulatory Flag	 FRI - FRI - indicates a polymeric substance containing no free-radical initiator in its Inventory name but is considered to cover the designated polymer made with any free-radical initiator regardless of the amount used. PMN - PMN - indicates a commenced PMN substance. XU - XU - indicates a substance exempt from reporting under the Chemical Data Reporting Rule, (40 CFR 711). 	
SARA Section 311/312 Hazard Classes	Immediate (acute) health hazard	

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Subject to reporting requirements of United States SARA Section 313			
10 lb			
1000 lb			
0.1 %			
tes SARA Section 313			
1000 lb			
SARA Section 313 - Emission Reporting 0.1 %			
CI 18050 (3734-67-6)			
Listed on the United States TSCA (Toxic Substances Control Act) inventory			
Acid Red 27 (915-67-3)			
Listed on the United States TSCA (Toxic Substances Control Act) inventory			
CAPRYLYL/CAPRYL GLUCOSIDE (68515-73-1)			
Listed on the United States TSCA (Toxic Substances Control Act) inventory			
Listed on the United States TSCA (Toxic Substances Control Act) inventory			
 N - N - indicates a polymeric substance containing no free-radical initiator in its Inventory name but is considered to cover the designated polymer made with any free-radical initiator regardless of the amount used. P - P - indicates a commenced Premanufacture Notice (PMN) substance. 			
Disodium metasilicate (6834-92-0)			
Listed on the United States TSCA (Toxic Substances Control Act) inventory			

5.2. International constants
5.2. International regulations
SUPER CONCENTRATED TOUCHLESS PRE-SOAK
Not listed on the United States TSCA (Toxic Substances Control Act) inventory
Water (7732-18-5)
Listed on the United States TSCA (Toxic Substances Control Act) inventory - Status: Active
butyl glycolether (111-76-2)
Listed on the United States TSCA (Toxic Substances Control Act) inventory - Status: Active
ethylene glycol (107-21-1)
Listed on the United States TSCA (Toxic Substances Control Act) inventory - Status: Active Listed on EPA Hazardous Air Pollutant (HAPS)
UNDECETH-5 (34398-01-1)
Listed on the United States TSCA (Toxic Substances Control Act) inventory - Status: Active
Ethylene oxide (75-21-8)
Listed on IARC (International Agency for Research on Cancer) Listed as carcinogen on NTP (National Toxicology Program) Listed on the United States TSCA (Toxic Substances Control Act) inventory - Status: Active Listed on EPA Hazardous Air Pollutant (HAPS)
Acetaldehyde (75-07-0)
Listed as carcinogen on NTP (National Toxicology Program) Listed on the United States TSCA (Toxic Substances Control Act) inventory - Status: Active Listed on EPA Hazardous Air Pollutant (HAPS)
Polysorbate 20
Not listed on the United States TSCA (Toxic Substances Control Act) inventory

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Disodium metasilicate (6834-92-0)
Listed on the United States TSCA (Toxic Substances Control Act) inventory - Status: Active
Sodium sulfate (7757-82-6)
Listed on the United States TSCA (Toxic Substances Control Act) inventory - Status: Active
Sodium xylenesulfonate (1300-72-7)
Listed on the United States TSCA (Toxic Substances Control Act) inventory - Status: Active
Chelating Agent
Not listed on the United States TSCA (Toxic Substances Control Act) inventory
WATERMELON A
Not listed on the Canadian DSL (Domestic Substances List)/NDSL (Non-Domestic Substances List)

15.3. US State regulations

ethylene glycol (107-21-1)				
U.S California - Proposition 65 - Carcinogens List	U.S California - Proposition 65 - Developmental Toxicity	U.S California - Proposition 65 - Reproductive Toxicity - Female	U.S California - Proposition 65 - Reproductive Toxicity - Male	No significant risk level (NSRL)
No	Yes	No	No	
Ethylene oxide (75-21-8)				
U.S California - Proposition 65 - Carcinogens List	U.S California - Proposition 65 - Developmental Toxicity	U.S California - Proposition 65 - Reproductive Toxicity - Female	U.S California - Proposition 65 - Reproductive Toxicity - Male	No significant risk level (NSRL)
Yes	Yes	Yes	Yes	2 µg/day
Acetaldehyde (75-07-0)				
U.S California - Proposition 65 - Carcinogens List	U.S California - Proposition 65 - Developmental Toxicity	U.S California - Proposition 65 - Reproductive Toxicity - Female	U.S California - Proposition 65 - Reproductive Toxicity - Male	No significant risk level (NSRL)
Yes	No	No	No	90 µg/day

- Sodium sulfate (7757-82-6)
- U.S. Massachusetts Right To Know List U.S. Pennsylvania RTK (Right to Know) List

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

SECTION 16: Other information

Full text of H-phrases:

	Acute Tox. 3 (Dermal)	Acute toxicity (dermal) Category 3
	Acute Tox. 4 (Inhalation)	Acute toxicity (inhalation) Category 4
	Acute Tox. 4 (Oral)	Acute toxicity (oral) Category 4
	Eye Irrit. 2	Serious eye damage/eye irritation Category 2
	Eye Irrit. 2A	Serious eye damage/eye irritation Category 2A
	Eye Irrit. 2B	Serious eye damage/eye irritation Category 2B
	Flam. Liq. 4	Flammable liquids Category 4
	Skin Irrit. 2	Skin corrosion/irritation Category 2
	STOT SE 3	Specific target organ toxicity – Single exposure, Category 3, Respiratory tract irritation

SDS US (GHS HazCom 2012) - Custom