



# Safety data sheet

Page: 1/12

BASF Safety data sheet according to UN GHS 4th rev. Date / Revised: 02.02.2021 Product: ACECUT 4153

Version: 2.0

(ID no. 30687740/SDS\_GEN\_00/EN)

Date of print 13.07.2022

# 1. Identification

# **Product identifier**

# **ACECUT 4153**

Recommended use: glass cutting fluid

Not recommended use: Uses other than recommended

# Details of the supplier of the safety data sheet

<u>Company:</u> Chemetall Pty Ltd. 5 Seller Road Boksburg East, Gauteng, 1459 SOUTH AFRICA Tel: +27 (0) 11-914-2500 Fax: +27 (0) 11-914-4792 Email: Dalibor.skalic@basf.com

# **Emergency telephone number**

International emergency number: +49 180 2273-112 Telephone: +27(0)82-800-9294/+27(0)82-551-5444

# 2. Hazards Identification

# Classification of the substance or mixture

According to UN GHS criteria

Asp. Tox. 1 Flam. Liq. 4 BASF Safety data sheet according to UN GHS 4th rev. Date / Revised: 02.02.2021 Product: ACECUT 4153

Version: 2.0

(ID no. 30687740/SDS\_GEN\_00/EN)


Date of print 13.07.2022

For the classifications not written out in full in this section the full text can be found in section 16.

# Label elements

Globally Harmonized System, UN (GHS)

Pictogram:



#### Other hazards

According to UN GHS criteria

If applicable information is provided in this section on other hazards which do not result in classification but which may contribute to the overall hazards of the substance or mixture.

Page: 3/12

BASF Safety data sheet according to UN GHS 4th rev. Date / Revised: 02.02.2021 Product: **ACECUT 4153** 

Version: 2.0

(ID no. 30687740/SDS\_GEN\_00/EN)

Date of print 13.07.2022

# 3. Composition/Information on Ingredients

#### Substances

Not applicable

#### **Mixtures**

Chemical nature

organic Polymer

Hazardous ingredients (GHS) According to UN GHS criteria

White mineral oil Content (W/W): >= 75 % - <= 100 Asp. Tox. 1 % H304 CAS Number: 8042-47-5 EC-Number: 232-455-8

For the classifications not written out in full in this section the full text can be found in section 16.

# 4. First-Aid Measures

#### Description of first aid measures

First aid personnel should pay attention to their own safety. If the patient is likely to become unconscious, place and transport in stable sideways position (recovery position). Remove affected person from danger area. Keep warm, calm and covered up. Immediately remove contaminated clothing. Never give anything by mouth to an unconscious person. In case of intoxication, call a poison control center or physician for treatment advice, taking the packaging or the label of the product. Symptoms of poisoning may occur even after several hours, continue medical observation for at least 48 hours after the accident.

#### If inhaled:

Immediate medical attention required. Remove the affected individual into fresh air and keep the person calm. If breathing is irregular or stopped, administer artificial respiration.

#### On skin contact:

If symptoms persist, seek medical advice. Remove contaminated clothing. Wash skin with soap and water, rinse abundantly. Do NOT use solvents or thinners.

#### On contact with eyes:

If symptoms persist, seek medical advice. Contact lenses should be removed. Hold eyelids open and flush with copious amounts of clean, fresh water or a special eyewash solution.

Page: 4/12

BASF Safety data sheet according to UN GHS 4th rev. Date / Revised: 02.02.2021 Product: **ACECUT 4153** 

Version: 2.0

(ID no. 30687740/SDS\_GEN\_00/EN)

Date of print 13.07.2022

On ingestion:

Summon medical aid without delay. Do not induce vomiting due to aspiration hazard. Rinse mouth immediately with water. Keep at rest.

#### Most important symptoms and effects, both acute and delayed

Symptoms: Information, i.e. additional information on symptoms and effects may be included in the GHS labeling phrases available in Section 2 and in the Toxicological assessments available in Section 11.

#### Indication of any immediate medical attention and special treatment needed

Treatment: Symptomatic treatment (decontamination, vital functions). Antidote: No known specific antidote.

# 5. Fire-Fighting Measures

### Extinguishing media

Suitable extinguishing media: carbon dioxide, alcohol-resistant foam, dry powder, water spray

Unsuitable extinguishing media for safety reasons: water jet

#### Special hazards arising from the substance or mixture

carbon oxides Fire will produce dense black smoke. Inhalation of dangerous decomposition products may cause serious damage to health.

#### Advice for fire-fighters

Special protective equipment: Appropriate breathing apparatus may be required.

Further information:

Cool closed containers in the vicinity of the source of fire. Dispose of fire debris and contaminated extinguishing water in accordance with official regulations. Collect contaminated extinguishing water separately, do not allow to reach sewage or effluent systems.

#### 6. Accidental Release Measures

#### Personal precautions, protective equipment and emergency procedures

Use personal protective clothing. Avoid breathing vapours. Keep away from sources of ignition. Ensure adequate ventilation. Advice on product handling can be found in sections 7 and 8 of this safety data sheet.

#### **Environmental precautions**

Page: 5/12

BASF Safety data sheet according to UN GHS 4th rev. Date / Revised: 02.02.2021 Product: **ACECUT 4153** 

Version: 2.0

(ID no. 30687740/SDS\_GEN\_00/EN)

Date of print 13.07.2022

Do not allow to enter drains or waterways. Do not discharge into the subsoil/soil. If the product enters drains or sewers, the local water company should be contacted immediately; in the case of contamination of streams, rivers or lakes, the Environment Agency.

#### Methods and material for containment and cleaning up

Contain and collect spillage with non-combustible absorbent materials, e.g. sand, earth, vermiculite, diatomaceous earth and place in a suitable container for diposal according with the waste regulations (see section 13). Clean preferably with a detergent; avoid the use of solvents. Ensure adequate ventilation.

# 7. Handling and Storage

#### Precautions for safe handling

Provide good ventilation of working area (local exhaust ventilation if necessary). Do not return residues to the storage containers. Smoking, eating and drinking are forbidden in application area. For personal protection see section 8. Comply with the health and safety at work laws. Avoid inhalation of vapour and spray mist. The workplace should be equipped with an emergency shower and eye-rinsing facility. Avoid contact with the skin, eyes and clothing. Handle in accordance with good industrial hygiene and safety practice.

#### Protection against fire and explosion:

Avoid all sources of ignition: heat, sparks, open flame. The relevant fire protection measures should be noted.

#### Conditions for safe storage, including any incompatibilities

Keep away from oxidising agents, from strongly alkaline and strongly acid materials.

Suitable materials for containers: High density polyethylene (HDPE), Low density polyethylene (LDPE), Polyethylenetherephtalate (PET), Polypropylene (PP), Carbon steel (Iron), tinned carbon steel (Tinplate)

Further information on storage conditions: Keep container dry. Keep in a cool, well-ventilated place. Avoid direct sunlight. Close containers carefully once opened and store them upright in order to prevent any leakage. No smoking. No admission for unauthorised personnel. Always keep in containers of same material as the original one. Observe label precautions.

Storage stability: Storage temperature: 5 - 40 °C

#### Specific end use(s)

For the relevant identified use(s) listed in Section 1 the advice mentioned in this section 7 is to be observed.

# 8. Exposure Controls/Personal Protection

#### **Control parameters**

Components with occupational exposure limits

Page: 6/12

BASF Safety data sheet according to UN GHS 4th rev. Date / Revised: 02.02.2021 Product: **ACECUT 4153** 

Version: 2.0

(ID no. 30687740/SDS\_GEN\_00/EN)

Date of print 13.07.2022

No occupational exposure limits known.

#### **Exposure controls**

Personal protective equipment

Respiratory protection: Wear respiratory protection if ventilation is inadequate. (Gas filter EN 14387 A)

Hand protection:

Chemical resistant protective gloves (EN 374)

nitrile rubber (NBR) - 0.4 mm coating thickness

butyl rubber gloves - material thickness: 0,5 mm

Performance level 6, corresponding to a breakthrough time of >480 min according to EN ISO 374-1 The protection glove should be tested for its specific suitability (e.g. mechanical strength, product compatibility, anti-static properties).

The gloves should be replaced immediately in case of damage or signs of wear. It is recommended to use preventative skin protection (skin cream).

Eye protection: Tightly fitting safety goggles (splash goggles) (e.g. EN 166)

Body protection: Chemical resistant protective clothing according to DIN EN 13034 (Type 6)

#### General safety and hygiene measures

Do not breathe vapour/spray. Eye wash fountains and safety showers must be easily accessible. Avoid contact with the skin, eyes and clothing. Handle in accordance with good industrial hygiene and safety practice. Ensure adequate ventilation. This can be achieved by the use of local exhaust ventilation and good general extraction. Remove contaminated clothing immediately and dispose of safely. Hands and/or face should be washed before breaks and at the end of the shift. Keep separated from food stuffs and feed stocks.

# 9. Physical and Chemical Properties

## Information on basic physical and chemical properties

Form:	liquid
Colour:	yellow
Odour:	of hydrocarbons
pH value:	
	substance/mixture is non-soluble (in water)
Melting point:	,
01	not determined
onset of boiling:	> 200 °C
Flash point:	> 90 °C
Flammability:	Combustible liquid.
Lower explosion limit:	•
-	not determined

Page: 7/12

BASF Safety data sheet according to UN GHS 4th rev. Date / Revised: 02.02.2021 Product: **ACECUT 4153** 

Version: 2.0

(ID no. 30687740/SDS\_GEN\_00/EN)

Date of print 13.07.2022

Ignition temperature:	
5	not determined
Vapour pressure:	(20 °C) not determined
	(50 °C)
Density:	not determined 0,845 g/cm3 (20 °C)
Solubility in water: Self ignition:	emulsifiable Temperature: > 270 °C
Viscosity, kinematic:	16 mm2/s (40 °C)
Explosion hazard: Fire promoting properties	not explosive
Other information	
Self heating ability:	It is not a substance capable of spontaneous heating.

Miscibility with water:

immiscible

# 10. Stability and Reactivity

#### Reactivity

No hazardous reactions if stored and handled as prescribed/indicated.

#### **Chemical stability**

The product is stable if stored and handled as prescribed/indicated.

#### Possibility of hazardous reactions

No hazardous reactions when stored and handled according to instructions.

#### **Conditions to avoid**

Avoid all sources of ignition: heat, sparks, open flame. Avoid direct sunlight. Avoid freezing.

#### Incompatible materials

Substances to avoid: Keep away from highly acidic or alkaline substances as well as oxidants in order to prevent exothermal reactions.

# Hazardous decomposition products

Page: 8/12

BASF Safety data sheet according to UN GHS 4th rev. Date / Revised: 02.02.2021 Product: **ACECUT 4153** 

Version: 2.0

(ID no. 30687740/SDS\_GEN\_00/EN)

Date of print 13.07.2022

When exposed to high temperatures hazardous decomposition products such as carbon monoxide, carbon dioxide, smoke, oxides of nitrogen may be produced., No hazardous decomposition products if stored and handled as prescribed/indicated.

# **11. Toxicological Information**

# Information on toxicological effects

#### Acute toxicity

Assessment of acute toxicity: Based on available Data, the classification criteria are not met.

#### Irritation

Assessment of irritating effects: Based on available Data, the classification criteria are not met.

#### Respiratory/Skin sensitization

Assessment of sensitization: Based on available Data, the classification criteria are not met.

#### Germ cell mutagenicity

Assessment of mutagenicity: Based on available Data, the classification criteria are not met.

#### Carcinogenicity

Assessment of carcinogenicity: Based on available Data, the classification criteria are not met.

#### Reproductive toxicity

Assessment of reproduction toxicity: Based on available Data, the classification criteria are not met.

#### **Developmental toxicity**

Assessment of teratogenicity: Based on available Data, the classification criteria are not met.

#### Specific target organ toxicity (single exposure)

Assessment of STOT single: Based on available Data, the classification criteria are not met.

Page: 9/12

BASF Safety data sheet according to UN GHS 4th rev. Date / Revised: 02.02.2021 Product: **ACECUT 4153** 

Version: 2.0

(ID no. 30687740/SDS\_GEN\_00/EN)

Date of print 13.07.2022

Repeated dose toxicity and Specific target organ toxicity (repeated exposure)

Assessment of repeated dose toxicity: Based on available Data, the classification criteria are not met.

#### Aspiration hazard

May also damage the lung at swallowing (aspiration hazard).

# 12. Ecological Information

#### Toxicity

Assessment of aquatic toxicity: There are no test results available for this product. Do not allow to enter drains or waterways. Based on available Data, the classification criteria are not met.

#### Persistence and degradability

Assessment biodegradation and elimination (H2O): No data available concerning biodegradation and elimination.

#### **Bioaccumulative potential**

Bioaccumulation potential: No data available.

#### Mobility in soil

Assessment transport between environmental compartments: Adsorption in soil: No data available.

# Results of PBT and vPvB assessment

According to Annex XIII of Regulation (EC) No.1907/2006 concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH): The product does not contain a substance fulfilling the PBT (persistent/bioaccumulative/toxic) criteria or the vPvB (very persistent/very bioaccumulative) criteria.

#### Other adverse effects

The product does not contain substances that are listed in Regulation (EC) 1005/2009 on substances that deplete the ozone layer.

# **13. Disposal Considerations**

Page: 10/12

BASF Safety data sheet according to UN GHS 4th rev. Date / Revised: 02.02.2021 Product: ACECUT 4153

Version: 2.0

(ID no. 30687740/SDS\_GEN\_00/EN)

Date of print 13.07.2022

#### Waste treatment methods

Observe national and local legal requirements.

Contaminated packaging:

Contaminated packaging should be emptied as far as possible and disposed of in the same manner as the substance/product.

#### 14. Transport Information

### Land transport

#### ADR

UN number: UN proper shipping name: Transport hazard class(es): Packing group: Environmental hazards: Special precautions for user	Not classified as a dangerous good under transport regulations Not applicable Not applicable Not applicable Not applicable Not applicable None known
RID	
UN number: UN proper shipping name: Transport hazard class(es): Packing group:	Not classified as a dangerous good under transport regulations Not applicable Not applicable Not applicable Not applicable Not applicable

Environmental hazards: Not applicable Special precautions for None known user

#### Inland waterway transport ADN

UN number:

Packing group:

user:

Special precautions for

Not classified as a dangerous good under transport regulations Not applicable UN proper shipping name: Not applicable Transport hazard class(es): Not applicable Not applicable Environmental hazards: Not applicable None known

Transport in inland waterway vessel

Page: 11/12

BASF Safety data sheet according to UN GHS 4th rev. Date / Revised: 02.02.2021 Product: **ACECUT 4153** 

Version: 2.0

(ID no. 30687740/SDS\_GEN\_00/EN)

Date of print 13.07.2022

Not evaluated

#### Sea transport

#### IMDG

	Not classified as a dangerous good under transport regulations
UN number:	Not applicable
UN proper shipping name:	Not applicable
Transport hazard class(es):	Not applicable
Packing group:	Not applicable
Environmental hazards:	Not applicable
Special precautions for	None known
user	

#### Air transport

#### IATA/ICAO

	Not classified as a dangerous good under transport regulations
UN number:	Not applicable
UN proper shipping name:	Not applicable
Transport hazard class(es):	Not applicable
Packing group:	Not applicable
Environmental hazards:	Not applicable
Special precautions for	None known
user	

# Transport in bulk according to Annex II of MARPOL and the IBC Code

Regulation:	Not evaluated
Shipment approved:	Not evaluated
Pollution name:	Not evaluated
Pollution category:	Not evaluated
Ship Type:	Not evaluated

# **15. Regulatory Information**

# Safety, health and environmental regulations/legislation specific for the substance or mixture

Not applicable

# **16. Other Information**

Restricted to professional users.

Page: 12/12

BASF Safety data sheet according to UN GHS 4th rev. Date / Revised: 02.02.2021 Product: **ACECUT 4153** 

Version: 2.0

(ID no. 30687740/SDS\_GEN\_00/EN)

Date of print 13.07.2022

Full text of classifications, hazard symbols and hazard statements, if mentioned in section 2 or 3:Asp. Tox.Aspiration hazardFlam. Liq.Flammable liquidsH304May be fatal if swallowed and enters airways.

The data contained in this safety data sheet are based on our current knowledge and experience and describe the product only with regard to safety requirements. This safety data sheet is neither a Certificate of Analysis (CoA) nor technical data sheet and shall not be mistaken for a specification agreement. Identified uses in this safety data sheet do neither represent an agreement on the corresponding contractual quality of the substance/mixture nor a contractually designated use. It is the responsibility of the recipient of the product to ensure any proprietary rights and existing laws and legislation are observed.

Vertical lines in the left hand margin indicate an amendment from the previous version.