

Est.

1951



# SWARTLAND

WINDOWS AND DOORS

WOODEN DOORS  
AND DOOR FRAMES



A PROUD MEMBER OF THE SWARTLAND FAMILY

**SANS613**  
CERTIFIED

**SABS**  
ISO 9001

Est.

1951



# SWARTLAND

EXPERIENCE QUALITY

# CONTENTS



SWARTLAND DOORS	2
CAPE CULTURE DOORS	8
WINSTERS DOORS	22
KAYO DOORS	36
DOOR INSTALLATION	45

## **SANS613** CERTIFIED

Selected doors are SANS 613 certified  
(Mechanical Performance Criteria).

### CUSTOM-MADE

When ordering a non-standard product,  
please take lead time, cost implications and  
purpose-made guidelines into account.

For details visit [www.swartland.co.za](http://www.swartland.co.za)

## ABOUT SWARTLAND



### SUSTAINABILITY IS DEEPLY INGRAINED

We pride ourselves on our integrity and insist that our natural resources be utilised in a sustainable way. After all, we're thinking long-term.

### IN THE FOREST

Managed responsibly, wood is a renewable resource. We give preference to responsible loggers and use plantation-grown timber where possible. Our staff carefully monitor the harvesting process on-site.

### IN THE FACTORY

We're committed to reducing waste. Our recycling programme uses excess wood chips to fuel the boilers that kiln-dry our wood, while our air-management system dramatically reduces harmful emissions.

### IN THE HOME

Composite gaskets in all windows and selected doors improve your home's thermal performance.

## SWARTLAND RANGES

Est.



1951

# SWARTLAND

## EXPERIENCE QUALITY

Swartland offers three ranges of wooden doors to suit your application and budget.


All doors are made according to world-class manufacturing standards, and all ranges are leaders in their class.

Selected doors are SANS 613 certified and approved.

**SANS613**  
CERTIFIED

# CAPE CULTURE

WHEN ONLY THE BEST WILL DO



**SWARTLAND**

**10 YEAR**  
**GUARANTEE**

**Our CAPE CULTURE range** features our flagship products. All these products represent the very best of Swartland in terms of quality and guarantees.

**STYLES:** Patio, Sliding, Pivot-in-frame, Entrance, Interior, Door Frames.



# WINSTERS

QUALITY YOU CAN AFFORD




SWARTLAND  
5 YEAR  
GUARANTEE

Our **WINSTERS** range is our most popular range, providing features that allow the customer to experience Swartland quality at a competitive price.

**STYLES:** Pivot, Entrance, Patio, Fold-a-side, Sliding, Door Frames.

# KAYO

VALUE FOR MONEY



SWARTLAND  
1 YEAR  
GUARANTEE

Our **KAYO** range offers customers with a limited budget access to Swartland's world-class standards at an affordable price.

**STYLES:** Pivot-in-frame, Entrance, Interior, FLB Doors, Door Frames.


## DOOR RANGE



## DOOR RANGE

Durability, craftsmanship and increased thermal performance are at the core of Swartland products.

We offer guarantees on all doors, backed up by knowledgeable national service teams.



**CAPE  
CULTURE**


## DOOR RANGE



## STILE CONSTRUCTION

### ENGINEERED STILES

We use a unique configuration of hardwood pieces, laminated and joined to stabilise the timber.



**WINSTERS**

## DOOR RANGE



## ANATOMY OF A DOOR



For detailed product specifications please visit [www.swartland.co.za](http://www.swartland.co.za)



## DOOR RANGE



## PIVOT-IN-FRAME RANGE



Stainless-steel  
barrel lock

High-quality  
brass pivot  
mechanism

For detailed product specifications please  
visit [www.swartland.co.za](http://www.swartland.co.za)






**S** DIFSD24P/1.2  
**M**



**S** DIFSD30P/1.2  
**M**



**S** DIFSD16P/1.2  
**M**



**S** DIFPD26P/1.2  
**M**



**S** DIFSD25P/1.2  
**M** (0,933)



**S** DIFSD31P/1.2  
**M**

PIVOT-IN-FRAME SIZES	
Overall Size W x H	Door Size W x H
1348 x 2144	1200 x 2032

- L** Light Duty
- M** Medium Duty
- H** Heavy Duty
- E** Exterior
- S** Semi-Exterior
- I** Interior
- ⚡** Fire-Resistant



ENTRANCE DOORS 2.4m HIGH

We know how to make an entrance. Engineered design, sturdy construction and thicker wood add up to a door that's made to stand the test of time.



**S** SD26/2.4  
**M**

**S** SD30/2.4  
**M**

AVAILABLE IN: 813mm WIDE x 2400mm HIGH  
Figures in brackets indicate estimated glass area.  
As viewed from the outside.

**READY - 2 - FIT**  
PRE-SEALED, PRE-GLAZED - RANGE FOR INSTALLERS

All doors are available in our pre-sealed, pre-glazed Ready-2-Fit range.

**BOLECTION MOULD, RAISED AND  
 FIELDLED PANEL DOORS**




**S** SD15  
**M**



**S** SD16  
**M**

905mm



**S** SD19  
**M** (0,523)




**S** SD24  
**M**



**S** SD18  
**M** (0,547)



**S** SD16S  
**M**



**S** SD19S  
**M** (0,441)

905mm

905mm

**STANDARD SIZES:** 813mm WIDE x 2032mm HIGH

Doors as viewed from the outside.

1210mm x 2032mm and 1612mm x 2032mm available on selected doors. SD16, SD2, SD21 available in 762mm WIDE x 2032mm HIGH.

**READY - 2 - FIT**

PRE-SEALED, PRE-GLAZED - RANGE FOR INSTALLERS

All doors are available in our pre-sealed, pre-glazed Ready-2-Fit range.

- L** Light Duty
- M** Medium Duty
- H** Heavy Duty
- E** Exterior
- S** Semi-Exterior
- I** Interior
- ⚡** Fire-Resistant

Figures in brackets indicate estimated glass area.


PANEL AND TRADITIONAL DOORS



**S** SD25  
**M** (0,731)



**S** SD26  
**M**



**S** SD30  
**M**



**S** SD31  
**M**



**S** SD6  
**M** (0,512)




**S** SD2S  
**M** Also available in SD2S/PB



**S** SD14  
**M** (0,525)




**S** SD14S  
**M** (0,509)



**S** SD2/OB/BR  
**M** Also available in SD2/PB

GATE AND LOUVRE DOOR



**E** SD12  
**M** GATE



**S** SD21  
**M** LOUVRE

Figures in brackets indicate estimated glass area.

## MDF DOORS

To complement our exterior range, we offer four styles of interior doors, from classic to contemporary. With noise reduction, solid construction and a smooth finish, these doors add class and style to any home.



**I** MDF – Classique  
**H** MDFCSSH10



**I** MDF – Canterbury  
**H** MDFCTBH10



**I** MDF – Elegance  
**H** MDFELGH10



**I** MDF – Horizontal  
**H** MDFHRZH10  
MDFHRZH10/2.4

**L** Light Duty   **M** Medium Duty   **H** Heavy Duty

**E** Exterior   **S** Semi-Exterior   **I** Interior   **FR** Fire-Resistant

STANDARD SIZE: 813mm x 2032mm




ALUMINIUM INSERT DOORS

This trendy, modern pre-finished door offers solid laminated construction and is suitable for exterior, heavy-duty application. It has a Class-E fire rating and is finished in imbuia, with aluminium inserts.



23mm Aluminium Insert  
UD0011327 - SD801 IMB



5mm Aluminium Insert  
UD0011332 - SD802 IMB

**L** Light Duty    **M** Medium Duty    **H** Heavy Duty

**E** Exterior    **S** Semi-Exterior    **I** Interior    **🔥** Fire-Resistant

For detailed product specifications please visit  
[www.swartland.co.za](http://www.swartland.co.za)

STANDARD HEIGHT PATIO FULL GLASS

As viewed from the outside.

140mm

105mm



S  
M SD7  
(0,939)

S  
M SD7/1210  
(1,184)

S  
M SD7/1612  
(1,878)



905mm

S  
M SD20  
(0,897)

S  
M SD20/1210  
(1,138)

S  
M SD20/1612  
(1,771)

STANDARD HEIGHT PATIO SMALL PANE

As viewed from the outside.

140mm



S  
M SD10  
(0,908)

S  
M SD10/1210  
(1,190)

S  
M SD10/1612  
(1,816)



S  
M SD11  
(0,897)

S  
M SD11/1210  
(1,196)

S  
M SD11/1612  
(1,794)

STANDARD HEIGHT PATIO GUNSTOCK STILE

As viewed from the outside.



**S** SD23  
**M** (0,731)

**S** SD23/1210  
**M** (0,990)

**S** SD23/1612  
**M** (1,462)



**S** SD22  
**M** (0,701)


**S** SD22/1210  
**M** (0,938)

**S** SD22/1612  
**M** (1,409)


STANDARD WIDTHS: 813mm, 1210mm, 1612mm  
STANDARD HEIGHT: 2032mm.

When ordering double doors, please indicate if open-in or open-out is required. Figures in brackets indicates estimated glass area.


Also available in Fold-A-Side 3, 4, 5 & 6-door configurations as a special order.




3-door  
2584w x 2115h




4-door  
3404w x 2115h



5-door  
4232w x 2115h




6-door  
5052w x 2115h



6-door centre  
5052w x 2115h

SWARTLAND STANDARD DOOR REBATE

TOP VIEW



When ordering, doors are always to be viewed from the outside.

Available in

**READY - 2 - FIT**  
PRE-SEALED, PRE-GLAZED - RANGE FOR INSTALLERS



**FULL PANE SLIDING DOORS**

Sliding doors are brilliant space-savers because there's no opening or closing arc, and are perfect for integrating entertainment areas with the rest of your home.

As viewed from the outside.



**S**  
**M** **CSDL 1.8 L/R**  
 (2,443)



**S**  
**M** **CSDL 2.1 L/R**  
 (2,931)



**S**  
**M** **CSDL 2.4 L/R**  
 (3,440)

Sliding doors are supplied with lockable inside handles and outside cup handles.

**Please note:** Sliding doors can only be locked from the inside. Figures in brackets indicate estimated glass area.





**SMALL PANE SLIDING DOOR**


Our superior rail hardware allows these doors to open and close effortlessly. Composite gaskets provide advanced thermal insulation.

As viewed from the outside.




SANS613  
CERTIFIED

**S**  
**M** CSDPL 1.8 L/R  
(2,443)



SANS613  
CERTIFIED

**S**  
**M** CSDPL 2.1 L/R  
(2,931)



SANS613  
CERTIFIED


**S**  
**M** CSDPL 2.4 L/R  
(3,440)

When ordering Cape Culture Sliding doors, please indicate left-hand or right-hand opening when viewed from the outside.



**FULL PANE SLIDING DOORS**




As viewed from the outside.



Figures in brackets indicate estimated glass area. When ordering please indicate left-hand or right-hand opening when viewed from the outside.

### SMALL PANE SLIDING DOORS

As viewed from the outside,







For detailed product specifications please visit [www.swartland.co.za](http://www.swartland.co.za)

DOOR FRAMES

Made for 44mm thick doors, with or without sills.  
Sills are recommended for exterior usage only.  
Please specify when ordering.



DOOR FRAMES	
	
SK1 813mm(w)	SK1 813mm(w)
86 X 67	86 X 67
With Sill	No Sill
OI-2125/OO-2112(h)	2114(h)
923(w)	923(w)
SKA1 813mm(w)	SKA1 813mm(w)
86 X 51	86 X 51
With Sill	No Sill
OI-2109/OO-2096(h)	2098(h)
891(w)	891(w)
SK6 762mm(w)	SKA5 762mm(w)
86 X 67	86 X 51
No Sill	No Sill
2114(h)	2098(h)
872(w)	840(w)
	When placing an order for your door frame, please indicate if it should open in or open out by adding /oi or /oo to the order code.

DOOR FRAMES	
	
SK2 1210mm(w)	SK2 1210mm(w)
86 X 67	86 X 67
With Sill	No Sill
OI-2125/ OO-2112(h)	2114(h)
1320(w) 1210mm(w)	1320(w) 1210mm(w)
SKA2	SKA2
86 X 51	86 X 51
With Sill	No Sill
OI-2109/OO-2096(h)	2098(h)
1288(w)	1288(w)
	When placing an order for your door frame, please indicate if it should open in or open out by adding /oi or /oo to the order code.

## DOOR FRAMES

Constructed from solid laminated wood, all our frames are fitted with Composite Gaskets to prevent drafts.

DOOR FRAMES	
SK3 1612mm(w)	SK3 1612mm(w)
86 X 67	86 X 67
No Sill	With Sill
2114(h)	OI-2125/OO-2112(h)
1722(w)	1722(w)
SKA4 1612mm(w)	SKA4 1612mm(w)
86 X 51	86 X 51
No Sill	With Sill
2098(h)	OI-2109/OO-2096(h)
1690(w)	1690(w)
	When placing an order for your door frame, please indicate if it should open in or open out by adding /oi or /oo to the order code.

DOOR FRAMES WITH TOP-LIGHT OPENERS		
SK1B	SK2B	SK3B
86 X 67	86 X 67	86 X 67
(0,256)	(0,377)	(0,256)
OI-2502/OO-2492(h)	OI-2502/OO-2492(h)	OI-2502/OO-2492(h)
When placing an order for your door frame, please indicate if it should open in or open out by adding /oi or /oo to the order code.		

PIVOT-IN-FRAME RANGE


Open your home and let nature in. These doors are able to span the largest opening of all our doors.



**S** DIFPD32P/1.2  
**M**

**S** DIFPD80P/1.2  
**M** (0,412)

**S** DIFPD611P-1.2  
**M** (0,190)




**S** DIFPD60P/1.2  
**M**

**S** DIFPD101P/1.2  
**M** Dancer

**S** DIFPD100P/1.2  
**M** Kalahari Sun


Fibreglass entry doors have the look of real wood, but will not swell, shrink, crack, warp or twist. They are weather-resistant, so they make excellent exterior doors.



**S** DIFPD130P/1.2  
**M** Horizontal Fibreglass

**S** DIFPD132P/1.2  
**M** Sleeper Fibreglass

**S** DIFPD150P/1.2  
**M** Vertical Fibreglass



**S** DIFPD151P/1.2  
**M** Vertical with studs Fibreglass

**S** DIFPD152P/1.2  
**M** Diamond Fibreglass

These doors are delivered fully assembled and fitted with a stainless-steel barrel lock. The top pivot hinge is also stainless-steel, and fully adjustable.



ENTRANCE AND BACK DOORS

We have a wide range of front and back doors to choose from. This range includes a variety of panel configurations, designed for both traditional and contemporary homes. Stable doors are very practical and often used as a kitchen back door.

RAISED AND FIELDED PANEL DOORS

As viewed from the outside.



S PD19  
M (0,696)



S PD46  
M Carolina (0,166)



S PD80  
M Horizontal slatted glass panel door (0,259)



S PD611  
M



S PD48  
M Kentucky (0,562)



S PD56  
M Security Single Vent (0,111)  
Also available in PD56S (Stable)



S PD58  
M Security Double Vent (0,111)



S PD30  
M Colonial Ten Panel



S PD26  
M Colonial Six Panel



S PD28  
M Colonial Eight Panel  
Also available in PD28S (Stable)



S PD26E  
M Equal Six Panel

STANDARD SIZES: 813mm WIDE x 2032mm HIGH.  
2032mm(h) x 762mm/1210mm/1612mm overall sizes available on request. As viewed from the outside.

## PLANT ON ENTRANCE DOORS

As viewed from the outside.




**S** **PD100**  
**M** Kalahari Sun  
813 X 2031



**S** **PD101**  
**M** Dancer  
813 X 2031

## RAISED AND FIELDDED PANEL DOORS

As viewed from the outside.



**S** **PD30**  
**M** Colonial  
Ten Panel



**S** **PD20**  
**M** 1210/1612/762  
Two Panel



**S** **PD22**  
**M** Two Panel  
Cape Dutch

905mm



**S** **PD24**  
**M** Four Panel  
Also available  
in 762 wide

905mm



**S** **PD60**  
**M** Narrow Horizontal  
Slatted Door  
Also available in PD60S  
(Stable) 1210/1612



**S** **PD61**  
**M** Wide Horizontal  
Slatted Door



**S** **PD92**  
**M**

905mm



**S** **PD90**  
**M**



**S** **PD91**  
**M**

905mm

## FIBREGLASS

As viewed from the outside.



## TRADITIONAL WEATHERBOARD BACK DOORS

As viewed from the outside.



Figures in brackets indicate estimated glass area.

SABS approved for exterior (Class 1) application with heavy-duty usage. Exterior application defined as frequent exposure to unprotected open-air conditions. An overhang above the door is a requirement.

## TRADITIONAL PLY PANEL BACK DOORS

As viewed from the outside.



**PD7**



**PD8**  
Also available in 762/1612 wide



**PD8S**  
(Stable)



**PD9**  
(0,512)



**PD9S**  
(0,502)  
(Stable)



**PD10**  
(0,504)  
Also available in 1612 wide



**PD10S**  
(0,486)  
(Stable)




**PD14**  
(0,533)




**PD14S**  
(0,512)  
(Stable)

## FLYSCREEN DOORS



**PD73**  
(0,502)




**PD74**  
(0,920)

STANDARD RANGE


As viewed from the outside.




**S M** **FAS3PD3L/R**  
(3,191)




**S M** **FAS4PD6L/R**  
(4,021)



**S M** **FAS4PD4L/R**  
(3,943)



**S M** **FAS4PD12L/R**  
(3,623)



**S M** **FAS4PD11**  
(3,623)

Fold-A-Side doors available in PD3, PD4, PD6, PD11 and PD12.

Figures in brackets indicate estimated glass area.  
When ordering Winsters FAS doors, please indicate left-hand or right-hand opening when viewed from the outside.





## PATIO DOOR RANGE

Our patio doors are available in five different designs to complement any architectural style, from the classic French look to a modern vernacular.

STANDARD WIDTHS: 813mm, 1210mm, 1612mm.

STANDARD HEIGHT: 2032mm.

**NB:** When ordering double doors, please indicate if the doors required are to open in or open out.

## FULL GLASS PATIO - STANDARD HEIGHT



**S** **PD3**  
**M** (1,074)  
Available in  
762 wide



**S** **PD3/1210**  
**M** (1,444)  
Available in  
1511 wide



**S** **PD3/1612**  
**M** (2,148)



**S** **PD6**  
**M** (1,020)  
Available in  
762 wide



**S** **PD6/1210**  
**M** (1,363)  
Available in  
1511 wide



**S** **PD6/1612**  
**M** (2,040)

905mm

As viewed from the outside.  
Figures in brackets indicate estimated glass area.



**S** **PD12**  
**M** (0,729)  
Available in 762 wide  
Available in stable  
open-in/open-out

**S** **PD12/1210**  
**M** (0,984)  
Available in  
1511 wide

**S** **PD12/1612**  
**M** (1,458)




**S** **PD11**  
**M** (0,695)  
Available in  
762 wide  
stable ( PD11S)  
open-in / open-out

**S** **PD11/1210**  
**M** (0,941)  
Available in  
1511 wide

**S** **PD11/1612**  
**M** (1,400)

## SMALL PANE PATIO - STANDARD HEIGHT




**S** **PD4**  
**M** (1,008)  
Available in  
762 wide

**S** **PD4/1210**  
**M** (1,344)  
Available in  
1511 wide


**S** **PD4/1612**  
**M** (1,728)

## SWARTLAND STANDARD DOOR REBATE

### TOP VIEW



When ordering, doors are always to be viewed from the outside.



Convert any two doors to pair by using the T-Bar (Paimaker)

As viewed from the outside.

Figures in brackets indicate estimated glass area.

**FULL PANE SLIDING DOORS**


Sliding doors are brilliant space-savers because there's no opening or closing arc, and are perfect for integrating entertainment areas with the rest of your home.

Our superior rail hardware allows these doors to open and close effortlessly. Composite gaskets provide advanced thermal insulation.

Sliding doors leaf slides on the outside.



Sliding doors are supplied with lockable inside and outside handles.



**S M** **WSD 1.8 L/R**  
 (2,443)



**S M** **WSD 2.1 L/R**  
 (2,931)



**S M** **WSD 2.4 L/R**  
 (3,440)

Figures in brackets indicate estimated glass area. When ordering Winsters Sliding doors, please indicate left-hand or right-hand opening when viewed from the outside.

FULL PANE SLIDING DOORS

As viewed from the outside.



SANS613  
CERTIFIED



S M

WSD 3.0 L/R  
(4,484)



S M

WSD 3.120  
(4,154)



S M

WSD 3.515  
(4,886)



S M

WSD 4.115  
(5,862)

Figures in brackets indicate estimated glass area.  
When ordering Winsters Sliding doors, please indicate left-hand or right-hand opening when viewed from the outside.

## SMALL PANE SLIDING DOORS

Sliding doors are brilliant space-savers because there's no opening or closing arc and are perfect for integrating entertainment areas with the rest of your home.


Our superior rail hardware allows these doors to open and close effortlessly.

Composite gaskets provide advanced thermal insulation.


Sliding doors leaf slides on the outside.



**S M** WSDP 1.8 L/R  
(2,440)



**S M** WSDP 2.1 L/R  
(2,931)




**S M** WSDP 2.4 L/R  
(3,440)

Figures in brackets indicate estimated glass area. When ordering Winsters Sliding doors, please indicate left-hand or right-hand opening when viewed from the outside.



## SMALL PANE SLIDING DOORS


As viewed from the outside.



SANS613  
CERTIFIED


S M

**WSDP 3.0 L/R**  
(4,484)



S M

**WDSP 3.120**  
(4,154)



S M

**WDSP 3.515**  
(4,886)



S M

**WDSP 4.115**  
(5,862)

Figures in brackets indicate estimated glass area.  
When ordering Winsters Sliding doors, please indicate left-hand or right-hand opening when viewed from the outside.



## WINSTERS DOOR FRAMES

Made for 40mm thick doors, with or without sills.

Sills are recommended for exterior usage only.

Please specify when ordering.

Wide range of section thickness is available.

DOOR FRAMES	
	
FB1 813mm(w)	FB1 813mm(w)
86 X 42	86 X 42
With Sill	No Sill
OI-2100/OO-2088(h)	2084(h)
873(w)	873(w)
FA1 813mm(w)	FA1 813mm(w)
86 X 51	86 X 51
With Sill	No Sill
OI-2109/OO-2098 (h)	2098(h)
891(w)	891(w)

DOOR FRAMES	
	
FB2 1210mm(w)	FB2 1210mm(w)
86 X 42	86 X 42
With Sill	No Sill
OI-2100/OO-2088(h)	2084(h)
1270(w)	1270(w)
FA2 1210mm(w)	FA2 1210mm(w)
86 X 42	86 X 42
With Sill	No Sill
OI-2109/OO-2098(h)	2098(h)
1288(w)	1288(w)






## WINSTERS DOOR FRAMES


Constructed from solid laminated and finger-jointed wood, our frames are fitted with composite gaskets to prevent drafts.

DOOR FRAMES		
FB4 1612mm(w)	FB4 1612mm(w)	FB5 762mm(w)
86 X 42	86 X 42	86 X 42
No Sill	With Sill	No Sill
2084(h)	OI-2100/OO-2088(h)	2084(h)
1672(w)	1672(w)	822(w)
FA4 1612mm(w)	FA4 1612mm(w)	
86 X 42	86 X 42	
No Sill	With Sill	
2098(h)	OI-2109/OO-2098(h)	
1690(w)	1690(w)	



## PIVOT-IN-FRAME DOORS

Kayo doors are made to the highest standards. Strength, durability, quality wood and manufacturing excellence ensure these doors are built to last.



**S** Symphony

**M** DIFCDSPNHSOP/1.2 G

**S** All Pivot-in-frame doors are available in 1290mm (w) x 2115mm (h)

Our Pivot-in-frame solution saves time and money. These are delivered fully assembled, fitted with a stainless-steel barrel lock and wrapped in plastic for protection.

## PIVOT-IN-FRAME HARDWOOD DOORS

Front



**S** Symphony

**M** DIFCDSPNHSOP/1.2  
1290 X 2115

Front



**S** Lion

**M** DIFCDLIOHSOP/1.2  
1290 X 2115

Front



**S** Elephant

**M** DIFCDELPHSOP/1.2  
1290 X 2115

Front



**S** Rhino

**M** DIFCDRHNHSOP/1.2  
1290 X 2115

Front



**S** Buffalo

**M** DIFCDBFLHSOP/1.2  
1290 X 2115

All stiles and rails are engineered. Core construction includes SA Pine. Wood is a natural product and colour variations may occur.

## CRAFTED HARDWOOD DOORS

Front



**S** Symphony  
**M** CDSPNHS0  
813 X 2032

Front



**S** Lion  
**M** CDLIOHS0  
813 X 2032

Front



**S** Elephant  
**M** CDELPHS0  
813 X 2032

Front



**S** Rhino  
**M** CDRHNHS0  
813 X 2032

Front



**S** Buffalo  
**M** CDBFLHS0  
813 X 2032

## DOUBLE-BOARDED BATTEN DOORS

Front



**S** Horizontal Slatted  
**M** KYD61  
813 X 2032

Front



**S** Horizontal Slatted  
**M** KYD61S/OI  
813 X 2032

## DOOR APPLICATION GUIDELINES

<b>E</b> Exterior	<b>S</b> Semi-Exterior	<b>I</b> Interior	<b>FR</b> Fire-Resistant	Usage
Frequent exposure to unprotected open-air conditions. Please be aware that an over-hang above the door is recommended.	Infrequent and partial exposure to unprotected open-air conditions. Do not expose to direct sunlight or rain. Please be aware that an over-hang above the door is a requirement.	Exposed to dry, sheltered (indoor) conditions only. Internal use only.	Fire-resistant doors forms part of a Class E fire-rating system. (30 minutes) 	<b>L</b> <b>Light Duty</b> (Domestic / Interior usage)
Treatment: Seal all 6 sides with a water-based sealant, including beading and rebates. Re-seal after trimming.	Treatment: Seal all 6 sides with a water-based sealant, including beading and rebates. Re-seal after trimming.	Treatment: Seal all 6 sides with a water-based sealant, including beading and rebates. Re-seal after trimming.	Treatment: Seal all 6 sides with a water-based sealant, including beading and rebates. Re-seal after trimming.	<b>M</b> <b>Medium Duty</b> (Domestic / Commercial usage)
				<b>H</b> <b>Heavy Duty</b> (Frequent / Security usage)

All stiles and rails are engineered. Core construction includes SA Pine. Wood is a natural product and colour variations may occur.



## PANEL HARDWOOD DOORS

Front



**S** 5 Panel  
**M** KYD5F  
813 X 2032

Front



**S** 6 Panel Colonial  
**M** KYD6F  
813 X 2032

Front



**S** 6 Panel Equal  
**M** KYD6EF  
813 X 2032

Front



**S** 8 Panel Colonial  
**M** KYD8F  
813 X 2032

Front



**S** 8 Panel Stable  
**M** KYD8SF  
813 X 2032

Front



**S** 10 Panel Colonial  
**M** KYD10F  
813 X 2032

Front



**S** 12 Panel Colonial  
**M** KYD12F  
813 X 2032

Front



**S** 12 Panel Stable  
**M** KYD12  
813 X 2032

## PLANT ON ENTRANCE DOORS



**S** Kalahari Sun  
**M** KYD100  
KYD100S/OI



**S** Dancer  
**M** KYD101  
KYD101S/OI



**S** African Shield  
**M** KYD104



**S** Intertwined  
**M** KYD105



**S** Mpondo  
**M** KYD110



**S** Spiral  
**M** KYD111

All stiles and rails are engineered. Core construction includes SA Pine.  
Wood is a natural product and colour variations may occur.

FACE-BOARDED BATTEN DOORS

Front/Back



**H** Framed  
KYD2155H  
813 X 2032

Front/Back



**S** Framed  
**M** KYD2156H  
813 X 2032

Front



**S** Framed & Ledged  
**M** KYD2117H  
813 X 2032

Back



Front



**S** Framed, Ledged & Braced  
**M** KYD2117HZ  
813 X 2032

Back



Front



**S** Framed, Ledged & Stable  
**M** KYD2118H  
813 X 2032

Back



TRADITIONAL FRAME AND LEDGED  
BATTEN DOORS

Front



**S** Framed & Ledged  
**M** KYD1/OB  
813 X 2032

Back



Back



**S** Braced  
**M** KYD1/OB/BR  
813 X 2032

Back



**S** Plyback  
**M** KYD1/PB  
813 X 2032

Front



**S** Framed, Ledged & Stable  
**M** KYDIS/OB  
813 X 2032

Back



Back



**S** Braced  
**M** KYDIS/OB/BR  
813 X 2032

Back



**S** Plyback  
**M** KYDIS/PB  
813 X 2032

All stiles and rails are engineered. Core construction includes SA Pine.  
Wood is a natural product and colour variations may occur.



## KAYO FRONT & BACK PINE

### HOW TO HANG A BRACED DOOR

Make sure the brace is facing upwards from the fixed hinges, and that the lockset is fitted to the opposite side of the brace.

Brace must face upwards



PNKYD2117Z  
813 X 2032

### FACE-BOARDED BATTEN DOORS

Front



Back



Front



Back



**Battened**  
S PNKYD2113 / M PNKYD2116  
813 X 2032 / 680 X 1800

**Battened & Stable**  
S PNKYD2115  
M 813 X 2032

### DOUBLE-BOARDED BATTEN DOORS

Front/Back



Front/Back



**Pine**  
E PNKYD2155  
H 813 X 2032

**Pine Stable**  
E PNKYD2156  
M 813 X 2032

### DIPPED PINE PANEL DOORS



S PNKYD8F  
M 813 X 2032

S PNKYD8SF  
M 813 X 2032

All stiles and rails are engineered. Core construction includes SA Pine. Wood is a natural product and colour variations may occur.

PINE PANEL AND PRE-GLAZED DOORS

Front



**S** Colonial  
**M** 6 Panel  
PNKYD6F  
813 X 2032

Front



**S** Victorian  
**M** 4 Panel  
PNKYD4F  
813 X 2032

Front



**S** Victorian Top  
**M** Light  
PNKYDVTLF  
813 X 2032

FACE-BOARDED FRAMED AND LEDGED BATTEN DOORS

Front



**S** Framed & Ledged  
**M** PNKYD2117  
813 X 2032

Back



Front



**S** Braced  
**M** PNKYD2117Z  
813 X 2032

Back



FACE-BOARDED FRAMED AND LEDGED STABLE DOORS

Front



**S** Framed & Ledged  
**M** PNKYD2118  
813 X 2032

Back



Back



**S** Braced  
**M** PNKYD2118Z  
813 X 2032

SECURITY DOORS

Front



**I** Quartz Half  
**M** BSQTZMS0HS

Front



**I** Sebastian Half  
**M** BSSBTMS0HS

All stiles and rails are engineered. Core construction includes SA Pine. Wood is a natural product and colour variations may occur.

INTERIOR DEEP MOULDED DOORS

Front



**I** **Classique**

- L** EBCSSLIO
- L** EBCSSLIO762
- H** EBCSSHSO
- 🔥** EBCSSFOS

Front



**I** **Canterbury**

- L** EBCTBLIO
- L** EBCTBLIO762
- H** EBCTBHSO
- 🔥** EBCTBFOS

Front



**I** **Colonist**

- L** EBCLNLIO
- L** EBCLNLIO762
- H** EBCLNHSO
- 🔥** EBCLNFOS

Front



**I** **Elegance**


- L** EBELGLIO
- L** EBELGLIO762
- H** EBELGHSO
- 🔥** EBELGFOS

Front



**I** **Euro 5 Panel**  
**M** EBEUR5MIO

Front



**I** **Euro Linear**  
**M** EBEURLINMIO

Front



**I** **Euro Squiggle**  
**M** EBEURSMIO

BERGSUN DOORS

Front



**I** **Imbali**  
**M** BSIBLMSO

Front



**I** **8 Panel Arched**  
**M** BSEPAMSO

Front



**I** **Ruby**  
**M** BSRBYMSO

Front



**I** **Melody**  
**M** BSMLDMSO

Front



**I** **Traditional**  
**M** BSTDTMSO

Front



**I** **Sebastian**  
**M** BSSBTMSO

Front



**I** **Vertical**  
**M** BSVTCMSO  
BSVTCMSOSB

Front



**I** **Commercial**  
**M** BSHRZMS2  
(also in 762)  
**🔥** BSHRZFS2  
BSHRZLIO  
**🔥** BSHRZFSO

All stiles and rails are engineered. Core construction includes SA Pine.  
Wood is a natural product and colour variations may occur.



## INTERIOR PRINTED DOORS

Front



**I** Oak Print  
**L** PROAKLIO

Front



**I** Sapele Print  
**L** PRSAPLIO  
**L** PRSAPLIO762

Front



**I** Kiaat Print  
**L** PRKIALIO

Front



**I** Cherry Print  
**L** PRCHELIO

Front



**I** Babinga Print  
**L** PRBABLIO

## INTERIOR VENEER & HARDBOARD DOORS

Front



**I** Commercial Veneer  
**L** VNCOMLIO  
**M** VNCOMMI2  
**F** VNCOMFS2  
VNCOMSSI0  
VNCOMSSI2

Front



**I** Sapele Veneer  
**L** VNSAPLIO  
**M** VNSAPMI2  
**F** VNSAPFS2  
VNSAPSSI0  
VNSAPSSI0

Front



**I** Horizontal Hardboard  
**L** HBHRZLIO  
**H** HBHRZFS0  
**F**

Front



**I** Standard Hardboard  
**L** HBSTDLIO  
**M** HBSTDMI2  
**H** HBSTDHI2  
**F** HBSTDFS0  
HBSTDSS10  
HBSTDSS12

### COMMERCIAL VENEER DOORS

Product Code	Section Sizes	Description
VNCOMLIO	813X2032 EE	Commercial light-duty interior door with exposed edges
VNCOMLI1	813X2032 1HE	Commercial light-duty interior door with 1 exposed hardwood edge
VNCOMLI2	813X2032 2HE	Commercial light-duty interior door with 2 exposed hardwood edges
VNCOMLI1762	762X2032 1HE	Commercial light-duty interior door with 1 exposed hardwood edge
VNCOMMI2	813X2032 2HE	Commercial medium-duty interior door with 2 exposed hardwood edges
VNCOMFS2	813X2032 2HE	Commercial fire door with 2 exposed hardwood edges <b>F</b>
VNCOMSSI0	813X2032 EE	Commercial semi-solid door with exposed edges
VNCOMSSI2	813X2032 2HE	Commercial semi-solid door with 2 exposed hardwood edges

### SAPELE VENEER DOORS

Product Code	Section Sizes	Description
VNSAPLIO	813X2032 EE	Sapele light-duty interior door with exposed edges
VNSAPLIO762	762X2032 EE	Sapele light-duty interior door with exposed edges
VNSAPLI1	813X2032 1HE	Sapele light-duty interior door with 1 exposed hardwood edge
VNSAPLI2	813X2032 2HE	Sapele light-duty interior door with 2 exposed hardwood edges
VNSAPMI2	813X2032 2HE	Sapele medium-duty interior door with 2 exposed hardwood edges
VNSAPFS2	813X2032 2HE	Sapele fire door with 2 exposed hardwood edges <b>F</b>
VNSAPSSI0	813X2032 EE	Sapele semi-solid door with exposed edges
VNSAPSSI2	813X2032 2HE	Sapele semi-solid door with 2 exposed hardwood edges

### INTERIOR HARDBOARD DOOR CODES

Product Code	Section Sizes	Description
HBSTDLIO	813 X 2032 EE	Standard light-duty interior door with exposed edges
HBSTDLI0762	762 X 2032 EE	Standard light-duty interior door with exposed edges
HBSTDLI0M	813 X 2032 EE	Standard light-duty interior door with exposed edges
HBSTDMI2	813 X 2032 2HE	Standard medium-duty interior door with 2 exposed hardwood edges
HBSTDMI2762	762 X 2032 2HE	Standard medium-duty interior door with 2 exposed hardwood edges
HBSTDHI2	813 X 2032 2HE	Standard heavy-duty interior door with 2 exposed hardwood edges
HBSTDSSI0	813 X 2032 EE	Standard semi-solid, interior door with exposed edges
HBSTDSSI2	813 X 2032 2HE	Standard semi-solid, interior door with 2 exposed hardwood edges
HBHRZLIO	813 X 2032 EE	Horizontal light duty interior door with exposed edges
HBSTDFS0	813 X 2032 EE	Standard heavy duty fire door with exposed edges <b>F</b>
HBHRZFS0	813 X 2032 EE	Standard heavy duty fire door with exposed edges <b>F</b>

Code	Description
EE	Exposed pine vertical door edges
1HE	1 Exposed hardwood vertical door edge
2HE	2 Exposed hardwood vertical door edges

**F** Fire-resistant doors form part of a Class E fire-rating system. (30 minutes)

All stiles and rails are engineered. Core construction includes SA Pine. Wood is a natural product and colour variations may occur.


# KAYO DOOR FRAMES

KAYO DOOR FRAMES RANGE					
HARDWOOD DOOR FRAMES			PINE DOOR FRAMES		
Product Code	Section	Door Size	Product Code	Section	Door Size
KKYFD1/NS	60 X 38	813mm	KPNKYFD1/NS	67 X 44	813mm
KYFD1/NS	60 X 38	813mm	PNKYFD1/NS	67 X 44	813mm
KKYFC1/NS	76 X 53	813mm	KPNKYFD1/NS/W	67 X 44	813mm
KKYFC1/OI	76 X 53	813mm	PNKYFD1/NS/W	67 X 44	813mm
KKYFC1/OO	76 X 53	813mm	KPNKYFBI/NS	80 X 44	813mm
KYFC1/NS	76 X 53	813mm	PNKYFBI/NS	80 X 44	813mm
KYFC1/OI	76 X 53	813mm	KPNKYFBI/NS/W	80 X 44	813mm
KYFC1/OO	76 X 53	813mm	PNKYFBI/NS/W	80 X 44	813mm
KKYFBI/NS	76 X 38	813mm	<b>HARDWOOD DOOR FRAMES WITH SIDE LIGHT</b>		
KKYFBI/OI	76 X 38	813mm			
KKYFBI/OO	76 X 38	813mm	<b>Product Code</b>	<b>Section</b>	<b>Door Size</b>
KYFBI/NS	76 X 38	813mm	KKYSLFIL/NS	76 X 51	813mm
KYFBI/OI	76 X 38	813mm	KYSLFIL/NS	76 X 51	813mm
KYFBI/OO	76 X 38	813mm	KKYSLFIR/NS	76 X 51	813mm
KKYFHI/NS	86 X 67	813mm	KYSLFIR/NS	76 X 51	813mm
KYFHI/NS	86 X 67	813mm	KKYSLF4/NS	76 X 51	813mm
KYFHI/OI	86 X 67	813mm	KYSLF4/NS	76 X 51	813mm
KYFHI/OO	86 X 67	813mm			
KKYFHI/OI	86 X 67	813mm			
KKYFHI/OO	86 X 67	813mm			


Door frames can be delivered knock-down in kit form (Unassembled), e.g. KKYFD1/NS, to save on storage and transport costs, or assembled e.g. KYFD1/NS.

Always use KAYO door frames with KAYO doors. Please be aware that other manufacturers' rebate sizes may differ from Kayo and will not match Kayo doors.

## SIDE LIGHT DOOR FRAMES



## RECOMMENDED DOOR THICKNESS



NOTE: We recommend a door thickness of 38-40mm for the KAYO door frame range.


For detailed product specifications please visit [www.swartland.co.za](http://www.swartland.co.za)

# INSTALLATION & HANDLING

## HANDLING


All products must be stored off the ground in a dry, well-ventilated area and kept out of direct sunlight. All surfaces in direct contact with walls or concrete must be sealed with a coat of water-based sealant.

## DOOR INSTALLATION



## TRIMMING SPECS

Drawing for internal doors.





Maximum trim allowed: RAIL ≤ 105 = 12mm STILES 5mm per side

## DRY ROT PREVENTION

We go to great lengths to seal our products thoroughly.

To limit dry rot, please ensure you adhere to the installation guidelines.

More information at [www.swartland.co.za](http://www.swartland.co.za)





## SWARTLAND

The Swarthland story began back in 1951 with Oupa Hanekom in the small town of Moorreesburg - a few wheat fields north of Cape Town.

When his son, Oom Jurgens, took over the reins, he introduced his personal philosophy of “continuous improvement” to the business.

Today under the leadership of Jurie, James and Hans Hanekom, this desire to improve constantly is an integral part of the Swarthland culture. It’s a place where traditional values such as hard work and pride live in harmony with new technology and inspired ideas.

The results speak for themselves: our products are crafted to perfection, manufactured to last and backed by knowledgeable national sales and service teams.

**National Call Centre: 0861 10 24 25**

**SANS613**  
CERTIFIED



**SABS**  
ISO 9001

[www.swarthland.co.za](http://www.swarthland.co.za)

**HEAD OFFICE:** 0861 10 24 25

**Cape Town:** 0861 10 24 25    **Johannesburg:** 0861 10 24 25

**Durban:** 0861 10 24 25    **Port Elizabeth:** 041 487 1342

**East London:** 043 745 0410    **George:** 044 874 5642

**Namibia:** 00 264 612 49558

### THE SWARTLAND FAMILY OF BRANDS



Feb 2019

The information contained in this catalogue was accurate at the time of going to print. However, Swarthland Investments (Pty) Ltd reserves the right to change product designs and specifications in line with our continuous development programme.

TERMS AND CONDITIONS APPLY. SEE GUARANTEE CERTIFICATE FOR DETAILS.