

# KENZO

THE POPULAR CHOICE

## ALUMINIUM WINDOWS AND DOORS



A PROUD MEMBER OF THE SWARTLAND FAMILY

**SANS613**  
CERTIFIED

**SABS**  
ISO 9001

Est.  1951  
**SWARTLAND**  
EXPERIENCE QUALITY



## ABOUT **KENZO**

Made to the same superior standards as our hardwood windows and doors, this exciting new range not only offers homeowners greater choice, but also Swartland’s renowned manufacturing excellence, lasting quality and great value.

## NATIONAL **AVAILABILITY**

Large stockholding, combined with Swartland’s national distribution footprint means our aluminium products are available for any size project, anywhere in South Africa – on time, every time.

## STANDARD **COLOURS**

All products are available in standard colours.



Silver

Bronze

Charcoal

White

Colour samples are a guide only and may not match actual product.

## **KENZO** ALUMINIUM RANGE

KENZO windows and doors are made of strong, lightweight aluminium-alloy frames. They require limited maintenance and never need to be painted – the perfect combination of durability, energy-efficiency and affordability.

All products are SANS 613 certified and compliant.

## **CONTENTS**

<b>TOP HUNG WINDOWS</b>	<b>2</b>
<b>SIDE HUNG WINDOWS</b>	<b>6</b>
<b>GLIDING WINDOWS</b>	<b>10</b>
<b>SLIDING DOORS</b>	<b>13</b>
<b>FOLD-A-SIDE DOORS</b>	<b>16</b>
<b>ENTRANCE DOORS</b>	<b>20</b>
<b>SHOWER DOORS</b>	<b>24</b>



Windows are SANS 613 certified (Mechanical Performance Criteria).





THE **KENZO WINDOW RANGE**

Kenzo windows are available in **STANDARD** 30,5mm casement sections or **SUPERIOR** 38mm sections – either double- or single-glazed. All windows are SANS 613 compliant

**TOP HUNG RANGE** | ● STANDARD ● SUPERIOR

These windows are perfect for commercial or residential environments as they allow ventilation and unrestricted airflow even during rainy weather.

	600	900	1200	1500	1800	2100	2400
400	 PT64 ● SPT64 ●		 PTT124 ● SPTT124 ●	 PTT154 ● SPTT154 ●	 PTT184 ● SPTT184 ●	 PTT214 ● SPTT214 ●	 PTT244 ● SPTT244 ●
600			 PTT126 ● SPTT126 ●	 PTT156 ● SPTT156 ●	 PTT186 ● SPTT186 ●	 PTT216 ● SPTT216 ●	 PTT246 ● SPTT246 ●
600	 PT66 ● SPT66 ●	 PT96 ● SPT96 ●	 PT126 ● SPT126 ●	 PT156 ● SPT156 ●	 PT186 ● SPT186 ●	 PT216 ● SPT216 ●	 PT246 ● SPT246 ●
900	 PT69 ● SPT69 ●	 PT99 ● SPT99 ●	 PT129 ● SPT129 ●	 PT159 ● SPT159 ●	 PT189 ● SPT189 ●	 PT219 ● SPT219 ●	 PT249 ● SPT249 ●
900	 PTF69 ● SPTF69 ●				 PTT189 ● SPTT189 ●	 PTT219 ● SPTT219 ●	 PTT249 ● SPTT249 ●
1200	 PT612 ● SPT612 ●	 PT912 ● SPT912 ●	 PTT1212 ● SPTT1212 ●	 PTT1512 ● SPTT1512 ●	 PTT1812 ● SPTT1812 ●	 PTT2112 ● SPTT2112 ●	 PTT2412 ● SPTT2412 ●
1200	 PTF612 ● SPTF612 ●		 PT1212 ● SPT1212 ●				

- Obscure glass available in all windows.
- Ⓢ Toughened safety glass is fitted to selected windows where required.

All sizes shown are cavity opening sizes.  
 Products are 10mm smaller in width and height than indicated.  
 All windows are supplied left-hand opening as standard.  
 Right-hand opening windows are available on request.

	600	900	1200	1500	1800	2100	2400
1200	 PTT612 ● SPTT612 ●	 PTT912 ● SPTT912 ●		 P4TT1512 ● SP4TT1512 ●	 P4TT1812 ● SP4TT1812 ●		
1200		 PTTH912 ● SPTTH912 ●	 PTTH1212 ● SPTTH1212 ●	 PTTH1512 ● SPTTH1512 ●		 P4TT2112 ● SP4TT2112 ●	 P4TT2412 ● SP4TT2412 ●
1500	 PTT615 ● SPTT615 ●	 PTT915 ● SPTT915 ●	 PTT1215 ● SPTT1215 ●	 PTT1515 ● SPTT1515 ●	 PTT1815 ● SPTT1815 ●	 PTT2115 ● SPTT2115 ●	 PTT2415 ● SPTT2415 ●
1500				 P4TT1515 ● SP4TT1515 ●	 P4TT1815 ● P4TT1815 ●	 P4TT2115 ● SP4TT2115 ●	 P4TT2415 ● SP4TT2415 ●
1500	 PT615 ● SPT615 ●	 PT915 ● SPT915 ●	 PTTH1215 ● SPTTH1215 ●	 PTTH1515 ● SPTTH1515 ●			
1800	 PTT618 ● SPTT618 ●	 PTT918 ● SPTT918 ●	 PTT1218 ● SPTT1218 ●	 PTT1518 ● SPTT1518 ●	 PTT1818 ● SPTT1818 ●	 PTT2118 ● SPTT2118 ●	 PTT2418 ● SPTT2418 ●
1800	 PT618 ● SPT618 ●	 PT918 ● SPT918 ●	 PTTH1218 ● SPTTH1218 ●	 PTTH1518 ● SPTTH1518 ●	 P4TT1818 ● SP4TT1818 ●	 P4TT2118 ● SP4TT2118 ●	 P4TT2418 ● SP4TT2418 ●

- Obscure glass available in all windows.
- Ⓢ Toughened safety glass is fitted to selected windows where required.

All sizes shown are cavity opening sizes.  
 Products are 10mm smaller in width and height than indicated.  
 All windows are supplied left-hand opening as standard.  
 Right-hand opening windows are available on request.

- Obscure glass available in all windows.
- Ⓢ Toughened safety glass is fitted to selected windows where required.

All sizes shown are cavity opening sizes.  
 Products are 10mm smaller in width and height than indicated.  
 All windows are supplied left-hand opening as standard.  
 Right-hand opening windows are available on request.













**SIDE HUNG RANGE** | ● STANDARD ● SUPERIOR

The opening sash on a side hung window can be opened to direct the airflow, exactly where you want it, for maximum ventilation. When ordering please specify whether the window is left-hand or right-hand opening as viewed from the outside.

**Features**

- Ergonomic midnight-black cast steel handles.
- Durable stainless-steel window hinges.
- Can be fitted with burglar bars on request.

	600	900	1200	1500	1800	2100	2400
900	 <p>SH69 ● SSH69 ●</p>		 <p>SH129 ● SSH129 ●</p>	 <p>SH159 ● SSH159 ●</p>	 <p>SH189 ● SSH189 ●</p>		
900			 <p>SHH129 ● SSH129 ●</p>		 <p>SHH189 ● SSH189 ●</p>	 <p>SHH219 ● SSH219 ●</p>	 <p>SHH249 ● SSH249 ●</p>

- ⓪ Obscure glass available in all windows.
- Ⓢ Toughened safety glass is fitted to selected windows where required.

All sizes shown are cavity opening sizes.  
Products are 10mm smaller in width and height than indicated.  
All windows are supplied left-hand opening as standard.  
Right-hand opening windows are available on request.

- ⓪ Obscure glass available in all windows.
- Ⓢ Toughened safety glass is fitted to selected windows where required.

All sizes shown are cavity opening sizes.  
Products are 10mm smaller in width and height than indicated.  
All windows are supplied left-hand opening as standard.  
Right-hand opening windows are available on request.

	600	900	1200	1500	1800	2100	2400
1200	 <p>SH612 ● SSH612 ●</p>		 <p>SH1212 ● SSH1212 ●</p>	 <p>SH1512 ● SSH1512 ●</p>	 <p>SH1812 ● SSH1812 ●</p>		
1200			 <p>SHH1212 ● SSH1212 ●</p>		 <p>SHH1812 ● SSH1812 ●</p>	 <p>SHH2112 ● SSH2112 ●</p>	 <p>SHH2412 ● SSH2412 ●</p>
1500	 <p>SH615 ● SSH615 ●</p>		 <p>SH1215 ● SSH1215 ●</p>	 <p>SH1515 ● SSH1515 ●</p>	 <p>SH1815 ● SSH1815 ●</p>		
1500			 <p>SHH1215 ● SSH1215 ●</p>		 <p>SHH1815 ● SSH1815 ●</p>	 <p>SHH2115 ● SSH2115 ●</p>	 <p>SHH2415 ● SSH2415 ●</p>
1800	 <p>SH618 ● SSH618 ●</p>		 <p>SH1218 ● SSH1218 ●</p>	 <p>SH1518 ● SSH1518 ●</p>	 <p>SH1818 ● SSH1818 ●</p>		
1800			 <p>SHH1218 ● SSH1218 ●</p>		 <p>SHH1818 ● SSH1818 ●</p>	 <p>SHH2118 ● SSH2118 ●</p>	 <p>SHH2418 ● SSH2418 ●</p>

- Obscure glass available in all windows.
- Ⓢ Toughened safety glass is fitted to selected windows where required.

All sizes shown are cavity opening sizes.  
 Products are 10mm smaller in width and height than indicated.  
 All windows are supplied left-hand opening as standard.  
 Right-hand opening windows are available on request.

- Obscure glass available in all windows.
- Ⓢ Toughened safety glass is fitted to selected windows where required.

All sizes shown are cavity opening sizes.  
 Products are 10mm smaller in width and height than indicated.  
 All windows are supplied left-hand opening as standard.  
 Right-hand opening windows are available on request.



## HORIZONTAL GLIDING RANGE

Horizontal windows provide effective ventilation where external space is limited. Design simplicity and few moving parts make these windows more durable than conventional windows. Ideal for wide openings, the advanced gliding mechanism requires very little effort to open or close.

- Available in standard sizes, but non-standard sizes can be ordered at an additional cost.
- High security locking mechanism included.
- Recessed finger-latches also included.

	900	1200	1500	1800	2100
600	<p>HS96</p>	<p>HS126</p>	<p>HS156</p>	<p>HS186</p>	<p>HS216</p>
900	<p>HS99</p>	<p>HS129</p>	<p>HS159</p>	<p>HS189</p>	<p>HS219</p>
1200	<p>HS912</p>	<p>HS1212</p>	<p>HS1512</p>	<p>HS1812</p>	<p>HS2112</p>

© Obscure glass available in all windows.

All sizes shown are cavity opening sizes.  
Products are 10mm smaller in width and height than indicated.

© Obscure glass available in all windows.

All sizes shown are cavity opening sizes.  
Products are 10mm smaller in width and height than indicated.





THE **KENZO DOOR RANGE**


KENZO offers a wide range of door types, styles and sizes to meet your needs. This exquisitely made range is readily available through all leading hardware retailers. Selected products are SANS 613 compliant.



SLIDING DOOR RANGE | ● STANDARD ● SUPERIOR

KENZO sliding doors are constructed with long-life rollers to ensure a smooth gliding action, and are pre-glazed with toughened safety glass. Our sliding doors are designed to be weather- and dust-proof. Available in **SUPERIOR** (60mm stile) or **STANDARD** size (28mm stile).


- All doors are supplied with secure and lockable handles.
- Night latches can be fitted for extra security.







SLIDING DOOR RANGE | ● STANDARD ● SUPERIOR




- All doors are supplied with secure, lockable handles.
- Two-panel sliding doors are universally handed to allow for either left-hand or right-hand opening.
- Ⓢ All doors are fitted with 5mm toughened safety glass.

Door Type	Actual size		Opening size to fit	
	Width	Height	Opening Width	Opening Height
OX1521	1,490	2,090	1,500	2,100
OX1821	1,790		1,800	
OX2121	2,090		2,100	
OX2421	2,390		2,400	
OX2721	2,690		2,700	
OX3021	2,990		3,000	
OXXO3621	3,590		3,600	
OXXO4221	4,190		4,200	

SIDELIGHTS

All Sliding doors can be coupled with sidelights, either fixed or projecting-out vents.



- Pre-glazed sidelights can be fitted to the left, right or on both sides of the doors.
- Adapter jamb and sill sold separately.

Ⓢ 4mm toughened safety glass fitted to all sidelights.

If used next to an Entrance door or a Fold-a-side door, please order part number: **SLADAPTORB** (where B indicates colour) from our estimation department, to ensure ease of installation.

- - Indicates the fixed panel X - Indicates the sliding panel
- OX - Doors are universally handed, i.e. they can be assembled either left-hand or right-hand opening.
- OXXO - Doors are opened from the middle.




## FOLD-A-SIDE DOOR RANGE


When opened, these doors create the maximum possible opening you can get. It's the perfect way to extend your kitchen, sun room, lounge or bedroom. The doors are divided into sections, with choices ranging from a three-panelled door to a much wider six-panelled door.

**S** All doors are available with 5mm toughened safety glass. Glass to be order separately.


- When ordering please specify whether the door must stack to the left or right when viewed from the outside.
- All doors open outwards.
- It is not necessary to open the entire span for access. The first leaf functions as a single (traffic) door and opens independently.




3-door  
1800w x 2100h  
2100w x 2100h




4-door  
2400w x 2100h  
2800w x 2100h



5-door  
3000w x 2100h  
3500w x 2100h



6-door  
3600w x 2100h  
4200w x 2100h



6-door centre  
3600w x 2100h  
4200w x 2100h







## FOLD-A-SIDE DOOR RANGE

Fold-A-Side doors are available in 700mm or 600mm door widths. All doors are 2100mm in height; you can have a maximum 4200mm span in our standard range.




This door range has been carefully developed to replace old sliding doors.

### 700 SERIES




3, 4, 5, and 6-door configurations are available in either left-hand or right-hand opening.

### 600 SERIES




3, 4, 5, and 6 door configurations are available in either left-hand or right-hand opening.






DGLC




DFGA




DGLA



DHGC  
(Horizontal panels)



DHGB  
(Vertical panels)



DHGD  
(Vertical panels)



DHGA  
(Horizontal panels)

## ENTRANCE DOOR RANGE

The KENZO range of entrance doors can be used in a wide range of applications, such as front doors, balcony doors, office doors and even internal doors.



- Open-out doors have a bottom weatherproof sill fitted in the frame.
- Open-in doors require the builder to weatherproof below the door.



## ENTRANCE DOOR RANGE

The KENZO range of entrance doors can be used in a wide range of applications, such as front doors, balcony doors, office doors and even internal doors.

- Open-out doors have a bottom weatherproof sill fitted in the frame
- Open-in doors require the builder to weatherproof below the door.







## SHOWER DOOR RANGE

Kenzo offers a range of clear glass shower doors to suit any size bathroom.

From our closed and corner units to full glass panels, this range is popular not only for its aesthetic appeal, but for its exceptional quality and longevity.




DSPD/CLR/W  
5mm CLEAR GLASS  
800x900x1850mm



DSCR/CLR/CH  
5mm CLEAR GLASS  
900x900x1850mm



DSQR/CLR/W  
5mm CLEAR GLASS  
900x900x1850mm



DSPD/CLR/CH  
5mm CLEAR GLASS  
800x900x1850mm



DSCR/CLR/W  
5mm CLEAR GLASS  
900x900x1850mm



DSQR/CLR/CH  
5mm CLEAR GLASS  
900x900x1850mm



DSSC/CLR/CH  
8mm CLEAR GLASS  
1200x1900mm



# KENZO

THE POPULAR CHOICE

## SWARTLAND

The Swartland story began back in 1951 with Oupa Hanekom in the small town of Moorreesburg - a few wheat fields north of Cape Town.

When his son, Oom Jurgens, took over the reins, he introduced his personal philosophy of "continuous improvement" to the business.

Today under the leadership of Jurie, James and Hans Hanekom, this desire to improve constantly is an integral part of the Swartland culture. It's a place where traditional values such as hard work and pride live in harmony with new technology and inspired ideas.

The results speak for themselves: our products are crafted to perfection, manufactured to last and backed by knowledgeable national sales and service teams.

National Call Centre: 0861 10 24 25

**SANS613**  
CERTIFIED



**SABS**  
ISO 9001

[WWW.SWARTLAND.CO.ZA](http://WWW.SWARTLAND.CO.ZA)

**HEAD OFFICE:** 0861 10 24 25

**Cape Town:** 0861 10 24 25    **Johannesburg:** 0861 10 24 25

**Durban:** 0861 10 24 25    **Port Elizabeth:** 041 487 1342

**East London:** 043 745 0410    **George:** 044 874 5642

**Namibia:** 00 264 612 49558

### THE SWARTLAND FAMILY OF BRANDS

CAPE  
CULTURE

WINSTERS

KAYO

COL

KENZO

SUMMIT

July 2019

The information contained in this catalogue was accurate at the time of going to print. However, Swartland Investments (Pty) Ltd reserves the right to change product designs and specifications in line with our continuous development programme.

TERMS AND CONDITIONS APPLY. SEE GUARANTEE CERTIFICATE FOR DETAILS.