

Amantii TRD powered by Dimplex Optimyst TRD SIGNATURE SERIES

Built-in Electric Cassette

Product Dimensions:





-	792.5 [31.2"]				-	
	, mr.			**2		
_		90	65.59 [38.	0"]		

TECHNICAL SPECIFICATIONS			
VOLTS	120V 60Hz		
AMPS	12.5		
WATTS	1465 W		
HIGH HEATER	1465 watts		
LOW	750 watts		
NO HEATER	32.6 watts		
TYPE	LED		
LAMPS WATTS			
TOTAL WATTS	32 watts		
ROTOR MOTOR	1 at 2.9 watts		
HEIGHT,WIDTH,DEPTH	38.3" x 38.0" x 20.5"		
GLASS VIEWING OPENING	22.0" X 35.3"		
GLASS SIZE	22" X 35.3"		
SHIPPING SIZE	42 3/10" x 42 1/8" x 25 1/2"		
SHIPPING WEIGHT	101.4 lbs		
UNIT	81.6 lbs		
GLASS FRONT	Included		
PLUG LOCATION	Left Side		
CORD LENGTH	76"		
APPROX. HEATING AREA	400 sq ft		





SERIES SIGNATURE	TRD-38 SIG	© Solution of the contract of	REV 1
SCALE 1"=1'-0"	DATE: 10/30/2023	SHEET 1 OF 1	


Amantii TRD powered by Dimplex Optimyst

Built-in Electric Cassette


Product Dimensions:










MEDIA TRAY












Amantii TRD powered by Dimplex Optimyst TRD SIGNATURE SERIES

Built-in Electric Cassette

Product Dimensions:







TECH	INICAL SPI	ECIFICATIONS	
VOLTS		120V 60Hz	
AMPS		12.5	
WATTS		1465 W	
HEATER	HIGH	1465 watts	
HEATER	LOW	750 watts	
NO HEATER		32.6 watts	
	TYPE	LED	
LAMPS	WATTS		
	TOTAL WATTS	32 watts	
ROTOR MOTO	R	1 at 2.9 watts	
HEIGHT,WIDTH,DEPTH		97.2cm x 96.5 x 52.07 cm	
GLASS VIEWII	NG OPENING	55.88 X 88.9 cm	
GLASS SIZE		55.88 X 88.9 cm	
SHIPPING SIZ	E	107.4 x 106.9 x 64.77 cm	
SHIPPING WE	IGHT	46 Kgs	
	UNIT	37 Kgs	
	GLASS FRONT	Included	
PLUG LOCATI	ON	Left Side	
CORD LENGTH		193 cm	
APPROX. HEATING AREA		37 sqm	





	MODEL		REV
SIGNATURE	TRD-38 SIG	c Us	1
SCALE 1:12	DATE: 10/30/2023	SHEET 1 OF 1	


Amantii TRD powered by Dimplex Optimyst

Built-in Electric Cassette

Product Dimensions:







MEDIA TRAY

