




Climbing increases fitness levels through development of strength, coordination, cardiovascular endurance and muscle endurance. It also provides participants with positive risk taking and creative problem solving.

And best of all, it's a **SPLASH!**



We are getting a great response [to Kersplash]! Last year's attendance was just over 1,550 visits. This year, we are close to 4,000 visits! We had one group booked 3 days a week at another pool change reservations to our pool because they liked the wall so much!

CRYSTAL CLEAR PANELS

Rersplash

- Jeff Moffitt | Parks & Recreations - Gainesville, FL







CLIMB. SPLASH. REPEAT.™

ADD ADVENTURE TO YOUR AQUATIC AREA WITH A POOLSIDE CLIMBING WALL

Kersplash is suited for indoor or outdoor use and is available in two panel styles. Kersplash Crystal Clear® complements any aquatic center and offers visibility to areas behind the wall. Kersplash Color makes a bold visual statement with brightly colored panels. Both styles are made from UV and chlorine-resistant materials and feature red, yellow and orange Groperz™ Hand Holds. The Kersplash frame is constructed of high-quality, 100% passivated stainless steel to withstand harsh pool environments.

Kersplash Pool Climbing Walls are modular and can be made to fit any space and deck configuration. The 4' panels attach to a stainless steel frame allowing you to customize the height and width of the wall to meet your needs.

KERSPLASH POOL WALL PACKAGE INCLUDES: Kersplash panels, Stainless Steel Structure, Groperz Hand Holds with stainless steel mounting hardware, Kersplash Rules & Guidelines Sign and Safety, Care & Maintenance Instructions.

SPECIFICATIONS & MEASUREMENTS

ITEM NUMBER	PANEL STYLE	NUMBER OF PANELS	HEIGHT (A)	WIDTH (B)	CLIMBABLE SURFACE (C)	RECOMMENDED WATER DEPTH*
70535	Crystal Clear	2	10 ft	4 ft	8 ft	5 ft
70536	Crystal Clear	3	14 ft	4 ft	12 ft	6 ft
70537	Crystal Clear	4	18 ft	4 ft	16 ft	9 ft
42637	Color	2	10 ft	4 ft	8 ft	5 ft
42638	Color	3	14 ft	4 ft	12 ft	6 ft
42639	Color	4	18 ft	4 ft	16 ft	9 ft


^{*} Manufacturers recommendations. Please check your state and local code to ensure your configuration complies.

KERSPLASH REQUIRES A FOOTPRINT OF:


- 35" of deck space
- · 4' of clearance behind the wall for a walkway
- 5' to either side of your wall

Note: Dimensions vary with specific applications. Specifications are nominal and are subject to change. Please contact Everlast Climbing for custom applications.


A designated "drop zone" is recommended at the base of Kersplash to keep swimmers out of this area.



- 10' drop zone
- · Pool depth determines the height of the wall







16 FT HIGH WALL 70537/42639





1335 Mendota Heights Road Mendota Heights, MN 55120

651.665.9131 | 800.476.7366 INFO@EVERLASTCLIMBING.COM WWW.EVERLASTCLIMBING.COM

