Saunatec Inc. iPodTM Docking station Installation Guide

Your iPodTM locker is designed for years of trouble free service and will provide clear audio reproduction from your iPodTM, any MP3 device (when using 3.5mm cable, not included) or from your favorite FM radio station. To get the best performance from your new system, please read the following installation guide before starting the installation process. For specific wiring and operational instructions, please refer to the instruction manual included with your new locker.

Selecting a location for the Locker:

It is recommended that your new $iPod^{TM}$ locker be mounted on the exterior wall of your sauna but interior locations are acceptable if the following conditions are met:

- The locker is vapor proof and has a continuous operating temperature rating of 0°F to 158°F, but it is important to note that Apple will warrant your iPodTM only when used at temperatures that do not exceed 95°F. (Apple lists operating temperature range of 32° to 95°F and non-operating temperature range of 0° to 113°F)
- Carefully choose a location that will accommodate these operating temperatures. If mounting the locker on the inside of your sauna please do not mount the locker more than 24" above the floor surface. The wireless remote provided with your new locker is fully water resistant but can not sustain prolonged exposure to temperatures in excess of 100°F. When not using the remote, please store below 24" from the floor surface or keep on the outside of the sauna.
- The locker is suitable for mounting outdoors but should be kept out of direct sunlight.
- The Power Supply should be mounted in an interior location that is protected from moisture and high heat. If mounting inside your sauna, please locate under a bench, approximately 6" above the floor surface.
- Never install electrical outlets inside a sauna. Connect power supply electrical cord to an outlet on the outside of the sauna.

Speaker Mounting:

Only high quality, marine grade speakers should be used in a sauna. They may be
mounted in the ceiling but will provide best performance when mounted in your
bench skirts or in speaker boxes (not provided) at floor level.


Electrical Requirements:

- The locker requires a 12 volt DC power source and it is recommended that only the power supply provided with your new locker be used.
- The power supply requires a standard 110 volt, 15 amp power source.

Saunatec Inc. iPodTM Docking station Installation Guide

I-POD LOCKER KIT

9252-062 IPOD LOCKER, KIT, TUNER, SPKERS, W/ POWER SUPPLY



Please check the contents of your kit to ensure that all components shown above are included. Additional items found in the kit will include mounting screws and plastic hole plugs for the iPodTM Locker, various adaptor plates for the different versions of iPodTM players, mounting template and instruction manual from the Locker manufacturer.

If any items are missing or damaged, please contact Saunatec Inc. at 1-888-780-4427 or techsupport@saunatec.com

Saunatec Inc. 1 year Limited Warranty iPodTM Locker Audio Components

Saunatec Inc. warrants that audio equipment manufactured by Aquatic A/V and supplied to the consumer by Saunatec Inc. will be free of manufacturing defects both as to workmanship and material and will replace or repair defective parts for the period of time and in accordance with the conditions set forth below. Please direct all warranty claims to Saunatec Inc., not Aquatic A/V.

Application: This warranty applies when the warranted product (a) is installed in accordance with the installation instructions provided, (b) is properly and reasonably maintained, and (c) has not been subject to damage, misuse or abuse.

<u>Duration of Warranty:</u> Saunatec Inc. or its authorized representative will provide parts to replace those with manufacturing or workmanship defects for a period of one (1) year from the original date of installation. Product must be installed with in strict accordance to the installation instructions provided with the $iPod^{TM}$ Locker.

Exceptions to Warranty: If the iPodTM Locker is installed greater than 24" from the floor (for interior sauna applications) or, connected to a power supply other than that provided by Saunatec Inc, the warranty shall be considered null and void.

Labor: In-field labor is not covered for replacement or repair of the iPod™ locker, speakers, power supply or wireless remote.

Return Goods Authorization (RGA): An RGA number, assigned by a Saunatec Inc representative must accompany all returned parts. Parts with out an RGA may be refused or may not be replaced or repaired.

Claim Procedure: Requests for repair or replacement, an RGA number or other warranty information shall be directed to Saunatec Inc by calling toll-free 1-888-780-4427 or via e-mail at techsupport@saunatec.com or written mail at Saunatec Inc., 575 East Cokato Street, Cokato, MN 55321. Defective parts returned for repair or replacement must be shipped prepaid to Saunatec Inc at the above address. Shipping costs for return of replacement product(s) to the purchaser will be at the expense of the purchaser.

Specific components covered on this warranty:

3125-071 – Power Supply, iPod™ Dock
9252-024 – Speaker, 6.5", 2-way coaxial marine, blk
9252-171 – Antenna, Dipole, AM/FM iPod Locker
9253-01 – Holder, iPod™ Remote

5268-210 – Harness, Wire, iPod™ Locker
9252-050 – Dock,iPod/MP3 Locker
9262-159 – Frame, Alder iPod™ Dock

Limitations, Exclusions and Remedies: There are no warranties which extend beyond the descriptions of the face hereof. This limited warranty is in lieu of all warranties, expressed or implied, and all other obligations or liabilities on the part of Saunatec Inc. There shall be no implied warranty of merchantability. Saunatec Inc neither assumes nor authorizes any person to assume for it any other obligation or liability in connection with the sale of its products.

Damages for breach of this warranty shall not exceed the lesser of the cost of repair or replacement. Repair or replacement shall be the exclusive remedy available to the purchaser.

Under no circumstances shall Saunatec Inc be liable by virtue of this warranty or otherwise for any special, indirect, secondary, incidental, or consequential damage of any nature to any person or property arising directly or indirectly out of the use or inability to use a warranted product.

Some states do not allow limitations on how long an implied warranty lasts, or the exclusion or limitation of incidental or consequential damages, so the above limitations and exclusions may not apply to you.

Disputes: Any lawsuit alleging breach of this limited warranty shall be commenced within one year from the date of breach.

This warranty gives you specific legal rights, and you may also have other rights which vary from state to state.

Date of Purchase:	
Place of Purchase:	

Comment 40.15-1411 iped install-warmany doc