

THICKNESS: 0.61 in (15 mm)  
AREAL DENSITY: 6.86 lb/ft<sup>2</sup>

# M210



### SWIMMER CUT - MULTI CURVE - TORSO PLATES

PART NUMBER	WIDTH x LENGTH	WEIGHT
M210-SW-MC-L	10.00 x 12.00 in (254 x 305 mm)	5.1 lb (2.3 kg)
M210-SW-MC-S	8.00 x 10.00 in (203 x 254 mm)	4.4 lb (2.0 kg)

### SAPI CUT - MULTI CURVE - TORSO PLATES

PART NUMBER	WIDTH x LENGTH	WEIGHT
M210-SA-MC-XL	11.00 x 14.00 in (279 x 356 mm)	6.7 lb (3.0 kg)
M210-SA-MC-L	10.25 x 13.25 in (260 x 337 mm)	5.8 lb (2.6 kg)
M210-SA-MC-M	9.50 x 12.50 in (241 x 318 mm)	5.0 lb (2.3 kg)
M210-SA-MC-S	8.75 x 11.75 in (222 x 298 mm)	4.3 lb (2.0 kg)

## MODEL M210 THREAT PERFORMANCE MATRIX

	LEAD CORE		MILD STEEL CORE		ENHANCED PERF	ARMOR PIERCING CORE
	5.56 x 45 mm - M193 Max Velocity 3280 ft/s (1000 m/s)	7.62 x 39 mm - M67 Max Velocity 2410 ft/s (735 m/s)	5.56 x 45 mm - M855/S5109 Max Velocity 3150 ft/s (960 m/s)	7.62 x 39 mm - M43 Max Velocity 2410 ft/s (735 m/s)		
M210-SW-MC-L	6	6	3	2	3	2
M210-SW-MC-S	6	6	3	1	1	2
M210-SA-MC-XL	6	6	3	2	3	2
M210-SA-MC-L	6	6	3	2	3	2
M210-SA-MC-M	6	6	3	2	3	2
M210-SA-MC-S	6	6	3	1	1	2

Matrix shows the minimum number of shots that each size plate can be expected to defeat under NIJ testing methods.

### HESCO ARMOR, INC.

2210 Port Industrial Road | Aberdeen WA 98520, United States | +1 360 637 6867 | haics@praesidiad.com | hesco.com

