HANGSTERFER'S

Research, Development & Manufacturing of Metalworking Lubricants

FoamBlock

Solid Tank Side Anti-Foam

FEATURES

- Long Lasting
- Silicone Free
- Non-Staining
- Convenient Size

- Easy to UseNon-Toxic
- Non-Hazardous
- Non-Irritating

GENERAL DESCRIPTION

FoamBlock is an innovative means to control foam. It is a solid form of antifoam that will dissolve slowly in the coolant. FoamBlock can last up to one month depending on the flow rate and turbulence of the coolant system. It will work with most coolants, lowering foam and improving performance.

APPLICATIONS

High Pressure Coolant Systems	Synthetic Coolants
Undersized Coolant Tanks	Semi-Synthetic Coolants
Cascading Coolant Troughs	Emulsifiable Oils

INSTRUCTIONS

Submerge FoamBlock under the coolants surface. One FoamBlock is usually effective for one machine, however if the machine has a high pressure tank or exceptionally large tank, multiple units might be required to achieve the desired effect. For best results place FoamBlock in the available magnetic basket, this allows it to be placed in an area where the coolant will be flowing and turbulent.

MAINTENANCE

Avoid placing FoamBlock where it will be coated with tramp oil or metal fines. FoamBlock dissolves slowly and it can take up to 24 hours to lower the foam in a coolant system. Once completely dissolved it should be replaced to prevent foam from reoccurring.

PRODUCT CHARACTERISTICS					
Form	Solid		Solubility in Water	100%	
Color	Tan		pH @ 1%	8.7	
Odor	Mild		Chlorine	None	
Specific Gravity	0.99		Sulfur	None	
Flash Point, COC, °F/°C	300 / 149		Phosphorus	None	
Fire Point, COC, °F/°C	320/159		Silicone	None	

SHIPPING UNITS

Each FoamBlock is approximately 4"x2"x1", (10cm x 5cm x 2.5 cm), 8 oz, (0.25 kg).

This product is REACH compliant and distributed worldwide.

Date: 10/4/10 Revised: 6/9/16

Disclaimer: All reasonable care has been taken to ensure that the information contained in this publication is true and accurate. No warranty is expressed or implied regarding the accuracy of the data. The general description, recommended uses, application data and statements in the product literature are guidelines. Because this product may be used for a variety of applications over which Hangsterfer's Laboratories, Inc. has no control, Hangsterfer's Laboratories, Inc. assumes no liability for incidental, consequential, or direct damages of any kind, regardless of causes, including negligence. Also, seller is not liable for any loss, damage or liability resulting from the use of the product in the buyer's manufacturing processes or in combination with other substances. SDS's are available for all Hangsterfer's products and should be consulted as needed.



E: sales@livetools.com.au
 P: 02 4017 0198
 F: 02 4910 9018

 115 Young Street
 Carrington NSW 2294