## Freddy Midi

Leading the way in coolant recycling



The Freddy Midi has one of the smallest footprints in the Freddy Coolant Vacuum range, measuring just 620mm in width, making it easy to manoeuvre in all workshops.

The Freddy Midi is designed to vacuum out coolant from machine tool sumps, machine beds, drip trays, conveyors and even the shop floor with the dedicated floor tool and recycle it for re-use.

- The most widely used and well-established coolant vacuum range in the world
- Recycles coolant and extends coolant life
- Enhances coolant performance and production quality
- Significantly reduces coolant usage
- Improves and extends tool life
- Extensively cuts waste disposal costs
- Removes contaminants that cause bacterial growth
- Removes contaminants that cause micro-abrasions which can lead to dermatitis
- Complete with 24 months warranty



## **Specification**

Weight in kilograms (kg)

- 200 or 300 litres tank capacity
- Finished in oil and acid resistant powder coated paint
- 37 litres perforated steel basket
- Comes complete with full set of tools and hoses

If the machine is higher than the fluid, flow rates will be slower than the quoted values.

• Filters available from 1 - 1,000μm

## Freddy Midi Models

Capacity: 20	0 litres	Length: 1260mm	Width: 620mm	Height:	1350mm	
Power unit	# of phase	es Weight (empty)	Weight (full)	Airflow	Water flow in *	Water flow out
2kW 240v	1	115	315	2100	260	120
Capacity: 300 litres		Length: 1455mm	Width: 730mm	Height:	1350mm	
Power unit	# of phase	es Weight (empty)	Weight (full)	Airflow	Water flow in *	Water flow out
2kW 240v	1	130	430	2100	260	120
21.14/240	_		4.45	2000	200	120
3kW 240v	1	145	445	3000	290	130



\* Water flow tested using a 51mm hose at the same level as the fluid being vacuumed.

sales@livetools.com.au 02 4017 0198 115 Young St Carrington NSW 2294