



# SHRIRAM INSTITUTE FOR INDUSTRIAL RESEARCH

(A unit of Shriram Scientific and Industrial Research Foundation)

19, University Road, Delhi – 110007 (India)  
An ISO - 9001, 14001 & OHSAS 18001 Certified Institute

Website : [www.shriraminstitute.org](http://www.shriraminstitute.org)  
E-mail id : [customercare@shriraminstitute.org](mailto:customercare@shriraminstitute.org)

## TEST CERTIFICATE

NO : C1/0000266932

Issued To :	Date	: 20-09-2021
Client Code : (NODA01S2764)	Job No	: 2109-1-101-578
STEADFAST NUTRITION	Booking No	: RG2122/1/4050
A DIV. OF STEADFAST MEDISHIELD PVT	Booking Date	: 09-09-2021
LTD, GROUND FLOOR, A-67, SECTOR 4	Customer Ref No.	: EMAIL
NOIDA	Customer Ref Dt.	: 03-09-2021
UTTAR PRADESH-201301		
Kind Attn: MS. ADITI JAIN, HEAD		

### Sample Particulars

One sample described as 5-HTP, Batch No. STF-21009, Date of Mfg.: 08/2021, Use by: 01/2023 was received.

(The sampling was not carried out by the Representative of Shriram Institute for Industrial Research. The sample details provided in test certificate are based on declaration by the party.)

Job No. 2109-1-101-578

### TEST RESULTS

S. No.	Test Parameters	Observed Value	Protocol
1	Energy, kCal/100g	340.1	IS:8220-1976 (R-2020)
2	Protein (Nx5.55), g/100g	<0.1	IS:7219-1979 (R-2020)
3	Fat, g/100g	0.5	IS:7874(P-1)-1975 (R-2014)
4	Carbohydrates, g/100g	83.9	IS:1656-2007 (R-2018)
5	Sugar as sucrose, g/100g	BLQ (LOQ-0.5g/100g)	IS:1162-2021

LOQ- Limit of Quantification; BLQ - Below LOQ.

\*\*\*\*

D.O.R.: 09.09.2021

D.O.S.: 15.09.2021

D.O.C.: 20.09.2021

*Shyama*  
AUTHORISED SIGNATORY  
EMPLOYEE CODE:( 5538 )