



TEST CERTIFICATE

(This certificate is not valid without a hologram)

Sample: Micasein

Sample Description: Off white powder

Ref. No.: N.A., Dt. 11/09/2018

Issued To: Steadfast Nutritio A Div. Of Steadfast MediShield Pvt. Ltd.
Plot# 330, Functional Industrial Estate,
Patparganj, Delhi- 110092

Report No.: 5000352

Report Issue Date: 14/09/2018

Job Code: STRC/ 5000352

Sample Received On: 11/09/2018

Date of Testing: 11/09/2018-14/09/2018

Sample Qty: 100 gm

Sample Condition: Packed in Polybag

Batch No.: SN020B

Mfg. Dt.: 09/2018, Retest Dt.: Best before 18 months from manufacture

S. No.	Test	Unit	Result	Test Method
1	Lead (as Pb)	ppm	ND (DL=0.25)	By ICP-MS
2	Cadmium (as Cd)	ppm	ND (DL=0.25)	By ICP-MS
3	Arsenic (as As)	ppm	ND (DL=0.25)	By ICP-MS
4	Mercury (as Hg)	ppm	ND (DL=0.1)	By ICP-MS
5	Identification For Steroid	-	Negative	STRC/STP/F076

Note: ND =Not Detected, DL= Detection Limit.

(Pankaj)
PANKAJ SINGH
Section Incharge

Shruti
Authorised Signatory
SHRUTI VIJ
Section-Incharge