



# SHRIRAM INSTITUTE FOR INDUSTRIAL RESEARCH

(A unit of Shriram Scientific and Industrial Research Foundation)

19, University Road, Delhi – 110007 (India)  
An ISO - 9001, 14001 & 45001 Certified Institute

Website : www.shriraminstitute.org  
E-mail id : customercare@shriraminstitute.org  
qad@shriraminstitute.org

## TEST CERTIFICATE

NÖ : C1/0000279829

### Issued To :

Client Code : (NODA01S2764)  
STEADFAST NUTRITION  
A DIV. OF STEADFAST MEDISHIELD PVT  
LTD,  
GROUND FLOOR, A-67,  
BLOCK A, SECTOR 4  
NOIDA  
UTTAR PRADESH-201301  
Kind Attn: MS SAMRIDHI KARAN,AM-  
PRODUCT QUALITY & DEVELOPMENT

Date : 03-02-2022  
Job No : 2201-1-101-2122  
Booking No : RG2122/1/8066  
Booking Date : 27-01-2022  
Customer Ref No. : EMAIL  
Customer Ref Dt. : 27-01-2022

Herbfast

### Sample Particulars

One sample described as Herbfast, Batch No. HFCSN0122 was received.

(The sampling was not carried out by the Representative of Shriram Institute for Industrial Research. The sample details provided in test certificate are based on declaration by the customer.)

Job No. 2201-1-101-2122

### TEST RESULTS

S. No.	Test Parameters	Observed Value	Protocol
1	Energy, kCal/100g	387.5	IS:8220-1976 (Reaff. 2020)
2	Protein (Nx6.25), g/100g	66.8	IS:7219-1979 (Reaff. 2020)
3	Fat, g/100g	5.1	IS:11721-2013 (Reaff. 2018)
4	Carbohydrates, g/100g	18.6	IS:1656-2007 (Reaff. 2018)
5	Sugar as sucrose, g/100g	BLQ (LOQ-0.5g/100g)	IS:1162-2021

LOQ- Limit of Quantification; BLQ - Below LOQ.

**\*\*END OF REPORT\*\***

D.O.R.: 27.01.2022

D.O.S.: 27.01.2022

D.O.C.: 03.02.2022

AUTHORISED SIGNATORY

EMPLOYEE CODE:( 5538 )

*Shreyas*

Note: The results are only for the items tested / calibrated above.

1/1

Scanned copies/photocopies or any other copies should be authenticated by reference to the original report.