

SHRIRAM INSTITUTE FOR INDUSTRIAL RESEARCH

(A unit of Shriram Scientific and Industrial Research Foundation)

01-02-2022

27-01-2022

: 27-01-2022

2201-1-101-2121

RG2122/1/8066

19, University Road, Delhi - 110007 (India) An ISO - 9001, 14001 & 45001 Certified Institute

Website: www.shriraminstitute.org E-mail id : customercare@shriraminstitute.org

qad@shriraminstitute.org

TEST CERTIFICATE

NO: C1/0000279615

Issued To

Client Code: (NODA01\$2764) STEADFAST NUTRITION

A DIV OF STEADEAST MEDISHIELD PVT LTD.

GROUND FLOOR, A-67. BLOCK A SECTOR 4

NOIDA

ULTAR PRADESH-201304

Kind Attn: MS SAMRIÐBEKARAN AM-PRODUCT

QUALITY & DEVELOPMENT

Sample Particulars

One sample described as Herbfast, Batch No. HFCSN0122 was received.

(The sampling was not carried out by the Representative of Shriram Institute for Industrial Research. The sample details provided in test certificate are based on declaration by the customer.)

Job No

Booking No

Booking Date

Customer Ref Dt.

Customer Ref No. : EMAIL

Job No. 2201-1-101-2121

TEST RESULTS

S. No.	Test Parameter	Observed Value	Protocol	
- 1	Test for presence of Steroids	Negative	1P-Guidelines	

END OF REPORT

DOR: 27.01.2022 DOS: 31-01.2022 DOC: 01.02,2022

> AUTHORISED SIGNA EMPLOYEE CODE:(5538



SHRIRAM INSTITUTE FOR INDUSTRIAL RESEARCH

(A unit of Shriram Scientific and Industrial Research Foundation)

19, University Road, Delhi - 110007 (India) An ISO - 9001, 14001 & 45001 Certified Institute

Website: www.shriraminstitute.org E-mail id: customercare@shriraminstitute.org

qad@shriraminstitute.org

TEST CERTIFICATE

NO: C1/0000279829

Issued To .

Client Code: (NODA01S2764) STEADFAST NUTRITION

A DIV. OF STEADFAST MEDISHIELD PVT Booking No

GROUND FLOOR, A-67, BLOCK A, SECTOR 4

NOIDA

UTTAR PRADESH-201301

Kind Attn: MS SAMRIDHI KARAN, AM-PRODUCT QUALITY & DEVELOPMENT 03-02-2022

Job No

Customer Ref No. : EMAIL Customer Ref Dt. : 27-01-2022

Booking Date

Date

Herbfast : 2201-1-101-2122 : RG2122/1/8066 : 27-01-2022

Sample Particulars

One sample described as Herbfast, Batch No. HFCSN0122 was received.

(The sampling was not carried out by the Representative of Shriram Institute for Industrial Research. The sample details provided in test certificate are based on declaration by the customer.)

Job No. 2201-1-101-2122

TEST RESULTS

S. No.	Test Parameters	Observed Value	Protocol
1	Energy, kCal/100g	387.5	IS:8220-1976 (Reaff. 2020)
2	Protein (Nx6.25), g/100g	66.8	IS:7219-1979 (Reaff. 2020)
3	Fat, g/100g	5.1	IS:11721-2013 (Reaff. 2018)
4	Carbohydrates, g/100g	18.6	IS:1656-2007 (Reaff. 2018)
5	Sugar as sucrose, g/100g	BLQ (LOQ-0.5g/100g)	IS:1162-2021

LOO- Limit of Quantification; BLQ - Below LOQ.

END OF REPORT

D.O.R.: 27.01.2022 D.O.S.: 27.01.2022 D.O.C.: 03.02.2022

AUTHORISED SIGNATORY

EMPLOYEE CODE:(5538)

Fax: 91-11-27667207 See overleaf for terms & conditions

SRI-C1 (Rev. 05)