



SHRIRAM INSTITUTE FOR INDUSTRIAL RESEARCH

(A unit of Shriram Scientific and Industrial Research Foundation)

19, University Road, Delhi – 110007 (India)
An ISO - 9001, 14001 & 45001 Certified Institute

Website : www.shriraminstitute.org
E-mail id : customercare@shriraminstitute.org
qad@shriraminstitute.org

TEST REPORT

NO : C1/0000338726

Issued To :

Client Code : (NODA01S3076)
STEADFAST MEDISHIELD PVT LTD
GROUND FLOOR
A-67, SECTOR 4
G B NAGAR
NOIDA
UTTAR PRADESH-201301
Kind Attn: MS SAMRIDHI HARAN

Date : 03-10-2023
Job No : 2309-1-101-1679
Booking No : RG2324/1/4883
Booking Date : 20-09-2023
Customer Ref No. : SN2324GSCSN1580
Customer Ref Dt. : 13-09-2023

Sample Particulars

One sample described as Herbfast- Chocolate Flavour (LP), 30 g, Batch No. HFCSN0123 Mfg. Date: Jul. 2023, Best before 18 months from Mfg. was received.

(The sampling was not carried out by the Representative of Shriram Institute for Industrial Research. The sample details provided in test certificate are based on declaration by the customer.)

Job No. 2309-1-101-1679

TEST RESULTS

S. No.	Test Parameters	Observed Value	Protocol
1	Energy, kCal/100g	383.0	IS:8220-1976 (Reaff. 2020)
2	Protein (Nx6.25), g/100g	66.5	IS:7219-1979 (Reaff. 2020)
3	Fat, g/100g	5.0	IS:11721-2013 (Reaff. 2018) (Guidelines)
4	Carbohydrates, g/100g	18.0	IS:1656-2022
5	Sugar as sucrose, g/100g	BLQ (LOQ-0.5 g/100g)	IS:6287-1985 (Reaff. 2020)

LOQ- Limit of Quantification; BLQ- Below LOQ.

****END OF REPORT****


DOR: 20.09.2023

DOS: 23.09.2023

DOC: 03.10.2023

GC-01(Rev-05)

1/1


AUTHORISED SIGNATORY
EMPLOYEE CODE: (8538)

Note: The results relate only to the items tested / calibrated above.
Scanned copies/photocopies or any other copies should be authenticated by reference to the original report.

SRI-C1 (Rev. 05)

Phone : 91-11-27000100, 27667267, 27667860

Fax : 91-11-27667207

See overleaf for terms & conditions