



SHRIRAM INSTITUTE FOR INDUSTRIAL RESEARCH

(A unit of Shriram Scientific and Industrial Research Foundation)

19, University Road, Delhi – 110007 (India)
An ISO - 9001, 14001 & 45001 Certified Institute

Website : www.shriraminstitute.org
E-mail id : customercare@shriraminstitute.org,
qad@shriraminstitute.org

TEST CERTIFICATE

NO : C1/0000278043

Revised Report of Report NO : C1/0000278043

Issued To :
Client Code : (NODA01S2764)
STEADFAST NUTRITION
A DIV. OF STEADFAST MEDISHIELD PVT LTD,
GROUND FLOOR, A-67,
BLOCK A, SECTOR 4
NOIDA
UTTAR PRADESH-201301
Kind Attn: MS SAMRIDHI KARAN, AM-PRODUCT QUALITY
& DEVELOPMENT

Date : 22-02-2022
Job No : 2201-1-101-1038
Booking No : RG2122/1/7686
Booking Date : 12-01-2022
Customer Ref No. : -
Customer Ref Dt. : 11-01-2022

Sample Particulars

One sample described as Incredible Isolate, Batch No. SN0101 was received.

(The sampling was not carried out by the Representative of Shriram Institute for Industrial Research. The sample details provided in test certificate are based on declaration by the customer.)

Revised Test Certificate Test Certificate No. C1/0000278043, Dated: 20.01.2022

Job No. 2201-1-101-1038(R)

TEST RESULTS

S.No.	Test Parameters	Observed Value	Requirements as per FSSR (2011) for Foods not Specified	Conformity	Protocol
1	Lead as Pb, mg/kg	2.3	2.5 Max.	Yes	AOAC 993.14, 21st Ed.
2	Cadmium as Cd, mg/kg	BLQ (LOQ-0.1 mg/kg)	1.5 Max.	Yes	AOAC 993.14, 21st Ed.
3	Arsenic as As, mg/kg	BLQ (LOQ-0.1 mg/kg)	1.1 Max.	Yes	AOAC 993.14, 21st Ed.
4	Mercury as Hg, mg/kg	BLQ (LOQ-0.1 mg/kg)	1.0 Max.	Yes	AOAC 993.14, 21st Ed.
5	Tin as Sn, mg/kg	BLQ (LOQ-0.5 mg/kg)	250 Max.	Yes	AOAC 993.14, 21st Ed. (Guidelines)
6	Copper as Cu, mg/kg	3.3	30 Max.	Yes	AOAC 993.14, 21st Ed.


LOQ- Limit of Quantification; BLQ-Below LOQ.

****END OF REPORT****

D.O.R.: 12.01.2022

D.O.S.: 17.01.2022

D.O.C.: 20.01.2022


AUTHORISED SIGNATORY
EMPLOYEE CODE: (5538)