



SHRIRAM INSTITUTE FOR INDUSTRIAL RESEARCH

(A unit of Shriram Scientific and Industrial Research Foundation)

19, University Road, Delhi – 110007 (India)
An ISO - 9001, 14001 & 45001 Certified Institute

Website : www.shriraminstitute.org
E-mail id : customercare@shriraminstitute.org
qad@shriraminstitute.org

TEST CERTIFICATE

NO : C1/0000287463

Issued To :

Client Code : (NODA01S3076)
STEADFAST MEDISHIELD PVT LTD
GROUND FLOOR
A-67, SECTOR 4
G B NAGAR
NOIDA
UTTAR PRADESH-201301
Kind Attn: MS SAMRIDHI HARAN,AM-
PRODUCT QUALITY & DEVELOPMENT

Date : 12-04-2022
Job No : 2204-1-101-269
Booking No : RG2223/1/105
Booking Date : 04-04-2022
Customer Ref No. : SAMPLE INVOICE NO:SN2122GSCSN2080
Customer Ref Dt. : 22-12-2021

Sample Particulars

One sample described as Incredible Whey-Vanilla, Batch No. SN0158 was received.

(The sampling was not carried out by the Representative of Shriram Institute for Industrial Research. The sample details provided in test certificate are based on declaration by the customer.)

Job No. 2204-1-101-269

TEST RESULTS

S. No.	Test Parameters	Observed Value	Protocol
1	Energy, kCal/100g	394.6	IS:8220-1976 (Reaff. 2020)
2	Protein (Nx6.38), g/100g	74.2	IS:7219-1979 (Reaff. 2020)
3	Fat, g/100g	5.8	IS:11721-2013 (Reaff. 2018)
4	Carbohydrates, g/100g	11.4	IS:1656-2007 (Reaff. 2018)
5	Sugar as sucrose, g/100g	BLQ (LOQ-0.5g/100g)	IS:6287-1985(Reaff-2015)

LOQ- Limit of quantification; BLQ- Below LOQ.

****END OF REPORT****

D.O.R.: 04.04.2022

D.O.S.: 06.04.2022

D.O.C.: 12.04.2022

AUTHORISED SIGNATORY

EMPLOYEE CODE: (5538)

GC-01(Rev-05)

1/1

Note: The results relate only to the items tested / calibrated above.

Scanned copies/photocopies or any other copies should be authenticated by reference to the original report.