



SHRIRAM INSTITUTE FOR INDUSTRIAL RESEARCH

(A unit of Shriram Scientific and Industrial Research Foundation)

19, University Road, Delhi – 110007 (India)
An ISO - 9001, 14001 & 45001 Certified Institute

Website : www.shriraminstitute.org
E-mail id : customercare@shriraminstitute.org
qad@shriraminstitute.org

TEST REPORT

NO : C1/0000295571

Issued To :

Client Code : (NODA01S3076)
STEADFAST MEDISHIELD PVT LTD
GROUND FLOOR
A-67, SECTOR 4
G B NAGAR
NOIDA
UTTAR PRADESH-201301
Kind Attn: MS SAMRIDHI KARAN

Date : 02-07-2022
Job No : 2206-1-101-2637
Booking No : RG2223/1/3271
Booking Date : 28-06-2022
Customer Ref No. : SN2223GSCSN1238
Customer Ref Dt. : 24-06-2022

Sample Particulars

One sample described as MCT Oil Softgel Capsules, Batch No. LOSN0122, Date of Mfg.: 05/2022, Date of Expiry: 10/2023 was received.

(The sampling was not carried out by the Representative of Shriram Institute for Industrial Research. The sample details provided in test certificate are based on declaration by the customer.)


Job No. 2206-1-101-2637

TEST RESULTS

S. No.	Test Parameters	Observed Value	Protocol
1	Caffeine (anhydrous), mg/capsule	171.7	IS:16028-2012 (Reaff. 2017) Guidelines
2	Average Capsule weight, in mg	800.5	Gravimetric method

END OF REPORT

DOR: 29.06.2022
DOS: 01.07.2022
DOC: 02.07.2022


AUTHORISED SIGNATORY
EMPLOYEE CODE:(5538)

GC-01(Rev-05)

1/1

Note: The results relate only to the items tested / calibrated above.
Scanned copies/photocopies or any other copies should be authenticated by reference to the original report.