



# SHRIRAM INSTITUTE FOR INDUSTRIAL RESEARCH

(A unit of Shriram Scientific and Industrial Research Foundation)

19, University Road, Delhi – 110007 (India)  
An ISO - 9001, 14001 & 45001 Certified Institute

Website : [www.shriraminstitute.org](http://www.shriraminstitute.org)  
E-mail id : [customercare@shriraminstitute.org](mailto:customercare@shriraminstitute.org)  
[qad@shriraminstitute.org](mailto:qad@shriraminstitute.org)

## TEST REPORT

NO : C1/0000329170

### Issued To :

Client Code : (NODA01S2764)  
STEADFAST NUTRITION  
A DIV. OF STEADFAST MEDISHIELD PVT  
LTD.  
GROUND FLOOR, A-67,  
BLOCK A, SECTOR 4  
NOIDA  
UTTAR PRADESH-201301  
Kind Attn: MS. POOJA  
PANCHAL,CONSULTANT - PRODUCTS

Date : 21-06-2023  
Job No : 2306-1-101-1145  
Booking No : RG2324/1/2125  
Booking Date : 14-06-2023  
Customer Ref No. : EMAIL  
Customer Ref Dt. : 26-05-2023

### Sample Particulars

One sample described as Micasein, Batch No. SN1015, Date of Mfg.: May 2023, Best before 18 months from manufacture was received.

(The sampling was not carried out by the Representative of Shriram Institute for Industrial Research. The sample details provided in test certificate are based on declaration by the customer.)

Job No. 2306-1-101-1145

## TEST RESULTS

S. No.	Test Parameters	Observed Value	Protocol
1	Energy, kCal/100g	354.5	IS:8220-1976 (Reaff. 2020)
2	Protein (Nx6.25), g/100g	81.3	IS:7219-1979 (Reaff. 2020)
3	Fat, g/100g	2.1	IS:11721-2013 (Reaff. 2018)
4	Carbohydrates, g/100g	2.6	IS:1656-2022
5	Sugar (as Sucrose), g/100g	BLQ (LOQ-0.5 g/100g)	IS:6287-1985 (Reaff. 2020)

LOQ- Limit of quantification; BLQ- Below LOQ.

**\*\*END OF REPORT\*\***

D.O.R.: 14.06.2023

D.O.S.: 17.06.2023

D.O.C.: 21.06.2023

AUTHORISED SIGNATORY

EMPLOYEE CODE:( 5538 )

GC-01 (Rev. 05)  
Note: The results relate only to the items tested / calibrated above.  
Scanned copies/photocopies or any other copies should be authenticated by reference to the original report.

1/1