



SHRIRAM INSTITUTE FOR INDUSTRIAL RESEARCH

(A unit of Shriram Scientific and Industrial Research Foundation)

19, University Road, Delhi – 110007 (India)
An ISO - 9001, 14001 & OHSAS 18001 Certified Institute

Website : www.shriraminstitute.org
E-mail id : customercare@shriraminstitute.org

TEST CERTIFICATE

NO. : C1/0000133708

Issued To:

Client Code : S1942
STEADFAST MEDISHIELD PVT. LTD.
PLOT NO. 330, FUNCTIONAL INDUSTRIAL
ESTATE
PATPARGANJ
NEW DELHI
DELHI-110092
Kind Attn: MR. HITESH MANOCHA

Date 12/07/2018

Job No. 1807-1-101-764

Booking No. RG1819/1/4114

Booking Date 05/07/2018

Customer Ref No. -

Customer Ref Date 05/07/2018



Sample Description :

One sample described as Carborance Sachets was received.

(The sampling was not carried out by the Representative of Shriram Institute for Industrial Research. The sample particulars provided in test certificate are based on declaration by the party.)

TEST RESULTS

S. No.	Test Parameters	Observed Value	Protocol
1	Protein (Nx6.25), % by mass	0.1	IS:7219-1973 (R-2015)
2	Total fat, % by mass	Not Detected (DL-0.1%)	IS:11721-2013 (R-2018)
3	Total carbohydrates, % by mass	95.6*	IS:1656-2007 (R-2018)
4	Energy, kCal/100g	382.8	IS:8220-1976 (R-2015)
5	Sugar as sucrose, % by mass	22.6	IS:6287-1985 (R-2015)

DL- Detection Limit.

Note : The testing range marked as '*' is not accredited by NABL.

DOR : 05.07.2018

DOC : 12.07.2018

AUTHORISED SIGNATORY
EMPLOYEE CODE : (5538)



SHRIRAM INSTITUTE FOR INDUSTRIAL RESEARCH

(A unit of Shriram Scientific and Industrial Research Foundation)

19, University Road, Delhi – 110007 (India)
An ISO - 9001, 14001 & OHSAS 18001 Certified Institute

Website : www.shriraminstitute.org
E-mail id : customer care@shriraminstitute.org

TEST CERTIFICATE

NO. : C1/0000099527

Issued To:

Client Code : S1942
STEADFAST NUTRITION
A DIV. OF STEADFAST MEDISHIELD PVT.
LTD
PLOT NO. 330, FUNCTIONAL INDUSTRIAL
ESTATE
PATPARGANJ
NEW DELHI
NEW DELHI-110092
Kind Attn: MR. HITESH MANOCHA

Date 22/09/2017

Job No. 1709-1-101-1537

Booking No. RG1718/1/5699

Booking Date 12/09/2017

Customer Ref No. -

Customer Ref Date 12/09/2017



Sample Description :

One sample described as Carborance (Carbohydrate Blend) was received.

(The sampling was not carried out by the Representative of Shriram Institute for Industrial Research. The sample particulars provided in test certificate are based on declaration by the party.)

TEST RESULTS

S. No.	Test Parameters	Observed Value	Protocol
1	Protein (Nx6.25), % by mass	0.3	AOAC 990.03, 20th Ed.*
2	Total fat, % by mass	<0.1*	IS:7874 (P1)-1975 (R-2014)
3	Total carbohydrates, % by mass	94.3*	IS:1656-2007 (R-2012)
4	Energy, kCal/100g	378.7	IS:8220-1976 (R-2010)
5	Sugar as sucrose, % by mass	26.1	IS:6287-1985 (R-2010)
6	Total dietary fibre, % by mass	2.9	AOAC 985.29, 20th Ed.

Note : The protocol / testing range marked with '*' is not accredited by NABL.

DOR : 12.09.2017

DOC : 22.09.2017

CC : EMAIL:marketing@steadfastnutrition.in

AUTHORISED SIGNATORY
EMPLOYEE CODE : (5538)

GC-01(Rev-05)

Page 1 of 1

Scanned copies/photocopies or any other copies should be authenticated by reference to the original report.

Phone : 91-11-27667267, 27667983, 27667860

Fax : 91-11-27667676, 27667207

SR1-C1 (Rev. 02)

See overleaf for terms & conditions