



# SHRIRAM INSTITUTE FOR INDUSTRIAL RESEARCH

(A unit of Shriram Scientific and Industrial Research Foundation)

19, University Road, Delhi - 110007 (India)  
An ISO - 9001, 14001 & OHSAS 18001 Certified Institute

Website : www.shriraminstitute.org  
E-mail id : customercare@shriraminstitute.org

## TEST CERTIFICATE

NO. : C1/0000218973

### Issued To:

Client Code : S2764  
STEADFAST NUTRITION  
A DIV. OF STEADFAST MEDISHIELD PVT  
LTD, GROUND FLOOR, A-67, SECTOR 4  
NOIDA  
UTTAR PRADESH-201301  
Kind Attn: MR HITESH MANOCHA

Date 15/06/2020

Job No. 2006-1-101-403

Booking No. RG2021/1/696

Booking Date 04/06/2020

Customer Ref No. EMAIL

Customer Ref Date 04/06/2020

### Sample Description :

One sample described as Power Protein was received.

(The sampling was not carried out by the Representative of Shriram Institute for Industrial Research. The sample particulars provided in test certificate are based on declaration by the party.)

### TEST RESULTS

S. No.	Test Parameters	Observed Value	Protocol
1	Energy, kCal/100g	384.6	IS:8220-1976 (R-2015)
2	Fat, g/100g	5.0	IS:11721-2013 (R-2018)
3	Protein (Nx6.25), g/100g	73.0	IS:7219-1973 (R-2015)
4	Total carbohydrates, g/100g	11.9	IS:1656-2007 (R-2012)
5	Sugar as sucrose, g/100g	BDL (DL-0.5g/100g)	IS:6287-1985 (R-2015)
6	Test for presence of steroids	Negative	Guidelines of IP (2018)
7	Amino Acid Profile		
(a)	Cystic acid, g/100g	1.9	SOP/SRI-FF/040 (HPLC)
(b)	Aspartic acid, g/100g	6.2	SOP/SRI-FF/040 (HPLC)
(c)	Glutamic acid, g/100g	12.3	SOP/SRI-FF/040 (HPLC)
(d)	Serine, g/100g	3.5	SOP/SRI-FF/040 (HPLC)
(e)	Glycine, g/100g	1.4	SOP/SRI-FF/040 (HPLC)
(f)	Histidine, g/100g	2.8	SOP/SRI-FF/040 (HPLC)
(g)	Arginine, g/100g	1.9	SOP/SRI-FF/040 (HPLC)
(h)	Threonine, g/100g	10.4	SOP/SRI-FF/040 (HPLC)
(i)	Alanine, g/100g	3.8	SOP/SRI-FF/040 (HPLC)
(j)	Proline, g/100g	6.6	SOP/SRI-FF/040 (HPLC)
(k)	Methionine, g/100g	1.4	SOP/SRI-FF/040 (HPLC)

*Shreyas*  
AUTHORISED SIGNATORY

EMPLOYEE CODE : ( 5538 )

GC-01(Rev-05)

Page 1 of 2

Scanned copies/photocopies or any other copies should be authenticated by reference to the original report.

Phone : 91-11-27000100, 27667267, 27667860

Fax : 91-11-27667207

SRI-C1 (Rev. 05)

See overleaf for terms & conditions



# SHRIRAM INSTITUTE FOR INDUSTRIAL RESEARCH

(A unit of Shriram Scientific and Industrial Research Foundation)

19, University Road, Delhi - 110007 (India)  
An ISO - 9001, 14001 & OHSAS 18001 Certified Institute

Website : www.shriraminstitute.org  
E-mail id : customercare@shriraminstitute.org

## TEST CERTIFICATE

NO. : C1/0000218973

(l)	Valine, g/100g	4.2	SOP/SRI-FF/040 (HPLC)
(m)	Isoleucine, g/100g	3.6	SOP/SRI-FF/040 (HPLC)
(n)	Leucine, g/100g	6.3	SOP/SRI-FF/040 (HPLC)
(o)	Phenylalanine, g/100g	2.2	SOP/SRI-FF/040 (HPLC)
(p)	Lysine, g/100g	6.6	SOP/SRI-FF/040 (HPLC)
(q)	Tyrosine, g/100g	2.0	SOP/SRI-FF/040 (HPLC)
(r)	Tryptophan, g/100g	0.9	SOP/SRI-FF/040 (HPLC)

BDL - Below Detection Limit; DL- Detection Limit.

\*\*\*\*

DOR : 04.06.2020

DOC : 15.06.2020

*Shreyas*  
AUTHORISED SIGNATORY

EMPLOYEE CODE : ( 5538 )

GC-01(Rev-05)

Page 2 of 2

Scanned copies/photocopies or any other copies should be authenticated by reference to the original report.

Phone : 91-11-27000100, 27667267, 27667860

Fax : 91-11-27667207

SRI-C1 (Rev. 05)

See overleaf for terms & conditions