



## TEST CERTIFICATE

(This certificate is not valid without a hologram)

Sample: Power Glutamine  
Sample Description: White Colour Powder

Ref. No.: N.A.  
Issued To: Steadfast Medishield Private Limited  
A-67, Sector-4, Noida,  
Uttar Pradesh, 201301

Report No.: 5000835  
Report Issue Date: 16/02/2019  
Job Code: STRC/ 5000835  
Sample Received On: 12/02/2019  
Date of Testing: 12/02/2019-16/02/2019  
Sample Qty: 100 gms  
Sample Condition: Sealed Properly

Batch No.: SN3001  
Mfg. Dt.: 01/2019, Expiry Dt.: Best Before 18 Months from Manufacture  
Ref. To Protocol: In House Specification

S. No.	Test	Unit	Result	Detection Limit	Test Method
1	Arsenic (as As)	ppm	Not Detected	0.25	By ICP-MS
2	Cadmium (as Cd)	ppm	Not Detected	0.25	By ICP-MS
3	Lead (as Pb)	ppm	Not Detected	0.25	By ICP-MS
4	Mercury (as Hg)	ppm	Not Detected	0.1	By ICP-MS
5	Identification for Steroid	-	Negative	-	STRC/STP/F076

Note: Party ask for above test only

\*\*\*

*Shruti*

Authorised Signatory

**SHRUTI VIJ**  
Section-Incharge