



# SHRIRAM INSTITUTE FOR INDUSTRIAL RESEARCH

(A unit of Shriram Scientific and Industrial Research Foundation)

19, University Road, Delhi – 110007 (India)  
An ISO - 9001, 14001 & 45001 Certified Institute

Website : [www.shriraminstitute.org](http://www.shriraminstitute.org)  
E-mail id : [customercare@shriraminstitute.org](mailto:customercare@shriraminstitute.org)  
[qad@shriraminstitute.org](mailto:qad@shriraminstitute.org)

## TEST REPORT

NO : C1/0000317199

### Issued To :

Client Code : (NODA01S3076)  
STEADFAST MEDISHIELD PVT LTD  
GROUND FLOOR  
A-67, SECTOR 4  
G B NAGAR  
NOIDA  
UTTAR PRADESH-201301  
Kind Attn: MS BINU BHATIA

Date : 20-02-2023  
Job No : 2302-1-101-1425  
Booking No : RG2223/1/10078  
Booking Date : 15-02-2023  
Customer Ref No. : EMAIL  
Customer Ref Dt. : 13-02-2023

### Sample Particulars

One sample described as Power Massive (Mango), Batch No. SN1557, Mfg. Date: Nov. 2022, Best before 18 months from mfg. was received.

(The sampling was not carried out by the Representative of Shriram Institute for Industrial Research. The sample details provided in test certificate are based on declaration by the customer.)

Job No. 2302-1-101-1425

## TEST RESULTS

S.No.	Test Parameter	Observed Value	Protocol
1	Test for presence of Steroids	Negative	IP-2018 (Guidelines)

\*\*END OF REPORT\*\*

DOR: 15.02.2023  
DOS: 17.02.2023  
DOC: 20.02.2023

AUTHORISED SIGNATORY

EMPLOYEE CODE:( 5538 )

GC-01(Rev-05)

1/1

Note: The results relate only to the items tested / calibrated above.  
Scanned copies/photocopies or any other copies should be authenticated by reference to the original report.