



TEST CERTIFICATE

(This certificate is not valid without a hologram)


Sample: Power Massive
Sample Description: Light Brown Powder.

Ref. No.: N.A.
Issued To: Steadfast Nutrition A Div. Of Steadfast MediShield Pvt. Ltd.
A-67, Sector-4, Noida- 201301, (Uttar Pradesh)

Report No.: 5000552
Version- 1
Report Issue Date: 19/11/2018
Job Code: STRC/ 5000552
Sample Received On: 15/11/2018
Date of Testing: 15/11/2018-19/11/2018
Sample Qty: 100 gms
Sample Condition: Packed in Poly Pouch

Batch No.: SN2212
Mfg. Dt.: 10/2018, Expiry Dt.: Best Before 18 Months from Manufacture

S. No.	Test	Unit	Result	Detection Limit	Test Method
1	Arsenic (as As)	ppm	Not Detected	0.25	By ICP-MS
2	Cadmium (as Cd)	ppm	Not Detected	0.25	By ICP-MS
3	Lead (as Pb)	ppm	Not Detected	0.25	By ICP-MS
4	Mercury (as Hg)	ppm	Not Detected	0.1	By ICP-MS
5	Identification for Steroid	-	Negative	-	STRC/STP/F076


PANKAJ SINGH
Section Incharge


Authorised Signatory
ASHOK SHARMA
Technical Manager