



TEST CERTIFICATE

(This certificate is not valid without a hologram)

Sample: Power Protein
Sample Description: Brown Colour Powder

Ref. No.: N.A.
Issued To: Steadfast Nutrition A Div. of Steadfast Medishield Pvt. Ltd
A-67, Sector-4, Noida,
Uttar Pradesh, 201301

Report No.: 5000836
Report Issue Date: 16/02/2019
Job Code: STRC/ 5000836
Sample Received On: 12/02/2019
Date of Testing: 12/02/2019-16/02/2019
Sample Qty: 200 gms
Sample Condition: Sealed Properly

Batch No.: SN0202
Mfg. Dt.: 02/2019, Expiry Dt.: Best Before 18 Months from Manufacture
Ref. To Procol: In House Specification

| S. No. | Test | Unit | Result | Detection Limit | Test Method |
|--------|----------------------------|------|--------------|-----------------|---------------|
| 1 | Arsenic (as As) | ppm | Not Detected | 0.25 | By ICP-MS |
| 2 | Cadmium (as Cd) | ppm | Not Detected | 0.25 | By ICP-MS |
| 3 | Lead (as Pb) | ppm | Not Detected | 0.25 | By ICP-MS |
| 4 | Mercury (as Hg) | ppm | Not Detected | 0.1 | By ICP-MS |
| 5 | Identification for Steroid | - | Negative | - | STRC/STP/F076 |

Note: Party ask for above test only

Shruti

Authorised Signatory

SHRUTI VIJ
Section-Incharge