



SHRIRAM INSTITUTE FOR INDUSTRIAL RESEARCH

(A unit of Shriram Scientific and Industrial Research Foundation)

19, University Road, Delhi - 110007 (India)
An ISO - 9001, 14001 & OHSAS 18001 Certified Institute

Website : www.shriraminstitute.org
E-mail id : customercare@shriraminstitute.org

TEST CERTIFICATE

NO. : C1/0000146440

Issued To:

Client Code : S1942
STEADFAST MEDISHIELD PVT. LTD.
PLOT NO. 330, FUNCTIONAL INDUSTRIAL
ESTATE
PATPARGANJ
NEW DELHI
DELHI-110092
Kind Attn: MR. HITESH MANOCHA

Date 18/10/2018

Job No. 1810-1-101-1355

Booking No. RG1819/1/8032

Booking Date 10/10/2018

Customer Ref No. -

Customer Ref Date 10/10/2018

ULR NO. TC544418000000127P



Sample Description :

One sample described as Power Protein was received.

(The sampling was not carried out by the Representative of Shriram Institute for Industrial Research. The sample particulars provided in test certificate are based on declaration by the party.)

TEST RESULTS

S. No.	Test Parameters	Observed Value	Protocol/Guidelines
1	Protein(Nx6.38), % by mass	73.4	IS:7219-1973 (R-2015)
2	Fat, % by mass	5.1	IS:11721-2013 (R-2018)
3	Total carbohydrates, % by mass	12.4	IS:1656-2007 (R-2018)
4	Energy, kCal/100g	389.1	IS:8220-1976 (R-2015)
5	Sugar as sucrose, % by mass	BDL (DL-0.5%)	IS:1479 (P2)-1961 (R-2012)*

Note : The protocol marked with an '**' is not accredited by NABL; BDL-Below Detection Limit.

DOR : 10.10.2018

DOC : 18.10.2018


AUTHORISED SIGNATORY
EMPLOYEE CODE : (5538)

GC-01(Rev-05)

Page 1 of 1

Scanned copies/photocopies or any other copies should be authenticated by reference to the original report.

SR1-C1 (Rev. 02)

Phone : 91-11-27667267, 27667983, 27667860

Fax : 91-11-27667676, 27667207

See overleaf for terms & conditions



SHRIRAM INSTITUTE FOR INDUSTRIAL RESEARCH

(A unit of Shriram Scientific and Industrial Research Foundation)

19, University Road, Delhi – 110007 (India)
An ISO - 9001, 14001 & OHSAS 18001 Certified Institute

Website : www.shriraminstitute.org
E-mail id : customercare@shriraminstitute.org

TEST CERTIFICATE

NO.: C1/0000133883

Issued To:

Client Code : S1942
STEADFAST MEDISHIELD PVT. LTD.
PLOT NO. 330, FUNCTIONAL INDUSTRIAL
ESTATE
PATPARGANJ
NEW DELHI
DELHI-110092
Kind Attn: MR. HITESH MANOCHA

Date 13/07/2018

Job No. 1806-1-101-2113

Booking No. RG1819/1/3168

Booking Date 16/06/2018

Customer Ref No. EMAIL

Customer Ref Date 14/06/2018



Sample Description :

One sample described as Power Protein, " Steadfast Nutrition, Premium Sports nutrition for athletes", Batch No. SN0804, Mfg. Date: 06/18 , Date of Expiry : Best before 18 months from manufacture was received.

(The sampling was not carried out by the Representative of Shriram Institute for Industrial Research. The sample particulars provided in test certificate are based on declaration by the party.)

TEST RESULTS

S. No.	Test Parameters	Observed Value	Protocol/Guidelines
1	Protein(Nx6.38), % by mass	73.4	IS:7219-1973 (R-2015)
2	Fat, % by mass	5.2	IS:11721-2013 (R-2018)
3	Total carbohydrates, % by mass	13.0	IS:1656-2007 (R-2018)
4	Energy, kCal/100g	392.4	IS:8220-1976 (R-2015)
5	Sugar as sucrose, % by mass	Not Detected (Detection Limit-0.5%)	IS:1479 (P2)-1961 (R-2012)*

Note : The protocol marked with an '*' is not accredited by NABL.

DOR : 16.06.2018

DOC : 13.07.2018

AUTHORISED SIGNATORY
EMPLOYEE CODE : (5528)



SHRIRAM INSTITUTE FOR INDUSTRIAL RESEARCH

(A unit of Shriram Scientific and Industrial Research Foundation)

19, University Road, Delhi – 110007 (India)
An ISO - 9001, 14001 & OHSAS 18001 Certified Institute

Website : www.shriraminstitute.org
E-mail id : customercare@shriraminstitute.org

TEST CERTIFICATE

NO. : C1/0000099518

Issued To:

Client Code : S1942
STEADFAST NUTRITION
A DIV. OF STEADFAST MEDISHIELD PVT.
LTD
PLOT NO. 330, FUNCTIONAL INDUSTRIAL
ESTATE
PATPARGANJ
NEW DELHI
NEW DELHI-110092

Date 22/09/2017

Job No. 1709-1-101-1536

Booking No. RG1718/1/5699

Booking Date 12/09/2017

Customer Ref No. -

Customer Ref Date 12/09/2017



Sample Description :

One sample described as Power Protein (Protein Blend) was received.

(The sampling was not carried out by the Representative of Shriram Institute for Industrial Research. The sample particulars provided in test certificate are based on declaration by the party.)

TEST RESULTS

S. No.	Test Parameters	Observed Value	Protocol
1	Protein (Nx6.25), % by mass	72.6*	AOAC 990.03, 20th Ed.*
2	Total fat, % by mass	5.3	IS:11721-2013
3	Total carbohydrates, % by mass	12.2	IS:1656-2007 (R-2012)
4	Energy, kCal/100g	386.9	IS:8220-1976 (R-2010)
5	Total Sugars as Invert sugar, % by mass	BDL (DL-0.5%)	IS:6287-1985 (R-2010)
6	Total dietary fibre, % by mass	2.2	AOAC 985.29, 20th Ed.

Note : The protocol / testing range marked with an '*' is not accredited by NABL; BDL-Below detection limit.

DOR : 12.09.2017

DOC : 22.09.2017

CC : EMAIL:marketing@steadfastnutrition.in

AUTHORISED SIGNATORY
EMPLOYEE CODE :(5538)

GC-01(Rev-05)

Page 1 of 1

Scanned copies/photocopies or any other copies should be authenticated by reference to the original report.

Phone : 91-11-27667267, 27667983, 27667860

Fax : 91-11-27667676, 27667207

SR1-C1 (Rev. 02)

See overleaf for terms & conditions