



SHRIRAM INSTITUTE FOR INDUSTRIAL RESEARCH

(A unit of Shriram Scientific and Industrial Research Foundation)

19, University Road, Delhi – 110007 (India)
An ISO - 9001, 14001 & OHSAS 18001 Certified Institute

Website : www.shriraminstitute.org
E-mail id : customercare@shriraminstitute.org

TEST CERTIFICATE

NO : C1/0000251371

Issued To :

Client Code : (NODA01S3076)
STEADFAST MEDISHIELD PVT LTD
A-67, SECTOR 4
NOIDA
UTTAR PRADESH-201301
Kind Attn: DR. GARIMA SRIVASTAVA

Date : 23-03-2021
Job No : 2103-1-101-1387
Booking No : RG2021/1/10960
Booking Date : 12-03-2021
Customer Ref No. : -
Customer Ref Dt. : 03-03-2021

Sample Particulars

One sample described as HerbFast, Batch No. HFC/SN/0121 was received.

(The sampling was not carried out by the Representative of Shriram Institute for Industrial Research. The sample details provided in test certificate are based on declaration by the party.)

Job No. 2103-1-101-1387

TEST RESULTS

S. No.	Test Parameters	Observed Value	Protocol
1	Energy, kCal/100g	385.7	IS:8220-1976 (R-2015)
2	Protein (Nx6.25), g/100g	66.9	IS:7219-1979 (R-2020)
3	Fat, g/100g	4.9	IS:11721-2013 (R-2018)
4	Carbohydrates, g/100g	18.5	IS:1656-2007 (R-2018)
5	Sugar as sucrose, g/100g	Nil	IS:1166-1986 (R-2018)

D.O.R.: 12.03.2021

D.O.C.: 22.03.2021

AUTHORISED SIGNATORY
EMPLOYEE CODE: (5538)