



SHRIRAM INSTITUTE FOR INDUSTRIAL RESEARCH

(A unit of Shriram Scientific and Industrial Research Foundation)

19, University Road, Delhi - 110007 (India)
An ISO - 9001, 14001 & OHSAS 18001 Certified Institute

Website : www.shriraminstitute.org
E-mail id : customercare@shriraminstitute.org

SP

ULR NO. : TC54442100005617F

TEST CERTIFICATE

NO : C1/0000253761



Issued To :

Client Code : (NODA01S2764)
STEADFAST NUTRITION
A DIV. OF STEADFAST MEDISHIELD PVT
LTD, GROUND FLOOR, A-67, SECTOR 4
NOIDA
UTTAR PRADESH-201301
Kind Attn: MS. SHILPA MARWAH,-

Date : 13-04-2021
Job No : 2104-1-101-213
Booking No : RG2122/1/93
Booking Date : 03-04-2021
Customer Ref No. : -
Customer Ref Dt. : 23-03-2021

Sample Particulars

One sample described as Active BCAA, Batch No. SN 1711 was received.

(The sampling was not carried out by the Representative of Shriram Institute for Industrial Research.
The sample details provided in test certificate are based on declaration by the party.)

Job No. 2104-1-101-213

TEST RESULTS

S. No.	Test Parameters	Observed Value	Protocol
1	Energy, kCal/100g	395.6	IS:8220-1976 (R-2015)
2	Protein (Nx6.25), g/100g	35.2	IS:7219-1979 (R-2020)
3	Fat, g/100g	0.4	IS:7874 (PL)-1975 (R-2014)
4	Carbohydrates, g/100g	62.8	IS:1656-2007 (R-2018)
5	Sugar as sucrose, g/100g	BLQ (LOQ-1.0g/100g)	IS:1166-1986 (R-2018)

LOQ- Limit of Quantification; BLQ - Below LOQ.

D.O.R.: 03.04.2021

D.O.C.: 13.04.2021

AUTHORISED SIGNATORY

EMPLOYEE CODE:(5538)

GC-01(Rev-05)

1/1

Scanned copies/photocopies or any other copies should be authenticated by reference to the original report.