



# SHRIRAM INSTITUTE FOR INDUSTRIAL RESEARCH

(A unit of Shriram Scientific and Industrial Research Foundation)

19, University Road, Delhi – 110007 (India)  
An ISO - 9001, 14001 & OHSAS 18001 Certified Institute

Website : www.shriraminstitute.org  
E-mail id : customercare@shriraminstitute.org

## TEST CERTIFICATE

NO. : C1/0000239087

### Issued To:

Client Code : S3076  
STEADFAST MEDISHIELD PVT LTD  
A-67, SECTOR 4  
NOIDA  
UTTAR PRADESH-201301  
Kind Attn: DR. GARIMA SRIVASTAVA

Date 14/12/2020

Job No. 2012-1-101-319

Booking No. RG2021/1/7445

Booking Date 02/12/2020

Customer Ref No. -

Customer Ref Date 30/11/2020

ULR NO. TC544420000013511F



### Sample Description :

One sample described as Micasein, 25 gm, Batch No. SN 2060 was received.

(The sampling was not carried out by the Representative of Shriram Institute for Industrial Research. The sample particulars provided in test certificate are based on declaration by the party.)

## TEST RESULTS

S. No.	Test Parameters	Observed Value	Protocol
1	Energy, kCal/100g	344.7	IS:8220-1976 (R-2015)
2	Fat, g/100g	0.3	IS:11721-2013 (R-2018)
3	Protein (Nx6.38), g/100g	78.7	IS:7219-1973 (R-2015)
4	Total carbohydrates, g/100g	6.8	IS:1656-2007 (R-2012)
5	Sugar as sucrose, g/100g	BLQ (LOQ-0.5g/100g)	IS:6287-1985 (R-2015)

LOQ- Limit of Quantification; BLQ- Below LOQ.

\*\*\*\*

DOR : 02.12.2020

DOC : 14.12.2020

AUTHORISED SIGNATORY  
EMPLOYEE CODE : ( 5538 )

GC-01(Rev-05)

Page 1 of 1

Scanned copies/photocopies or any other copies should be authenticated by reference to the original report.

Phone : 91-11-27000100, 27667267, 27667860

Fax : 91-11-27667207

SRI-C1 (Rev. 03)

See overleaf for terms & conditions