



# SHRIRAM INSTITUTE FOR INDUSTRIAL RESEARCH

(A unit of Shriram Scientific and Industrial Research Foundation)

19, University Road, Delhi – 110007 (India)  
An ISO - 9001, 14001 & OHSAS 18001 Certified Institute

Website : www.shriraminstitute.org  
E-mail id : customercare@shriraminstitute.org

## TEST CERTIFICATE

NO. : C1/0000239088

### Issued To:

Client Code : S3076  
STEADFAST MEDISHIELD PVT LTD  
A-67, SECTOR 4  
NOIDA  
UTTAR PRADESH-201301  
Kind Attn: DR. GARIMA SRIVASTAVA

Date 14/12/2020

Job No. 2012-1-101-321


Booking No. RG2021/1/7445

Booking Date 02/12/2020

Customer Ref No. -

Customer Ref Date 30/11/2020

ULR NO. TC544420000013512F



### Sample Description :

One sample described as Carborance, 62.5 gm, Batch No. SN 2061 was received.

(The sampling was not carried out by the Representative of Shriram Institute for Industrial Research. The sample particulars provided in test certificate are based on declaration by the party.)

## TEST RESULTS

S. No.	Test Parameters	Observed Value	Protocol
1	Energy, kCal/100g	381.2	IS:8220-1976 (R-2015)
2	Fat, g/100g	Not Detected (LOQ-0.1g/100g)	IS:7874 (P1)-1975 (R-2014)
3	Protein (Nx6.25), g/100g	Not Detected (LOQ-0.1g/100g)	IS:7219-1973 (R-2015)
4	Total carbohydrates, g/100g	95.3	IS:1656-2007 (R-2012)
5	Sugar as sucrose, g/100g	25.7	IS:6287-1985 (R-2015)

### LOQ- Limit of Quantification.

\*\*\*\*

DOR : 02.12.2020

DOC: 14.12.2020

AUTHORISED SIGNATORY  
EMPLOYEE CODE : ( 5538 )



# SHRIRAM INSTITUTE FOR INDUSTRIAL RESEARCH

(A unit of Shriram Scientific and Industrial Research Foundation)

19, University Road, Delhi – 110007 (India)  
An ISO - 9001, 14001 & OHSAS 18001 Certified Institute

Website : www.shriraminstitute.org  
E-mail id : customercare@shriraminstitute.org

## TEST CERTIFICATE

NO. : C1/0000239018

### Issued To:

Client Code : S3076  
STEADFAST MEDISHIELD PVT LTD  
A-67, SECTOR 4  
NOIDA  
UTTAR PRADESH-201301  
Kind Attn: DR. GARIMA SRIVASTAVA

Date 14/12/2020

Job No. 2012-1-101-322

Booking No. RG2021/1/7445

Booking Date 02/12/2020

Customer Ref No. -

Customer Ref Date 30/11/2020

### Sample Description :

One sample described as Carborance, 62.5 gm, Batch No. SN 2061 was received.

(The sampling was not carried out by the Representative of Shriram Institute for Industrial Research. The sample particulars provided in test certificate are based on declaration by the party.)

## TEST RESULTS

S. No.	Test Parameter	Observed Value	Protocol
1	Presence of Steroids	Absent ****	Guidelines of IP (2018)

DOR : 02.12.2020  
DOC : 14.12.2020

AUTHORISED SIGNATORY  
EMPLOYEE CODE : ( 5538 )