



SHRIRAM INSTITUTE FOR INDUSTRIAL RESEARCH

(A unit of Shriram Scientific and Industrial Research Foundation)

19, University Road, Delhi – 110007 (India)
An ISO - 9001, 14001 & 45001 Certified Institute

Website : www.shriraminstitute.org
E-mail id : customercare@shriraminstitute.org
qad@shriraminstitute.org

TEST REPORT

NO : C1/0000344121

Issued To :

Client Code : (NODA01S2764)
STEADFAST NUTRITION
A DIV. OF STEADFAST MEDISHIELD PVT
LTD,
GROUND FLOOR, A-67,
BLOCK A, SECTOR 4
NOIDA
UTTAR PRADESH-201301
Kind Attn: MS SAMRIDHI KARAN,AM-
PRODUCT QUALITY & DEVELOPMENT

Date : 05-12-2023
Job No : 2311-1-101-2786
Booking No : RG2324/1/6894
Booking Date : 28-11-2023
Customer Ref No. : EMAIL
Customer Ref Dt. : 24-11-2023

Sample Particulars

One sample described as Warmax Protein (Chocolate flavour), Batch No. SN0966, Date of Mfg.: 11/2023,
Expiry: 04/2025 was received.

(The sampling was not carried out by the Representative of Shriram Institute for Industrial Research. The
sample details provided in test certificate are based on declaration by the customer.)

Job No. 2311-1-101-2786

TEST RESULTS

S. No.	Test Parameters	Observed Value	Protocol
1	Energy, kCal/100g	376.9	IS:8220-1976 (Reaff. 2020)
2	Protein (Nx6.38), g/100g	80.4	IS:7219-1979 (Reaff. 2020)
3	Total fat, g/100g	2.1	IS:11721-2013 (Reaff. 2022)
4	Total carbohydrates, g/100g	9.1	IS:1656-2022
5	Sugar as sucrose, g/100g	BLQ (LOQ-0.5 g/100g)	IS:6287-1985 (Reaff. 2020)


LOQ- Limit of Quantification; BLQ- Below LOQ.

****END OF REPORT****

DOR: 28.11.2023

DOS: 30.11.2023

DOC: 05.12.2023


AUTHORISED SIGNATORY
EMPLOYEE CODE:(5538)

Note: The results relate only to the items tested / calibrated above.
Scanned copies/photocopies or any other copies should be authenticated by reference to the original report.