
Uncontrolled Copy

		- <u>J</u>			
REV	ECO	REV BY	DATE	APPD	DATE
В	0004139	jrupert	01-28-2009	triley	01-28-2009




NOTES:

- 1. FOR USE WITH 614129 NAMEPLATE BLANK
- 2. —— -- INDICATES DIMENSION LIMITS
- 3. DIE TO BE MADE FROM MASTER SUPPLIED BY A. O. SMITH CORPORATION
- 4. DIE MUST PRODUCE A LEGIBLE IMPRESSION.

GEOMETRIC CHARACTERISTICS & SYMBOLS ✓ FLATNESS — STRAIGHTNESS ∠ ANGULARITY	UNLESS OTHERWISE SPECIFIED DIM. TOLERANCES ARE AS FOLLOWS: X XX XXXX INCH ±.1 ±.02 ±.005 ±.0005	DR BY: jrupert APPD: trilev	01-28-2009	Smith Innovation has a name.	ELECTRICAL PRODUCTS COMPANY A DIVISION OF A. O. SMITH CORPORATION
<pre></pre>	mm ±0.5 ±0.13 ±0.013 ANG. ±.50 DEG REMOVE BURRS & BREAK SHARP EDGES: INCH .003015 mm 0.1-0.4 CORNER FILLETS TO:	THIRD ANGLE PROJECTION	EDS DATE 01-21-2007 FORMAT REV F	description CONN DIAGR	AM EXTERNAL
PROFILE OF ANY LINE PROFILE OF ANY LINE RUNOUT TRUE POSITION CONCENTRICITY SYMMETRY	INCH .020 mm 0.5 MACHINE SURFACES: INCH 125 mm 3.2 METRIC DIMS. SHOWN IN [BRACKETS]	THE EXCLUSIVE AND CONFID SMITH CORP. AND ARE NOT	TO BE DISCLOSED, R OTHERWISE USED WITHOUT	SCALE NONE	1131-345 SHEET 1

Uncontrolled Copy

		_ <i>J</i>			
REVISION:	ECO	REVISADO POR:	FECHA:	APROBADO POR:	FECHA:
В	0004139	jrupert	01-28-2009	triley	01-28-2009



NOTES:

- 1. FOR USE WITH 614129 NAMEPLATE BLANK
- 2. —— -- INDICATES DIMENSION LIMITS
- 3. DIE TO BE MADE FROM MASTER SUPPLIED BY A. O. SMITH CORPORATION
- 4. DIE MUST PRODUCE A LEGIBLE IMPRESSION.


CARACTERISTICAS DE GEOMETRIA Y SIMBOLOS	LAS DIMS; SON LAS SIGUIENTES: X XXX XXXX	DIBUJADO POR: jrupert APROBADO POR:	01-28-2009	Smith Innovation has a name.	ELECTRICAL PRODUCTS COMPANY A DIVISION OF A. O. SMITH CORPORATION
 	PULG ±.1 ±.02 ±.005 ±.0005 mm ±0.5 ±0.13 ±0.013 ANG. ±.50 GRADOS ELIMINAR REBABAS Y ORILLAS FILOSAS DEL BORDE.	TERCER ANGULO DE PROYECCION	01-28-2009 FECHA EDS: 01-21-2007 REV. FORMATO: F	descripcion: CONN DIAGR	AM EXTERNAL
 → PERFIL DE CUALQUIER SUPERFICIE → PERFIL DE CUALQUIER LINEA 1 VARIACION → POSICION REAL ⊕ CONCENTRICIDAD — SIMETRIA 	PULG .003015 mm 0.1-0.4 FILETEAR ESQUINA: PULG .020 mm 0.5 MAQUINAR SUPERFICIES PULG 125 mm 3.2 DIMS METRICAS MOSTRADAS [PARENTESIS]	A.O.SMITH CORP. Y NO DEI DUPLICADOS, DISTRIBUIDOS SIN FL CONSENTIMIENTO E	EXCLUSIVO Y CONFIDENCIAL DE BERAN SER REVELADOS, O USARSE DE OTRA MANERA SCRITO DE A.O. SMITH CORP	A 614	0: 4131-345 HOJA: 1

Uncontrolled Copy

		- <i>J</i>			
??	ECO	??	??	??	??
В	0004139	jrupert	01-28-2009	triley	01-28-2009



- 1. FOR USE WITH 614129 NAMEPLATE BLANK
- 2. —— -- INDICATES DIMENSION LIMITS
- 3. DIE TO BE MADE FROM MASTER SUPPLIED BY A. O. SMITH CORPORATION
- 4. DIE MUST PRODUCE A LEGIBLE IMPRESSION.



ELECTRICAL PRODUCTS
COMPANY
A DIVISION OF A. O. SMITH CORPORATION

CONN DIAGRAM EXTERNAL

NONE

614131 - 345

???? ☑???	?????? ??????	??: jrupert	01-28-2009	
- ??? ∠??? - 222	X XX XXX XX ?? ±.1 ±.02 ±.005 ±.00 ?? ±0.5 ±0.13 ±0.013		01-28-2009	22
	?? ±50 ? ??????? ?? .003015 ?? 0.1-0.4	?????? (1-2007 F
↑ ???? ↑ ??? ♦ ???	???? ?? .020 ?? 0.5 ????? ?? 125/ ?? 3.2/	??: ???????????? ??A.O.SMITH??????? ?????——????		??
∅???=???	???????[]		ASME Y14.5	?? M 1994