
Uncontrolled Copy

REV	ECO	REV BY	DATE	APPD	DATE
J	0010954	jrupert	01-21-2010	jrupert	01-21-2010




NOTES:

- 1. FOR USE WITH 614129 NAMEPLATE BLANK
- 2. ———— INDICATES DIMENSION LIMITS
- 3. DIE TO BE MADE FROM MASTER SUPPLIED BY A. O. SMITH CORPORATION
- 4. DIE MUST PRODUCE A LEGIBLE IMPRESSION.

GEOMETRIC CHARACTERISTICS & SYMBOLS FLATNESS	UNLESS OTHERWISE SPECIFIED DIM. TOLERANCES ARE AS FOLLOWS: X XX XXX XXXX	DR BY: jrupert	01-21-2010	A Smith	ELECTRICAL PRODUCTS COMPANY
∠ ANGULARITY ⊥ PERPENDICULARITY (SQUARENESS)	X	APPD: jrupert	01-21-2010	innovation has a name. DESCRIPTION	A DIVISION OF A. O. SMITH CORPORATION
// PARALLELISM O ROUNDNESS (CIRCULARITY)	ANG. ±.50 DEG REMOVE BURRS & BREAK SHARP EDGES: INCH .003015 mm 0.1-0.4	THIRD ANGLE PROJECTION	IEDS DATE		AM EXTERNAL
PROFILE OF ANY SURFACE PROFILE OF ANY LINE RUNOUT TRUE POSITION	CORNER FILLETS TO: INCH .020 mm 0.5 MACHINE SURFACES: INCH 125 mm 3.2	THE EXCLUSIVE AND CONFIC SMITH CORP. AND ARE NOT DUPLICATED, DISTRIBUTED O	TO BE DISCLOSED, OR OTHERWISE USED WITHOUT	size A Dwg no 614	4131-360
© CONCENTRICITY SYMMETRY	METRIC DIMS. SHOWN IN [BRACKETS]	THE WRITTEN CONSENT OF —ALL RIGHTS RESERVED.	A.O. SMITH CORP. ASME Y14.5M 1994	SCALE NONE	SHEET 1

Uncontrolled Copy

		- <u>J</u>			
REVISION:	ECO	REVISADO POR:	FECHA:	APROBADO POR:	FECHA:
J	0010954	jrupert	01-21-2010	jrupert	01-21-2010



NOTES:

- 1. FOR USE WITH 614129 NAMEPLATE BLANK
- 2. —— -- INDICATES DIMENSION LIMITS
- 3. DIE TO BE MADE FROM MASTER SUPPLIED BY A. O. SMITH CORPORATION
- 4. DIE MUST PRODUCE A LEGIBLE IMPRESSION.

CARACTERISTICAS DE GEOMETRIA Y SIMBOLOS ☐ PLANICIDAD — RECTITUD	LAS DIMS; SON LAS SIGUIENTES:	DIBUJADO POR: jrupert APROBADO POR:	01-21-2010	A Smith	ELECTRICAL PRODUCTS COMPANY
∠ ANGULARIDAD ⊥ PERPENDICULARIDAD (A ESCUADRA)	PULG ±.1 ±.02 ±.005 ±.0005 mm ±0.5 ±0.13 ±0.013 ANG. ±.50 GRADOS	jrupert TERCER ANGULO DE PROYECCION	01-21-2010 FECHA EDS: 02-22-2008 REV. FORMATO: F	DESCRIPCION: CONN DIAGRA	A DIVISION OF A. O. SMITH CORPORATION A DIVISION OF A. O. SMITH CORPORATION
→ PERFIL DE CUALQUIER SUPERFICIE → PERFIL DE CUALQUIER LINEA / VARIACION → POSICION REAL ◎ CONCENTRICIDAD	PULG .003015 mm 0.1-0.4 FILETEAR ESQUINA: PULG .020 mm 0.5 MAQUINAR SUPERFICIES PULG 125 mm 3.2 DIMS METRICAS MOSTRADAS [PARENTESIS]	A.O.SMITH CORP. Y NO [DUPLICADOS, DISTRIBUIDO SIN EL CONSENTIMIENTO	EXCLUSIVO Y CONFIDENCIAL DE DEBERAN SER REVELADOS, DS O USARSE DE OTRA MANERA ESCRITO DE AO SMITH CORP	A 614	171 700

Uncontrolled Copy 0010954 01-21-2010 01-21-2010 jrupert jrupert .88. [22.2] ORANGE -BLUE -WHITE -LINE BLACK-BLK/WHT-RED -HIGH VOLTS 1.63 [41.3] ORANGE -BLUE — BLACK -BLK/WHT WHITE -RED LOW VOLTS 614131-360

NOTES:

- 1. FOR USE WITH 614129 NAMEPLATE BLANK
- 2. ———— INDICATES DIMENSION LIMITS
- 3. DIE TO BE MADE FROM MASTER SUPPLIED BY A. O. SMITH CORPORATION
- 4. DIE MUST PRODUCE A LEGIBLE IMPRESSION.

????	????? ??????? X XX XXX XXX ?? ±.1 ±.02 ±.005 ±.0005	??: jrupert ??: irupert	01-21-2010	Smith Innovation has a name.	ELECTRICAL PRODUCTS COMPANY A DIVISION OF A. O. SMITH CORPORATION
\(\frac{\chi_{\chi}\chi_{\chi\ti}}\chi_{\chi_{\chi_{\chi_{\chi_{\chi_{\chi_{\chi_{\chi_{\chi\tiny{\chi_{\chi_{\chi_{\chi_{\chi_{\chi_{\chi_{\chi_{\chi_{\chi\tiny{\chi_{\chi_{\chi_{\chi_{\chi_{\chi_{\chi_{\chi_{\chi_{\chi\tiny{\chi_{\chi_{\chi_{\chi_{\chi_{\chi_{\chi_{\chi_{\chi_{\chi\tiny{\chi_{\chi_{\chi_{\chi_{\chi_{\chi_{\chi_{\chi_{\chi_{\chi\tiny{\chi_{\chi_{\chi_{\chi_{\chi_{\chi_{\chi_{\chi_{\chi_{\chi\tiny{\chi_{\chi_{\chi_{\chi_{\chi_{\chi_{\chi_{\chi_{\chi_{\chi\tiny{\chi_{\chi_{\chi_{\chi_{\chi_{\chi_{\chi_{\chi_{\chi_{\chi\tiny{\chi_{\chi_{\chi_{\chi_{\chi_{\chi_{\chi_{\chi_{\chi_{\chi\tiny{\chi_{\chi_{\chi_{\chi_{\chi}\tiny{\chi_{\chi_{\chi_{\chi_{\chi\tiny{\chi_{\chi_{\chi_{\chi_{\chi_{\chi_{\chi_{\chi_{\chi}\chi_{\chi_{\chi}\tinm\chi_{\chi}\chi\tinp{\chi\tiny{\chi_{\chi}\chi_{\chi_{\chi}\chi_{\chi}\chi\tinp\chi_{\chi\tiny{\chi}\tinm\tinp\chi\tinp{\chi}\tinm\chi\tinp{\chi}\tinm\chi\tinp\chi\tii}\tinp\chi\tinp\chi\tinp\chi\tinp\chi\tinp\chi\tinp\chi\tinp\c	?? ±0.5 ±0.13 ±0.013 ?? ±.50 ? ??????? ?? .003015 ?? 0.1-0.4	?????	???????? 02-22-2008 ??????? F	conn Diagi	RAM EXTERNAL
- ??? - ??? - ??? - ???? - ???? - ???? - ???? - ???? - ???? - ???? - ???? - ???? - ????	?? .020 ?? 0.5 ????? ?? 125 ?? 3.2 ???????[]	??: ?????????????A.O.SM ??A.O.SMITH??????????? ?????——????		?? NONE	4131-360