



| REV | ECO | REV BY | DATE | APPD | DATE |
|-----|---------|--------|------------|--------|------------|
| C | 0025364 | A.CHEN | 04-17-2012 | B.SHEN | 04-17-2012 |

ALL DIMENSIONS SHOWN IN PARENTHESIS ARE REFERENCE DIMENSIONS. ALL OTHER DIMENSIONS ARE TOLERANCED PER THE FOLLOWING CHART UNLESS OTHERWISE SPECIFIED.

"C" DIM. = +/- .055[1.40]
 SHAFT EXT. = +/- .034[.86]
 LEAD LENGTHS = +/- 1.00[25.4]
 EXTENDED
 THRU-BOLTS = +/- .050[1.27]
 ANGULAR DIMS. = +/- 2 DEGS.



GEOMETRIC CHARACTERISTICS & SYMBOLS

- ∕ FLATNESS
- STRAIGHTNESS
- ∠ ANGULARITY
- ⊥ PERPENDICULARITY (SQUARENESS)
- ∥ PARALLELISM
- ROUNDNESS (CIRCULARITY)
- ⊘ CYLINDRICITY
- △ PROFILE OF ANY SURFACE
- ⌒ PROFILE OF ANY LINE
- ↗ RUNOUT
- ⊕ TRUE POSITION
- ◎ CONCENTRICITY
- ≡ SYMMETRY

ASME Y14.5M 1994

UNLESS OTHERWISE SPECIFIED DIM. TOLERANCES ARE AS FOLLOWS:

| | | | | |
|------|------|-------|--------|--------|
| INCH | ±.1 | ±.02 | ±.005 | ±.0005 |
| mm | ±0.5 | ±0.13 | ±0.013 | |

ANG. ±.50 DEG
 REMOVE BURRS & BREAK SHARP EDGES:
 INCH .003-.015 mm 0.1-0.4
 CORNER FILLETS TO:
 INCH .020 mm 0.5
 MACHINE SURFACES:
 INCH 125 mm 3.2



METRIC DIMS. SHOWN IN [BRACKETS]

| | | |
|--|---------------------|--------------|
| DR BY: | SARA.H | 08-27-2008 |
| APPD: | | |
| THIRD ANGLE PROJECTION | EDS DATE 11-11-2011 | FORMAT REV G |
| CONFIDENTIAL: THIS DRAWING AND ITS INFORMATION ARE THE EXCLUSIVE AND CONFIDENTIAL PROPERTY OF REGAL-BELOIT CORPORATION AND ARE NOT TO BE DISCLOSED, DUPLICATED, DISTRIBUTED OR OTHERWISE USED WITHOUT THE WRITTEN CONSENT OF REGAL-BELOIT CORPORATION. -ALL RIGHTS RESERVED. | | |

| | |
|-------------|-----------|
| | |
| DESCRIPTION | |
| OUTLINE | |
| SIZE | DWG NO |
| C | ARB2024L3 |
| SCALE | SHEET |
| NONE | 1 |

| | | | | | |
|-----------|---------|---------------|------------|---------------|------------|
| REVISION: | ECO | REVISADO POR: | FECHA: | APROBADO POR: | FECHA: |
| C | 0025364 | A.CHEN | 04-17-2012 | B.SHEN | 04-17-2012 |

- = +/- .055[1.40]
- = +/- .034[.86]
- = +/- 1.00[25.4]
- = +/- .050[1.27]
- = +/- 2 DEGS.



CARACTERISTICAS DE GEOMETRIA Y SIMBOLOS

- ∠ PLANICIDAD
- RECTITUD
- ∠ ANGULARIDAD
- ⊥ PERPENDICULARIDAD (A ESCUADRA)
- // PARALELISMO
- REDONDEZ (CIRCULARIDAD)
- ∅ CILINDRICIDAD
- △ PERFIL DE CUALQUIER SUPERFICIE
- ∩ PERFIL DE CUALQUIER LINEA
- ∇ VARIACION
- ⊕ POSICION REAL
- ◎ CONCENTRICIDAD
- ≡ SIMETRIA

A MENOS QUE SE ESPECIFIQUE DE OTRA MANERA, LAS TOLERANCIAS DE LAS DIMS; SON LAS SIGUIENTES:

| | | | | |
|------|------|-------|--------|--------|
| PULG | ±.1 | ±.02 | ±.005 | ±.0005 |
| mm | ±0.5 | ±0.13 | ±0.013 | |

ANG. ±.50 GRADOS
ELIMINAR REBABAS Y ORILLAS FILOSAS DEL BORDE.

PULG .003-.015 mm 0.1-0.4
FILETEAR ESQUINA: PULG .020 mm 0.5
MAQUINAR SUPERFICIES
PULG 125 mm 3.2



DIMS METRICAS MOSTRADAS [PARENTESIS]

| | | |
|---|--------|--|
| DIBUJADO POR: | SARA.H | 08-27-2008 |
| APROBADO POR: | | |
| TERCER ANGULO DE PROYECCION | | FECHA EDS: 11-11-2011 REV. FORMATO: G |
| CONFIDENCIAL: ESTE DIBUJO Y SU INFORMACION SON PROPIEDAD DE USO EXCLUSIVO Y CONFIDENCIAL DE REGAL-BELOIT CORPORATION. Y NO DEBERAN SER REVELADOS, DUPLICADOS, DISTRIBUIDOS O USARSE DE OTRA MANERA SIN EL CONSENTIMIENTO ESCRITO DE REGAL-BELOIT CORPORATION. -TODOS LOS DERECHOS RESERVADOS. | | |

| | |
|----------------------|-----------------------------|
| | |
| DESCRIPCION: OUTLINE | |
| TAMAÑO: C | NUMERO DE DIBUJO: ARB2024L3 |
| ESCALA: NONE | HOJA: 1 |

| | | | | | |
|----|---------|--------|------------|--------|------------|
| 版本 | ECO | 编制 | 日期 | 批准 | 日期 |
| C | 0025364 | A.CHEN | 04-17-2012 | B.SHEN | 04-17-2012 |

- = +/- .055[1.40]
- = +/- .034[.86]
- = +/- 1.00[25.4]
- = +/- .050[1.27]
- = +/- 2 DEGS.



| | |
|--------|------------------------------------|
| 形位公差 | 除另有注明 |
| □ 平面度 | 尺寸公差如下: |
| — 直线度 | 英寸 ±.1 XX XXX XXXX |
| ∠ 倾斜度 | 毫米 ±0.5 ±0.13 ±0.013 ±0.005 ±0.005 |
| ⊥ 垂直度 | 角度 ±.50 度 |
| // 平行度 | 清理毛刺和尖棱 |
| ○ 圆度 | 英寸 .003-.015 毫米 0.1-0.4 |
| ⊘ 圆柱度 | 内圆角 |
| ⌒ 面轮廓度 | 英寸 .020 毫米 0.5 |
| ⌒ 线轮廓度 | 表面粗糙度 |
| ↻ 圆跳动 | 英制 125 米制 3.2 |
| ⊕ 位置度 | 米制尺寸显示在 [] |
| ⊙ 同轴度 | |
| ≡ 对称度 | |

ASME Y14.5M 1994

| | | |
|--|--------|---------------------------------|
| 绘图: | SARA.H | 08-27-2008 |
| 批准: | | |
| 第三角投影 | | 图纸格式发布日期 11-11-2011 图纸格式版本 G |
| 机密: 本图纸及相关信息所有权归REGAL-BELOIT CORPORATION. 未经REGAL-BELOIT CORPORATION书面授权, 不得泄露、复制、传播或作其他用途。—版权所有 | | |



| | | |
|----|---------|--------------|
| 名称 | OUTLINE | |
| 图幅 | C | 图号 ARB2024L3 |
| 比例 | NONE | 页号 1 |