



REV	ECO	REV BY	DATE	APPD	DATE
D	0025533	E.SINECIO	04-24-2012	R.RASCON	04-24-2012



NAMEPLATE DATA

MODEL: 177375  
 CUST PN: B662  
 HP: 3/4 SF: 1.50  
 ROT: CCWPE  
 RPM: 3450  
 TYPE: CX CODE: J  
 FORM: FRAME: M56Y  
 VOLTS: 230/115  
 AMPS: SF6.0/12.0  
 MAX AMPS:  
 SF AMPS: -  
 PH: 1 HZ: 60  
 INS: B AMB: 40°C  
 DUTY: CONT  
 ENCLOSURE: ODP  
 THERMALLY PROTECTED

EXTERNAL CONNECTION DIAGRAM



NOTES

- FOR THREADED SHAFT EXT. MATING PARTS SHOULD BE RELIEVED ONE THREAD TO CLEAR FILLET
  - SHAFT RUNOUT NOT TO EXCEED .002[.05] T.I.R.
  - END PLAY NOT TO EXCEED .010[.25] MEASURED WITH NO THRUST
- = CRITICAL DIM.

PERFORMANCE CURVE

APPROVED SAMPLE

GEOMETRIC CHARACTERISTICS & SYMBOLS

UNLESS OTHERWISE SPECIFIED DIM. TOLERANCES ARE AS FOLLOWS:

DR BY: YL

11-17-2010



16345116

CSA

□ FLATNESS  
 - STRAIGHTNESS  
 ∠ ANGULARITY  
 ⊥ PERPENDICULARITY (SQUARENESS)  
 // PARALLELISM  
 ○ ROUNDNESS (CIRCULARITY)  
 ∅ CYLINDRICITY  
 △ PROFILE OF ANY SURFACE  
 ∩ PROFILE OF ANY LINE  
 ↑ RUNOUT  
 ⊕ TRUE POSITION  
 ⊙ CONCENTRICITY  
 = SYMMETRY

INCH ±.1 ±.02 ±.005 ±.0005  
 mm ±0.5 ±0.13 ±0.013

APPD: TZ

11-17-2010



THIRD ANGLE PROJECTION  
 EDS DATE 02-22-2008  
 FORMAT REV G

DESCRIPTION

MODEL-CFHP-56FR  
 OUTLINE

FILE#

CCN#

FILE#

ANG. ±.50 DEG

CONFIDENTIAL: THIS DRAWING AND ITS INFORMATION ARE THE EXCLUSIVE AND CONFIDENTIAL PROPERTY OF REGAL-BELOIT CORPORATION AND ARE NOT TO BE DISCLOSED, DUPLICATED, DISTRIBUTED OR OTHERWISE USED WITHOUT THE WRITTEN CONSENT OF REGAL-BELOIT CORPORATION. -ALL RIGHTS RESERVED.

SIZE

C DWG NO B662

PENDING

PENDING

PENDING

REMOVE BURRS & BREAK SHARP EDGES: INCH .003-.015 mm 0.1-0.4

SCALE

NONE SHEET 1

CUSTOMER

DISTRIBUTION

ASME Y14.5M 1994

CORNER FILLETS TO: INCH .020 mm 0.5

MACHINE SURFACES: INCH 125 mm 3.2

METRIC DIMS. SHOWN IN [BRACKETS]


4

3

2

1

REVISION: ECO	REVISADO POR: E.SINECIO	FECHA: 04-24-2012	APROBADO POR: R.RASCON	FECHA: 04-24-2012
D	0025533			



NAMEPLATE DATA	EXTERNAL CONNECTION DIAGRAM	NOTES
MODEL: 177375 CUST PN: B662 HP: 3/4 SF: 1.50 ROT: CCWPE RPM: 3450 TYPE: CX CODE: J FORM: FRAME: M56Y VOLTS: 230/115 AMPS: SF6.0/12.0 MAX AMPS: SF AMPS: - PH: 1 HZ: 60 INS: B AMB: 40°C DUTY: CONT ENCLOSURE: ODP THERMALLY PROTECTED		

PERFORMANCE CURVE	APPROVED SAMPLE		
16345116			
UL COMPONENT	CSA		
FILE#	CCN#	FILE#	GUIDE#
PENDING	PENDING	PENDING	PENDING
CUSTOMER	DISTRIBUTION		

CARACTERISTICAS DE GEOMETRIA Y SIMBOLOS

- PLANICIDAD
- RECTITUD
- ∠ ANGULARIDAD
- ⊥ PERPENDICULARIDAD (A ESQUADRA)
- // PARALELISMO
- REDONDEZ (CIRCULARIDAD)
- ∅ CILINDRICIDAD
- △ PERFIL DE CUALQUIER SUPERFICIE
- ∇ PERFIL DE CUALQUIER LINEA
- ↑ VARIACION
- ⊕ POSICION REAL
- ⊙ CONCENTRICIDAD
- = SIMETRIA

ASME Y14.5M 1994

A MENOS QUE SE ESPECIFIQUE DE OTRA MANERA, LAS TOLERANCIAS DE LAS DIMS; SON LAS SIGUIENTES:

PULG ±.1 ±.02 ±.005 ±.0005  
 mm ±0.5 ±0.13 ±0.013

ANG. ± 50 GRADOS

ELIMINAR REBABAS Y ORILLAS FILOSAS DEL BORDE.

PULG .003-.015 mm 0.1-0.4  
 FILETEAR ESQUINA: PULG .020 mm 0.5

MAQUINAR SUPERFICIES

PULG 125 mm .32

DIMS METRICAS MOSTRADAS [PARENTESIS]

DIBUJADO POR: YL	11-17-2010
APROBADO POR: TZ	11-17-2010
TERCER ANGULO DE PROYECCION	FECHA EDS: 02-22-2008 REV. FORMATO: G
CONFIDENCIAL: ESTE DIBUJO Y SU INFORMACION SON PROPIEDAD DE USO EXCLUSIVO Y CONFIDENCIAL DE REGAL-BELOIT CORPORATION. Y NO DEBERAN SER REVELADOS, DUPLICADOS, DISTRIBUIDOS O USARSE DE OTRA MANERA SIN EL CONSENTIMIENTO ESCRITO DE REGAL-BELOIT CORPORATION. -TODOS LOS DERECHOS RESERVADOS.	

DESCRIPCION: MODEL-CFHP-56FR OUTLINE	
TAMAÑO: C	NUMERO DE DIBUJO: B662
ESCALA: NONE	HOJA: 1

4

3

2

1


4

3

2

1

版本	ECO	编制	日期	批准	日期
D	0025533	E.SINECIO	04-24-2012	R.RASCON	04-24-2012



NAMEPLATE DATA	EXTERNAL CONNECTION DIAGRAM	NOTES
MODEL: 177375 CUST PN: B662 HP: 3/4 SF: 1.50 ROT: CCWPE RPM: 3450 TYPE: CX CODE: J FORM: FRAME: M56Y VOLTS: 230/115 AMPS: SF6.0/12.0 MAX AMPS: SF AMPS: - PH: 1 HZ: 60 INS: B AMB: 40°C DUTY: CONT ENCLOSURE: ODP THERMALLY PROTECTED		

PERFORMANCE CURVE	APPROVED SAMPLE		
16345116			
UL COMPONENT	CSA		
FILE#	CCN#	FILE#	GUIDE#
PENDING	PENDING	PENDING	PENDING
CUSTOMER	DISTRIBUTION		

形位公差  
 □ 平面度  
 — 直线度  
 ∠ 倾斜度  
 ⊥ 垂直度  
 // 平行度  
 ○ 圆度  
 ⌀ 圆柱度  
 △ 面轮廓度  
 ∩ 线轮廓度  
 ↗ 圆跳动  
 ⊕ 位置度  
 ⊙ 同轴度  
 ≡ 对称度

除另有注明  
 尺寸公差如下:  
 英寸 X XX XXX XXXX  
 ±.1 ±.02 ±.005 ±.0005  
 毫米 ±0.5 ±0.13 ±0.013  
 角度 ±.50度  
 清理毛刺和尖棱  
 英寸 .003-.015 毫米 0.1-0.4  
 内圆角  
 英寸 .020 毫米 0.5  
 表面粗糙度  
 英制 125 米制 3.2

绘图:	YL	11-17-2010
批准:	TZ	11-17-2010
第三角投影		图纸格式发布日期 02-22-2008 图纸格式版本 G
机密: 本图纸及相关信息所有权归REGAL-BELOIT CORPORATION。未经REGAL-BELOIT CORPORATION书面授权, 不得泄露、复制、传播或作其他用途。一版权所有		

名称	MODEL-CFHP-56FR OUTLINE
图幅	C
图号	B662
比例	NONE
页号	1

4

3

2

1