



- NOTES:
 1) MAXIMUM FACE RUNOUT .004 T.I.R.
 2) MAXIMUM PILOT ECCENTRICITY .004 T.I.R.
 3) PERMISSIBLE SHAFT RUNOUT .002 T.I.R.
 4) GASKETS THROUGHOUT

DC128	14.82	12.76	6.85	180	1	1750
DC116	14.82	12.76	6.85	90	1	1750
CATALOG No.	"C"	"L"	"AD"	VOLTS	H.P.	RPM

REVISION		BY & DATE	CHK	ANG	±1/2"	FINISH	PREV	SIZE	DRAWING NO	REV
01	ADDED 1.875 SHAFT DIM PER NEMA STANDARD, ADDED .07 AND 1.94 REF DIMS. RELEASED TO PRODUCTION	IPG 9/19/2012	XX		±.03	TITLE OUTLINE				
00	REF 031911.00, 031975.00, DC116, DC128	SAD 8/11/2012	XXXX		±.0005	MATL				

TOLERANCES UNLESS SPECIFIED		DRAWN SAD 8/11/2012	
DEC	INCHES	CHK	
X	±.1	APPR	
XX	±.03	SCALE 1:2	
XXX	±.005	REF 031975	
XXXX	±.0005	FMF	
RFP		PAGE OF	
THIRD ANGLE PROJECTION		NETWORK FILE NAME 612-0077	
SIZE B		DRAWING NO 612-0077	
		REV 01	