



NAMEPLATE DATA	EXTERNAL CONNECTION DIAGRAM	NOTES
MODEL: 151775 CUST PN: H704 HP: 2.0 SF: 1.2 ROT: RCC RPM: 3450/2850 TYPE: SC CODE: L FORM: FRAME: N 56 C VOLTS: 208-230/460 AMPS: 5.8-5.5/2.75 MAX AMPS: SF AMPS: 6.6/3.3//6.2/3.1 PH: 3 HZ: 60/50 INS: A AMB: 40°C DUTY: CONT ENCLOSURE: ODP THERMALLY PROTECTED	<p>183040-24</p> <p>LOW VOLTAGE</p> <ul style="list-style-type: none"> 4-BROWN 5-ORANGE 6-BLACK 1-RED 7-PURPLE 2-WHITE 8-GRAY 3-BLUE 9-PINK <p>TO REVERSE, INTER-CHANGE ANY TWO LINE LEADS.</p> <p>HIGH VOLTAGE</p> <ul style="list-style-type: none"> 4-BROWN 7-PURPLE 5-ORANGE 8-GRAY 6-BLACK 9-PINK 1-RED 2-WHITE 3-BLUE 	<ol style="list-style-type: none"> PILOT DIAMETER IS CONCENTRIC WITH SHAFT CENTERLINE WITHIN .004 T.I.R. FACE OF MOUNTING FLANGE IS PERPENDICULAR TO SHAFT CENTERLINE WITHIN .004 T.I.R. SHAFT RUNOUT NOT TO EXCEED .002 T.I.R. END PLAY NOT TO EXCEED .010 MEASURED WITH NO THRUST FINISH PAINT TO BE BLACK

PERFORMANCE CURVE	APPROVED SAMPLE		
10397222			
UL COMPONENT	CSA		
FILE#	CCN#	FILE#	GUIDE#
E44594	PRGY2	LR4642	4211-01
CUSTOMER	DISTRIBUTION		

DRAWING REVISION	REVISION BY	DATE	TOLERANCES UNLESS OTHERWISE SPECIFIED	DRAWN BY:	Regal Beloit America, Inc.
E	P.ROJAS	04-26-2019	DEC. INCH mm ANGLE	KHR	
ECO	APPROVED BY	DATE	.XX ±0.1 [±2.5] ±0.5°	DATE:	DESCRIPTION MODEL-CFHP-56FR OUTLINE
ECO-0165900	P.ROJAS	04-26-2019	.XX ±0.02 [±0.51]	08-29-2005	
ECO DESCRIPTION			.XXX ±0.005 [±0.127]	APPROVED BY:	MATERIAL PROCESS/FINISH
SEE ECO			.XXXX ±0.0005 [±0.0127]	MJW	
COPYRIGHT REGAL BELOIT AMERICA, INC. ALL RIGHTS RESERVED. PROPRIETARY AND CONFIDENTIAL INFORMATION - THIS DOCUMENT IS THE PROPERTY OF REGAL BELOIT AMERICA, INC. (OWNER) AND CONTAINS OWNER'S PROPRIETARY INFORMATION. ANY PERSON, CORPORATION OR OTHER FIRM RECEIVING IT IS DEEMED, BY RECEIVING IT, TO AGREE THAT IT, AND/OR ANY PART OF IT, SHALL NOT BE DISCLOSED TO ANY PERSON, CORPORATION OR OTHER ENTITY, DUPLICATED, AND/OR USED, EXCEPT AS EXPRESSLY APPROVED IN WRITING IN ADVANCE BY OWNER. THIS DOCUMENT SHALL BE RETURNED TO OWNER UPON REQUEST. IT MAY BE SUBJECT TO CERTAIN RESTRICTIONS UNDER APPLICABLE EXPORT CONTROL LAWS AND REGULATIONS.			REMOVE BURRS & BREAK SHARP EDGES .003/.015 [0.076/.381] X 45° CORNER FILLETS R.02 [51] MACHINED SURFACES $\sqrt{125}$ INCH $\sqrt{3.2}$ mm	DATE: 02-28-2006 REFERENCE	SIZE DWG NO C H704
			mm SHOWN IN [BRACKETS]	THIRD ANGLE PROJECTION	SHEET 1