
Uncontrolled Copy

		- <u>J</u>			
REV	ECO	REV BY	DATE	APPD	DATE
В	ECO-0025630	jrupert	05-04-2012	jrupert	05-04-2012




NOTES:

- 1. FOR USE WITH 614129 NAMEPLATE BLANK
- INDICATES DIMENSION LIMITS
- 3. DIE TO BE MADE FROM MASTER SUPPLIED BY A. O. SMITH CORPORATION

4. DIE MUST PRODUCE A LEGIBLE IMPRESSION.							
GEOMETRIC CHARACTERISTICS & SYMBOLS FLATNESS	UNLESS OTHERWISE SPECIFIED DIM. TOLERANCES ARE AS FOLLOWS:	DR BY: jrupert	05-04-2012	REGA	REGAL-BELOIT CORPORATION		
 ─ STRAIGHTNESS ∠ ANGULARITY ⊥ PERPENDICULARITY (SQUARENESS) 	X	APPD: jrupert	05-04-2012	ESCRIPTION	The second of th		
// PARALLELISM O ROUNDNESS (CIRCULARITY) // CYLINDRICITY	ANG. ±.50 DEG REMOVE BURRS & BREAK SHARP EDGES: INCH .003015 mm 0.1-0.4	THIRD ANGLE PROJECTION	EDS DATE 11-11-2011 FORMAT REV G		agram nameplate		
A PROFILE OF ANY SURFACE	CORNER FILLETS TO:		G AND ITS INFORMATION ARE		•		
PROFILE OF ANY LINE RUNOUT TRUE POSITION	INCH .020 mm 0.5 MACHINE SURFACES: INCH 125/ mm 3.2/	-BELOIT CORPORATION AND DUPLICATED, DISTRIBUTED O	PENTIAL PROPERTY OF REGAL SIZ ARE NOT TO BE DISCLOSED, R OTHERWISE USED WITHOUT	A	614131-088		
© CONCENTRICITY = SYMMETRY ASME Y14.5M 1994	4 METRIC DIMS. SHOWN IN [BRACKETS]	THE WRITTEN CONSENT OF —ALL RIGHTS RESERVED.	REGAL-BELOIT CORPORATION. SC	CALE NONE	SHEET 1		

Uncontrolled Copy

APROBADO POR: REVISION: FECHA: FECHA: ECO-0025630 05-04-2012 jrupert 05-04-2012



NOTES:


- 1. FOR USE WITH 614129 NAMEPLATE BLANK
- INDICATES DIMENSION LIMITS
- 3. DIE TO BE MADE FROM MASTER SUPPLIED BY A. O. SMITH CORPORATION

4. DIE MUST PRODUCE A LEGIBLE IMPRESSION.							
CARACTERISTICAS DE GEOMETRIA Y SIMBOLO 7 PLANICIDAD	S A MENOS QUE SE ESPECIFIQUE DE OTRA MANERA, LAS TOLERANCIAS DE LAS DIMS; SON LAS SIGUIENTES:	DIBUJADO POR: jrupert	05-04-2012	REGAL REGAL-BELOIT CORPORATION			
— RECTITUD ∠ ANGULARIDAD ⊥ PERPENDICULARIDAD (A ESCUADRA)	Y XX XXX XXXX PULG ±.1 ±.02 ±.005 ±.0005	APROBADO POR: jrupert	05-04-2012	BELOIT TIEGAE BEEGIT GOTIL GIVATION			
// PARALELISMO O REDONDEZ (CIRCULARIDAD)	mm ±0.5 ±0.13 ±0.013 ANG. ±.50 GRADOS ELIMINAR REBABAS Y ORILLAS FILOSAS	TERCER ANGULO DE PROYECCION	FECHA EDS: 11-11-2011 REV. FORMATO: G	descripcion: CONN DIAGRAM NAMEPLATE			
Ø CILINDRICIDAD □ PERFIL DE CUALQUIER SUPERFICIE	DEL BORDE. PULG .003015 mm 0.1-0.4	CONFIDENCIAL: ESTE DIBUJO	Y SU INFORMACION SON				
 ✓ PERFIL DE CUALQUIER LINEA ✓ VARIACION ✓ POSICION REAL 	FILETEAR ESQUINA: PULG .020 mm 0.5 MAQUINAR SUPERFICIES PULG 125/ mm 3.2/	PROPIEDAD DE USO EXCLU REGAL—BELOIT CORPORATIO REVELADOS, DUPLICADOS, [N Y NO DEBERAN SER	TAMAÑO: A NUMERO DE DIBUJO: 614131-088			
© CONCENTRICIDAD = SIMETRIA ASME Y14.5M 199	14 DIMS METRICAS MOSTRADAS [PARENTESIS]	OTRA MANERA SIN EL CON'	SENTIMIENTO ESCRITO DE	ESCALA:NONE HOJA: 1			

 Uncontrolled Copy

 ECO
 編制
 日期
 批准
 日期

 ECO-0025630
 jrupert
 05-04-2012
 jrupert
 05-04-2012



NOTES:

- 1. FOR USE WITH 614129 NAMEPLATE BLANK
- 2. —— -- INDICATES DIMENSION LIMITS
- 3. DIE TO BE MADE FROM MASTER SUPPLIED BY A. O. SMITH CORPORATION
- 4. DIE MUST PRODUCE A LEGIBLE IMPRESSION.

