



VIEWS FROM OUTSIDE OF MOTOR AT LEAD END



CAUTION:
LEAD WIRE INSULATION TO EXTEND MINIMUM OF 1/4" INTO CONNECTOR INSULATION



NOTE:
SPECIAL PARALLEL CONNECTION. 1/2 LINE CURRENT THROUGH

T1	T2	T3
L1	L2	L3

		TOLERANCES UNLESS SPECIFIED	
		DEC.	INCHES
		.X	±.1
		.XX	±.01
		.XXX	±.005
01	TITLE BLOCK UPDATED	YS	03/20/08
NO.	REVISION	BY & DATE	CHK ANG ±1/2"
THIS DRAWING IN DESIGN AND DETAIL IS OUR PROPERTY AND MUST NOT BE USED EXCEPT IN CONNECTION WITH OUR WORK ALL RIGHTS OF DESIGN AND INVENTION ARE RESERVED THIS IS AN ELECTRONICALLY GENERATED DOCUMENT - DO NOT SCALE THIS PRINT		RFP	
		DIST	BRF-NLV

REGAL-BELOIT <i>Motor Technologies</i>		DRAWN	YS 03/20/08
		CHK	
		APPD	
TITLE		SCALE	1=1
EXTERNAL WIRING DIAGRAM SINGLE VOLT-3 PHASE,"T" W/ PROTECTOR		REF	
MAT'L.		FMF	184TTDW4153
DECAL - 004015		PREV	
CAD FILE	00501901ME	SIZE	DRAWING NO.
		A	005019-01ME
			REV.
			01