



SARAH HOROWITZ
PARFUMS

SAFETY DATA SHEET (In accordance with 29 CFR 1910.1200)

HIMALAYA

Safety Data Sheet prepared: 4/12/2022

1. IDENTIFICATION

Product identifier

Mixture identification:

Trade name: HIMALAYA

Recommended use of the chemical and restrictions on use

Recommended use: Fragrance

Restrictions on use: Not for ingestion

Name, address, and telephone number of the chemical manufacturer, importer, or other responsible party Company: Sarah

Horowitz Parfums

822 Hampshire Rd

STE A

Westlake Village, CA 91361

Emergency telephone number

CHEMTREC 1800-424-9300 (USA), 1703-527-3887(OUTSIDE USA)

2. HAZARD(S) IDENTIFICATION



Classification of the chemical

Skin Sens. 1B May cause an allergic skin reaction.

Repr. 2 Suspected of damaging fertility or the unborn child .

Aquatic Acute 2 Toxic to aquatic life

Aquatic Chronic 2 Toxic to aquatic life with long lasting effects.

Label elements

Pictograms and Signal Words



Warning

Hazard statements

H317 May cause an allergic skin reaction.

H361 Suspected of damaging fertility or the unborn child .

H401 Toxic to aquatic life

H411 Toxic to aquatic life with long lasting effects.

Precautionary statements

P202 Do not handle until all safety precautions have been read and understood.

P280 Wear protective gloves/protective clothing/eye protection/face protection.

P302+P352 IF ON SKIN: Wash with plenty of water/...

P308+P313 IF exposed or concerned: Get medical advice/attention.

P333+P313 If skin irritation or rash occurs: Get medical advice/attention.

P363 Wash contaminated clothing before reuse.

3. COMPOSITION/INFORMATION ON INGREDIENTS**Substances**

Data not available

Mixtures

The composition of this proprietary blend is being withheld in compliance with the trade secret provisions of The Hazard Communication Standard (29 CFR 1910.1200(i)).

List of components**Qty Name Ident. Numb. Classification Registration Number**

30-60 % Methyl dihydrojasmonate	CAS:24851-98-7	Acute 2, H401	01-2119976314-33/-
	EC:246-495-9		
5-10 % Ethylene brassylate	CAS:105-95-3		EC:203-347-8
	Aquatic Acute 3, H402		01-2119493355-31/ Aquatic
1-5 % 5-(2,2,3-Trimethyl-3-cyclopentenyl)-3-methylpenta	n-2-ol CAS:65113-99-7	EC:265-453-0 Eye Irrit. 2A, H319; Aquatic Chronic 2, H411; Aquatic	Acute 2, H401 01-2119975588-15 / -
1-5 % Butylated hydroxytoluene	CAS:128-37-0		EC:204-881-4
1-5 % Cedrol methyl ether	CAS:19870-74-7		EC:243-384-7
0.1-1 % p-Mentha-1,4-diene	CAS:99-85-4		EC:202-794-6

4. FIRST AID MEASURES**Description of first aid measures**

In case of skin contact: 01-2120228335-61/- 01-2120780478-40

Immediately take off all contaminated clothing.

Aquatic Acute 1, H400; Aquatic Chronic 1, H410 / -

Aquatic Acute 1, H400; Aquatic Chronic 1, H410; Skin Sens. 1B, H317

Flam. Liq. 3, H226; Asp. Tox. 1, H304;
Repr. 2, H361; Aquatic Acute 2, H401;
Aquatic Chronic 2, H411
01-2119555270-46 / 01- 2119480433-40
/ -

Remove contaminated clothing immediately and dispose off safely.

In case of eyes contact:

Wash immediately with water.

In case of Ingestion:

Do not induce vomiting, get medical attention showing the SDS and/or label.

In case of Inhalation:

Remove person to fresh air and keep warm and at rest.

Most important symptoms/effects, acute and delayed

Data not available

Indication of any immediate medical attention and special treatment needed

In case of accident or unwellness, seek medical advice immediately (show directions for use or safety data sheet if possible).

5. FIRE-FIGHTING MEASURES**Extinguishing media**

Suitable extinguishing media:

Water.

Carbon dioxide (CO₂).

Unsuitable extinguishing media:

None in particular.

Specific hazards arising from the chemical

Do not inhale explosion and combustion gases.

Burning produces heavy smoke.

Hazardous combustion products: Data not available

Explosive properties: Data not available

Oxidizing properties: Data not available

Special protective equipment and precautions for fire-fighters

Use suitable breathing apparatus .

Collect contaminated fire extinguishing media separately. This must not be discharged into drains.

Move undamaged containers from immediate hazard area if it can be done safely.

6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures

Date 4/12/2022 Page n. 2 of 6

Wear personal protection equipment.

Remove persons to safety.

See protective measures under point 7 and 8.

Methods and material for containment and cleaning up

Suitable material for taking up: absorbing material, organic, sand

Wash with plenty of water.

7. HANDLING AND STORAGE

Precautions for safe handling

Avoid contact with skin and eyes, inhalation of vapours and mists.

Exercise the greatest care when handling or opening the container.

Don't use empty container before they have been cleaned.

Before making transfer operations, assure that there aren't any incompatible material residuals in the containers. Contaminated clothing should be changed before entering eating areas.

Do not eat or drink while working.

See also section 8 for recommended protective equipment.

Conditions for safe storage, including any incompatibilities

Store in a tightly closed container in a cool, dry, well-ventilated area, Away from heat sources. Storage temperature:

Incompatible materials:

None in particular.

Instructions as regards storage premises:

Adequately ventilated premises.

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Control parameters

Community Occupational Exposure Limits (OEL)

Component	OEL Type	Term mg/m ³	Short Term mg/m ³	Behaviour Notes
Country	Ceiling	Long Term ppm	Short Term ppm	

Butylated hydroxytoluene ACGIH 2
MAK 10

Appropriate engineering controls: Data not available

Individual protection measures

Eye protection:

Use close fitting safety goggles, don't use eye lens.

Protection for skin:

Use clothing that provides comprehensive protection to the skin, e.g. cotton, rubber, PVC or viton.

Protection for hands:

Use protective gloves that provides comprehensive protection, e.g. P.V.C., neoprene or rubber.

Respiratory protection:

Data not available

9. PHYSICAL AND CHEMICAL PROPERTIES

Information on basic physical and chemical properties

Physical State Liquid

Appearance and colour: Colourless

Odour: Conform

Odour threshold: Data not available

pH: Data not available

Melting point / freezing point: Data not available

Initial boiling point and boiling range: Data not available

Flash point: > 93°C / 200°F
Evaporation rate: Data not available
Upper/lower flammability or explosive limits: Data not available
Vapour density: Data not available
Vapor Pressure (mm Hg @20°C): = 0.014
Relative density: Data not available Data not available
Solubility in water: Data not available
Solubility in oil: Data not available
Partition coefficient (n-octanol/water): Data not available
Auto-ignition temperature: Data not available
Decomposition temperature: Data not available

Date 4/12/2022 Page n. 3 of 6

Decomposition temperature: Data not available
Viscosity: Data not available
Explosive properties: Data not available
Oxidizing properties: Data not available
Solid/gas flammability: Data not available
Specific Gravity @20°C = 1.005
Refractive Index @20°C = 1.454
VOC (CARB method 310) %: 1.000

Other information

Substance Groups relevant properties Data not available
Miscibility: Data not available
Fat Solubility: Data not available
Conductivity: Data not available

10. STABILITY AND REACTIVITY

Reactivity

Stable under normal conditions

Chemical stability

Data not Available.

Possibility of hazardous reactions

None.

Conditions to avoid

Stable under normal conditions.

Incompatible materials

None in particular.

Hazardous decomposition products

None.

11. TOXICOLOGICAL INFORMATION

Information on toxicological effects

Toxicological Information of the Preparation

a) acute toxicity not classified

Based on available data, the classification criteria are not met

b) skin corrosion/irritation not classified

Based on available data, the classification criteria are not met

c) serious eye damage/irritation not classified

Based on available data, the classification criteria are not met

d) respiratory or skin sensitisation The product is classified: Skin Sens. 1B(H317)

e) germ cell mutagenicity not classified

Based on available data, the classification criteria are not met

f) carcinogenicity not classified

Based on available data, the classification criteria are not met

g) reproductive toxicity The product is classified: Repr. 2(H361)

h) STOT-single exposure not classified

Based on available data, the classification criteria are not met

i) STOT-repeated exposure not classified

Based on available data, the classification criteria are not met

j) aspiration hazard not classified

Based on available data, the classification criteria are not met

Toxicological information on main components of the mixture:

Butylated hydroxytoluene a) acute toxicity LD50 Oral Rat = 890 mg/kg
LD50 Skin Rat > 2000 mg/kg

p-Mentha-1,4-diene a) acute toxicity LD50 Oral Rat = 3850 mg/kg

Substance(s) listed on the IARC Monographs:

None

Date 4/12/2022 Page n. 4 of 6

Substance(s) listed as OSHA Carcinogen(s):

None

Substance(s) listed as NIOSH Carcinogen(s):

None

Substance(s) listed on the NTP report on Carcinogens:

None

12. ECOLOGICAL INFORMATION

Toxicity

No ecological studies have been conducted on this mixture.

Eco-Toxicological Information:

List of Eco-Toxicological properties of the product

The product is classified: Aquatic Acute 2(H401), Aquatic Chronic 2(H411)

List of Eco-Toxicological properties of the components

Component Ident. Numb. Ecotox Data

Butylated hydroxytoluene CAS: 128-37-0 - INDEX:
204-
881-4

Other adverse effects

Data not available

13. DISPOSAL CONSIDERATIONS

Waste treatment methods

EC50 Algae Pseudokirchneriella subcapitata = 6 mg/L
72H

Persistence and degradability

Data not available

Bioaccumulative potential

Data not available

EC50 Algae Desmodesmus subspicatus > 0.42 mg/L

72H LC50 Fish Oryzias latipes = 5 mg/L 48 Hr

Mobility in soil

Data not available

Any disposal practice must be in compliance with local, state and federal laws and regulations (contact local or state environmental agency for specific rules). Do not dump into sewers, any body of water or onto the ground.

Recover, if possible. Send to authorised disposal plants or for incineration under controlled conditions. In so doing, comply with the local and national regulations currently in force.

14. TRANSPORT INFORMATION

UN number

ADR-UN number: 3082
DOT-UN Number: N/A
IATA-Un number: 3082
IMDG-Un number: 3082

UN proper shipping name

ADR-Shipping Name: ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (Butylated hydroxytoluene - Cedrol methyl ether)
DOT Proper Shipping Name: N/A
IATA-Technical name: ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (Butylated hydroxytoluene - Cedrol methyl ether)
IMDG Technical Name: ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (Butylated hydroxytoluene - Cedrol methyl ether)

Transport hazard class(es)

ADR-Class: 9
DOT Hazard Class: N/A
IATA-Class: 9
IMDG-Class: 9

Packing group

Date 4/12/2022 Page n. 5 of 6

Packing group

ADR-Packing Group: III
ADR exempt: N/A
IATA-Packing group: III
IMDG-Packing group: III

Environmental hazards

Marine pollutant: Yes

Toxic Component most present: BHT ; BUTYLATED HYDROXYTOLUENE

Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code

Data not available

Special precautions

IATA-Subsidiary hazards:
IMDG-Subsidiary hazards:

*Note: In containers of 119 gallons or less, this product is not regulated by D.O.T. - Ground Transportation

15. REGULATORY INFORMATION

USA - State specific regulations

California Proposition 65

Substance(s) listed under California Proposition 65:

no substances listed

16. OTHER INFORMATION

Safety Data Sheet prepared: 4/12/2022

The information contained in this SDS was obtained from current and reputable sources available at the time of generation. This information is provided as guidance regarding the health and safety assessment of the material for safe handling, use, processing, storage, transportation, disposal and release and without any warranty, expressed or implied regarding its accuracy. It is the user's responsibility to assess safe conditions of use of the material in combination with any other material or in any process.

Additional classification information

This SDS cancels and supercedes any prior release.



HMIS Health: 0 = Minimal Hazard
HMIS Flammability: 1 = Combustible if heated
HMIS Reactivity: 0 = Minimal Hazard
HMIS P.P.E.: Safety glasses, gloves

NFPA Health: 0 = MINIMAL

NFPA Flammability: 1 = Combustible if heated

NFPA Reactivity: 0 = MINIMAL

NFPA Special Risk: NONE

OSHA Flammability: Combustible liquid - Class IIIB