

WINTER PINE SDS

09/06/2022

Regulation OSHA HCS 2012, 29 CFR 1910.120

SECTION I - PRODUCT AND COMPANY INFORMATION

Product Name:

Sarah Horowitz Parfums
822 Hampshire Rd STE A
Westlake Village, Ca 91361

Emergency Phone: (732) 572-5600
Chemtel: (24 Hour): (800) 255-3924

Product Use: Fragrance
Not recommended for: Ingestion

SECTION II - HAZARDS IDENTIFICATION

This product is not dangerous according OSHA HCS 2012, 29 CFR 1910.120.

SECTION III - INGREDIENT AND HAZARD INFORMATION

Material			
ISO-BORNYLACETATE C.A.S EINECS 125-12-2	3,7,7-TRIMETHYLBICYCLO[4.1	AH1, ATO4, FL3, SCI2, SS1B ; H226, H302, H304, H315, H317 [0-2]	
GHS Classification	.0]HEPT-3-EN PIN-2(10)-EN	EDI2, FL4, SCI2, SS1B ; H227, H315, H317, H319 [0-2]	
FL4 ; H227 Percent % [4-6]	D-LIMONENE 105-53-3 76-49-3	EDI2B, FL3, SS1B ; H226, H317, H320 [0-2]	
DIETHYL MALONATE	80-56-8	AH1, AT14, FL3, SCI2, SS1B ; H226, H304, H315, H317, H332 [0-2]	
Bornyl acetate	68039-49-6 470-82-6 13466-78-9	AH1, FL3, SCI2, SS1B ; H226, H304, H315, H317 [0-2]	
.ALPHA.-PINENE	127-91-3 5989-27-5	AH1, FL3, SCI2, SS1B ; H226, H304, H315, H317 [0-2]	
TRIPLAL			
1,8-CINEOL	EDI2A, FL4 ; H227, H319 FL4 ; H227	[0-2]	1/5
HCS 2012, 29 CFR 1910.120		[0-2]	

1,4-TERPINOLENE	Cis-3-Hexenyl methyl carbonate	MEASURES INHALATION	H317 AH1, SS1B ; H304, H317
BICYCLO[7.2.0]UNDEC-4-ENE		586-62-9 87-44-5	FL4, SS1B ; H227, H317 [0-2][0-2][0-2]
4,11,11-TRIMETHYL-8-METHYLENE-, [1R-(1R*,4E,9S*)]-		67633-96-9	

SECTION IV - FIRST AID

AH1, FL3, SS1B ; H226, H304,

In case of excessive inhalation, remove the person to fresh air.
Obtain medical advice immediately.

EYE CONTACT

Flush immediately with water for at least 15 minutes.
If any sign of tissue damage or persistent irritation is apparent, obtain medical advice.

SKIN CONTACT

Remove contaminated clothing.
Wash affected area thoroughly with soap and water.
Get medical attention if irritation develops or persists.

INGESTION

Rinse mouth with water. Give up to ½ liter of milk or water to drink.
Do not induce vomiting.
Obtain medical advice immediately.

SECTION V - FIRE-FIGHTING MEASURES

EXTINGUISHING MEDIA

() Water, (X) Foam, (X) Dry Chemical, (X) Carbon Dioxide.

FIRE FIGHTING INSTRUCTIONS

Spray extinguishing media directly into base of flames.
Water is not suitable for use on burning material, but may be used to cool containers exposed to heat .
Exercise caution when fighting any chemical fire.
Treat as chemical fire, emits toxic fumes under fire condition .

SECTION VI - ACCIDENTAL RELEASE MEASURES

SPILL & LEAK PROCEDURES

Remove all sources of ignition. Provide proper ventilation.
Absorb spill with inert material (e.g., dry sand or earth), then place in a chemical waste container. Dispose of in accordance with local regulations.
Wash area with soap and water.

SECTION VII - HANDLING AND STORAGE

Not meant for consumption, may be harmful if swallowed.
Avoid skin contact.
Handle in accordance with good occupational hygiene and safety practices in well ventilated areas.

STORAGE

Keep containers tight and upright to prevent leakage.
Keep containers closed when not in use.
Do Not Store Over 140°F (60°C).
Keep from freezing. If frozen when received allow to reach room temperature and mix well before using: 2/5

SECTION VIII - EXPOSURE CONTROLS/PERSONAL PROTECTION

VENTILATION: Use local exhaust ventilation meeting ACGIH design criteria.

PERSONAL PROTECTIVE EQUIPMENT

Oil or chemical resistant gloves.

Splash-resistant safety glasses.

Chemical Name / CAS No. OSHA Exposure Limits ACGIH Exposure Limits NIOSH Exposure Limits

CITRAL 95 5392-40-5 5 ppm TWA (inhalable fraction
and vapor)

BENZYLACETATE 140-11-4 10 ppm TWA

SECTION IX - PHYSICAL AND CHEMICAL PROPERTIES

Appearance: Clear

Color: Colorless to pale yellow

Odor: Characteristic

Physical State: Liquid

Vapor Density: Not Available

Vapor pressure : 0.032 mmHg @20°C

VOC : 5.898598 % (CARB Method 310)

Evaporation Rate: Not Available

Crystals (w/w%): 1.111

Specific Gravity @25°C:

Refractive Index @25°C: Not available

Flash point (°C): 100

Flash point (°F): 212

SECTION X - STABILITY AND REACTIVITY

This product is stable in most media.

CONDITIONS TO AVOID

Avoid heat, sparks and flame.

Avoid strong oxidizing agents.

Avoid accidental discharge to sewers and natural waters.

Hazardous polymerization will not occur.

SECTION XI - TOXICOLOGICAL INFORMATION

Acute Toxicity Estimate

LD50 Oral : Not available

LD50 Inhalation : Not available

Routes of Entry :

Ingestion : May be harmful if swallowed

Skin Contact: May cause skin irritation

Eye Contact: May cause eye irritation

Inhalation: May cause respiratory tract irritation

Target Organs:

None

SECTION XII - ECOLOGICAL INFORMATION

Prevent contamination of soil, ground and surface water.
No ecological studies have been carried out on this product.

SECTION XIII - DISPOSAL CONSIDERATIONS

Dispose of in accordance with State, Local and Federal Regulations.

SECTION XIV - TRANSPORT INFORMATION

Regulation Proper Shipping Name UN# Hazard Class Packing Group

Regulation	Proper Shipping Name	UN#	Hazard Class	Packing Group
DOT IATA	HAZARDOUS			N.O.S. (PERFUMERY
	SUBSTANCE, LIQUID,			PRODUCTS)
	N.O.S. (PERFUMERY			(.ALPHA.-PINENE)
	PRODUCTS)			
	(.ALPHA.-PINENE)			
IMDG				
Not regulated, Non	ENVIRONMENTALLY	3082	3082	
Hazardous	HAZARDOUS			
ENVIRONMENTALLY	SUBSTANCE, LIQUID,			

9 9



SECTION XV - REGULATORY INFORMATION

TSCA: We certify that all components of this product are registered or exempt under regulations of the Toxic Substances Control Act.

SARA 313: This proprietary mixture contains the following controlled chemicals subject to the reporting requirements of section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 and 40 CFR Parts 372:

None

SECTION XVI - OTHER INFORMATION

The information in this SDS was obtained from current and reputable sources. However, the data is provided 4/5

Date Printed 09/06/2022 HOLIDAY PINE FRAGRANCE SZUS048822

Regulation OSHA HCS 2012, 29 CFR 1910.120

without any warranty, express or implied, regarding its correctness or accuracy. It is the user's responsibility both to determine safe conditions for use of this product and to assume liability for loss, injury, damage or expense resulting from improper use of this product.

Hazardous Material Information System (HMIS)

3 = HIGH

PERSONAL PROTECTION

1

1

0

B

5/5

HMIS & NFPA Hazard Rating Legend

* = Chronic Health Hazard 0 =

INSIGNIFICANT

1 = SLIGHT

2 = MODERATE