

822 Hampshire Rd Ste A
Westlake Village, Ca 91361

Product: **Warm Leather**

Page 1 of 8
Print Date: 2022-08-31 11:42

1. Identification of the substance/mixture and of the company/undertaking 1.1

Product identifier

Trade Name: Warm Leather

UFI#

1.2 Relevant identified product use

Intended use: Compound used in customer substance/mixture/product

1.3 Details of the manufacturer/supplier of the safety data sheet

Manufacturer: Sarah Horowitz Parfums

822 Hampshire Rd Ste A

Westlake Village, Ca 91361

1.4 Emergency telephone number

+1 813 248-0585 International

2. Hazards Identification

2.1 Classification of the substance or mixture

This mixture has not been tested as a whole. The effects, listed below, are based on evaluation of individual components in accordance with the provisions of the regulation(s) noted below.

Classification according to GHS

- Acute Toxicity Oral, Category 5 H303 : May be harmful if swallowed
- Skin Corrosion/Irritation, Category 2 H315 : Causes skin irritation
- Sensitization, Skin, Category 1A H317 : May cause an allergic skin reaction
- Eye Irritation, Category 2A H319 : Causes serious eye irritation
- Acute Toxicity Inhalation, Category 5 H333 : May be harmful if inhaled
- Aquatic Chronic Toxicity, Category 2 H411 : Toxic to aquatic life with long lasting effects

Classification OSHA (Provisions 1910.1200 of title 29)

- Skin Corrosion/Irritation, Category 2 H315 : Causes skin irritation
- Sensitization, Skin, Category 1A H317 : May cause an allergic skin reaction
- Eye Irritation, Category 2A H319 : Causes serious eye irritation
- Reproductive Toxicity, Category 2 H361 : Suspected of damaging fertility or the unborn child

Other

Carcinogenicity This mixture contains ingredients identified as carcinogens, at 0.1% or greater, by the following: None [X] ACGIH [] IARC [] NTP [] OSHA []

2.2 Label elements

Labelling (GHS)

Hazard pictograms



Signal Word: Warning

Hazard statements

- H303 May be harmful if swallowed
- H315 Causes skin irritation
- H317 May cause an allergic skin reaction
- H319 Causes serious eye irritation
- H333 May be harmful if inhaled
- H361 Suspected of damaging fertility or the unborn child
- H411 Toxic to aquatic life with long lasting effects

Precautionary Statements

Prevention:

- P201 Obtain special instructions before use
- P202 Do not handle until all safety precautions have been read and understood
- P264 Wash hands thoroughly after handling
- P272 Contaminated work clothing should not be allowed out of the workplace
- P273 Avoid release to the environment
- P281 Use personal protective equipment as required

Response:

- P302 + P352 IF ON SKIN: Wash with soap and water
- P304 + P312 IF INHALED: Call a POISON CENTER or doctor/physician if you feel unwell
- P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes Remove contact lenses if present and easy to do. continue rinsing
- P308 + P313 IF exposed or concerned: Get medical advice/attention
- P312 Call a POISON CENTER or doctor/physician if you feel unwell
- P333 + P313 If skin irritation or a rash occurs: Get medical advice/attention
- P337 + P313 If eye irritation persists: Get medical advice/attention
- P362 Take off contaminated clothing and wash before reuse
- P363 Wash contaminated clothing before reuse
- P391 Collect Spillage

2.3 Other Hazards

no data available

3. Composition/Information on Ingredients

3.1 Mixtures

This product is a complex mixture of ingredients, which contains among others the following substance(s), presenting a health or environmental hazard within the meaning of the UN Globally Harmonized System of Classification and Labeling of Chemicals (GHS):

	Conc.	
CAS#		Range GHS Classification
Ingredient EC#		

Range GHS Classification

Gene:

SDS v1 GHS / OSHA
Type:
Revised Date: 2022-07-20 00:00

107-41-5 60 - 70 % H315; H319
 203-489-0
Hexylene Glycol

105-95-3 5 - 10 % H401
 203-347-8
Ethylene brassylate

24851-98-7 5 - 10 % H402
 246-495-9
Methyldihydrojasmonate

19870-74-7 2 - 5 % H317; H400; H410
 243-384-7
Cedrol methyl ether

111879-80-2 2 - 5 % H400; H411
 422-320-3
Oxacyclohexadec-12-en-2-one, (12E)-

54464-57-2 2 - 5 % H315; H317; H400; H410
 259-174-3
Tetramethyl Acetyloctahydronaphthalenes

18479-58-8 1 - 2 % H227; H303; H315; H319; H402
 242-362-4
2,6-dimethyloct-7-en-2-ol

32388-55-9 1 - 2 % H303; H317; H400; H410
 251-020-3
Acetyl cedrene

115-95-7 1 - 2 % H227; H315; H317; H320; H402
 204-116-4
Linalyl Acetate

70788-30-6 1 - 2 % H317
 274-892-7
Trimethyl-propylcyclohexanepropanol

4707-47-5 1 - 2 % H317; H401
 225-193-0
Methyl atrarate

5989-27-5 0.1 - 1.0 % H226; H304; H315; H317; H400; H412
 227-813-5
Limonene

78-70-6 0.1 - 1.0 % H227; H303; H315; H317; H319; H402
 201-134-4
Linalool

99-85-4 0.1 - 1.0 % H226; H303; H304; H316; H361
 202-794-6
gamma-Terpinene

105-87-3 0.1 - 1.0 % H315; H317; H401; H412
 203-341-5
Geranyl Acetate

80-56-8 201-291-9 H304; H315; H317; H400;
pinene 0.1 - 1.0 % H226; H302; H410

See Section 16 for full text of GHS classification codes

See Section 16 for full text of GHS classification codes which were not shown in section
2 Total Hydrocarbon Content (% w/w) = 1.47

4. First Aid Measures

4.1 Description of first aid measures

Inhalation: Remove from exposure site to fresh air and keep at rest. Obtain medical advice.

Eye Exposure: Flush immediately with water for at least 15 minutes. Contact physician if symptoms persist.

Skin Exposure: Remove contaminated clothes. Wash thoroughly with water (and soap). Contact physician if symptoms persist.

Ingestion: Rinse mouth with water and obtain medical advice. **4.2 Most important symptoms and effects, both acute and delayed**

Symptoms: no data available

Risks: Refer to Section 2.2 "Hazard Statements"

4.3 Indication of any immediate medical attention and special treatment needed

Treatment: Refer to Section 2.2 "Response"

5. Fire-Fighting measures

5.1 Extinguishing media

Suitable: Carbon dioxide (CO₂), Dry chemical, Foam

Unsuitable Do not use a direct water jet on burning material **5.2 Special hazards arising from the substance or mixture**

During fire fighting: Water may be ineffective

5.3 Advice for firefighters

Further information: Standard procedure for chemical fires

6. Accidental Release Measures

6.1 Personal precautions, protective equipment and emergency procedures

Avoid inhalation and contact with skin and eyes. A self-contained breathing apparatus is recommended in case of a major spill.

6.2 Environmental precautions

Keep away from drains, soil, and surface and groundwater.

6.3 Methods and materials for containment and cleaning up

Clean up spillage promptly. Remove ignition sources. Provide adequate ventilation. Avoid excessive inhalation of vapors. Gross spillages should be contained by use of sand or inert powder and disposed of according to the local regulations.

6.4 Reference to other sections

Not Applicable

7. Handling and Storage

7.1 Precautions for safe handling

Apply according to good manufacturing and industrial hygiene practices with proper ventilation. Do not drink, eat or smoke while handling. Respect good personal hygiene.

7.2 Conditions for safe storage, including any incompatibilities

Store in a cool, dry and ventilated area away from heat sources and protected from light in tightly closed original container. Avoid uncoated metal container. Keep air contact to a minimum.

7.3 Specific end uses

No information available

Use local exhaust as needed.

8. Exposure

Controls/Personal

Protection 8.1 Control parameters

Component ^{ACGIH} TWA ppm
80-56-8 *pinene* 20

Engineering Controls:

8.2 Exposure controls - Personal protective equipment

ACGIH
STEL ppm
OSHA
TWA ppm
OSHA
STEL ppm

Exposure Limits:

Eye protection: Tightly sealed goggles, face shield, or safety glasses with brow guards and side shields, etc. as may be appropriate for the exposure

Respiratory protection: Avoid excessive inhalation of concentrated vapors. Apply local ventilation where appropriate.

Skin protection: Avoid Skin contact. Use chemically resistant gloves as needed.

9. Physical and Chemical Properties

9.1 Information on basic physical and chemical properties

Appearance: Liquid

Odor: Conforms to Standard

Color: Pale Yellow - Yellow (G2-G4)

Viscosity: Liquid

Freezing Point: Not determined

Boiling Point: Not determined

Melting Point: Not determined

Flashpoint (CCCFP): 208 F (97.78 C)

Auto flammability: Not determined

Explosive Properties: None Expected

Oxidizing properties: None Expected

Vapor Pressure (mmHg@20 C): 0.0633

%VOC: 2.00

Specific Gravity @ 25 C: 0.9390

Density (g/mL) @ 25 C: 0.9360

Refractive Index @ 20 C: 1.4440

Soluble in: Oil

10. Stability and Reactivity

10.1 Reactivity None

10.2 Chemical stability Stable

10.3 Possibility of hazardous reactions None known

10.4 Conditions to avoid None known

10.5 Incompatible materials Strong oxidizing agents, strong acids, and alkalis **10.6 Hazardous decomposition products** None known

11. Toxicological Information

11.1 Toxicological Effects

Acute Toxicity Estimates (ATEs) based on the individual Ingredient Toxicity Data utilizing the "Additivity Formula"

Acute toxicity - Oral - (Rat) mg/kg (LD50: 3844.1500) May be harmful if swallowed **Acute toxicity - Dermal**

- (Rabbit) mg/kg Not classified - the classification criteria are not met **Acute toxicity - Inhalation - (Rat)**

mg/L/4hr (LD50: 23.3321) May be harmful if inhaled **Skin corrosion / irritation** Causes skin irritation

Serious eye damage / irritation Causes serious eye irritation

Respiratory sensitization Not classified - the classification criteria are not met **Skin sensitization** May cause an allergic skin reaction

Germ cell mutagenicity Not classified - the classification criteria are not met **Carcinogenicity** Not classified

- the classification criteria are not met **Reproductive toxicity** Suspected of damaging fertility or the unborn

child **Specific target organ toxicity - single exposure** Not classified - the classification criteria are not met

Specific target organ toxicity - repeated exposure Not classified - the classification criteria are not met

Aspiration hazard Not classified - the classification criteria are not met

12. Ecological Information

12.1 Toxicity

Acute aquatic toxicity Not classified - the classification criteria are not met **Chronic aquatic toxicity**

Toxic to aquatic life with long lasting effects **Toxicity Data on soil** no data available

Toxicity on other organisms no data available

12.2 Persistence and degradability no data available

12.3 Bioaccumulative potential no data available

12.4 Mobility in soil no data available

12.5 Other adverse effects no data available

13. Disposal Conditions

13.1 Waste treatment methods

Do not allow product to reach sewage systems. Dispose of in accordance with all local and national regulations. Send to a licensed waste management company. The product should not be allowed to enter drains, water courses or the soil. Do not contaminate ponds, waterways or ditches with chemical or used container.

14. Transport Information

Marine Pollutant Yes. Ingredient of greatest environmental impact :
19870-74-7 : (2 - 5 %) : Cedrol methyl ether

Regulator Class Pack Group Sub Risk UN-nr. U.S. DOT (Non-Bulk) Not Regulated - Not Dangerous Goods
Chemicals NOI

ADR/RID (International Road/Rail)

Environmentally Hazardous
Substance, Liquid, n.o.s.

Substance, Liquid, n.o.s.

IATA (Air Cargo)

Environmentally Hazardous
Substance, Liquid, n.o.s.

15. Regulatory Information U.S. Federal Regulations

9 III UN3082 9 III UN3082 9 III UN3082

IMDG (Sea)

Environmentally Hazardous

TSCA (Toxic Substance Control Act) All components of the substance/mixture are listed or exempt **40 CFR(EPCRA, SARA, CERCLA and CAA)** This product contains NO components of concern. **U.S. State Regulations**

California Proposition 65 Warning This product contains the following components:

123-35-3(NF S) (Natural Source)
204-622-5 0.01 - 0.1% beta-Myrcene

Canadian Regulations

DSL 96.50% of the components are listed or exempt. The following components are NOT on the List:
111879-80-2 422-320-3 2 - 5 % Oxacyclohexadec-12-en-2-one, (12E)-

16. Other Information

GHS H-Statements referred to under section 3 and not listed in section 2

H226 : Flammable liquid and vapour H227 : Combustible liquid
H302 : Harmful if swallowed H304 : May be fatal if swallowed and enters airways H316 : Causes mild skin irritation
H317 : May cause an allergic skin reaction H320 : Causes eye irritation H400 : Very Toxic to aquatic life H401 : Toxic to aquatic life H402 : Harmful to aquatic life H410 : Very toxic to aquatic life with long lasting effects H412 : Harmful to aquatic life with long lasting effects **Total Fractional Values**

(TFV) Risk (TFV) Risk

(214.30) Acute Toxicity Inhalation, Category 5 (41.03) Aquatic Chronic Toxicity, Category 3 (7.22) Skin Corrosion/Irritation, Category 3 (7.19) Skin Corrosion/Irritation, Category 2 (6.57) Eye Damage/Eye Irritation, Category 2A (4.10) Aquatic Chronic Toxicity, Category 2

(4.00) Sensitization, Skin, Category 1B (1.51) Reproductive Toxicity, Category 2 (1.43) Sensitization, Skin, Category 1 (1.43) Sensitization, Skin, Category 1A (1.30) Acute Toxicity Oral, Category 5