

# A Distinctive Addition to your ASP Baton

#### **BATON CAP SERIES**



541\_\_

**Logo Caps** are available with 66 standard Prestige insignias including ASP Certification, operational specialty, US military and State Seals.



**Logo Band Caps** accent the Tactical Baton.® Caps are produced for all Prestige insignias.



**Grip Caps** are designed to enhance retention. They are produced for both Friction Loc® and Talon Batons. The F Series Grip Cap is available in Textured and Electroless.®





Leverage Caps lock the baton in the officer's hand improving retention and control. This unique design increases both speed to target and impact potential. Available in Textured Black and Electroless.





520/10





**BreakAway**® subcaps are designed to be interposed between the cap and handle of Friction Loc expandable batons. Removing the cap exposes three ceramic pins set in a machined aluminum geodome. Talon Batons employ a BreakAway Tip. BreakAways provide rapid entry through a vehicle window.

# PRESTIGE LOGOS



Distinctive insignias are available in Brass, Nickel Silver or color fill. To order, combine the first three numbers of the selected Baton Cap with the two numbers of the desired Prestige Logo.

Custom logos are available in Brass, Nickel Silver or color fill. They may be die struck on request for individual agencies or divisions. Custom logos are available with an order for 20 Logo Caps, Guardian Handcuff Keys or Logo Belts



## NEXUS SUBCAP

**Nexus Baton Clips** are compatible with all F Series (Friction Loc) and T Series (Talon) Batons. They may be attached to 16, 21 or 26 handles and allow the use of Logo, Grip, Leverage and Tactical USB accessory caps. They are also available for 40, 50 and 60 Talon Batons.





52932 T Series






52931 F Series

### TACTICAL USB

Tactical USBs attach a brilliant white 95 lumen light to an ASP F or T Series Baton. A rechargeable Lithium polymer power cell provides one hour of continuous run time.











35638 Fusion T

















































































