

## **Baton Scabbards**

Protection, portation, presentation. The three criteria of any baton scabbard. Each carrier must define a compromise between security and speed of presentation. It must provide a level of protection without compromising access. The case must secure the baton without hindering rapid deployment.

On the street, there can be no tolerance for second best. A scabbard that fails may compromise baton access during the critical point of a confrontation.

Under the most severe tactical conditions, ASP Scabbards do not fail. They combine protection with access. They secure the baton during transport. They allow a firm grip and rapid presentation. ASP Scabbards excel. Under the most severe tactical conditions, they have no equal.

Each day the nation's most respected and tactically sophisticated law enforcement agencies trust their safety to ASP. Each day ASP Scabbards are the first choice of those who cannot afford less.



#### **SideBreak**

The foundation of the ASP gallery of Baton Scabbards. The SideBreak® rotates to 7 distinct positions or may be locked upright on the duty belt. A retracted or expanded Friction Loc® Baton may be rapidly presented, yet is securely retained during dynamic confrontations. Expanded batons may be presented out the side of the carrier. Available in Black, Ballistic, Basketweave and ASPtec® finishes.





#### Envoy

The Envoy Scabbard is designed to allow one motion reaction and casing of an expanded Talon Baton. It allows rapid transition between the baton, flashlight and restraints. The case rotates to 7 distinct positions on the belt or MOLLE vest.

#### **Federal**

A compact, reduced form carrier for the Friction Loc Baton. The Federal® Scabbard is designed for those officers who prefer a closed front ASP case. The carrier adjusts to a variety of belt widths. It rotates to 7 distinct positions and will retain a retracted or extended ASP Baton.



### Duty (Duty T)

This "soft" design of this ballistic weave baton scabbard is ideal for military, investigative or security personnel. The carrier snaps onto the belt. It securely retains a retracted or expanded ASP Friction Loc or Talon (T) Baton.







SideBreak





Envoy

#### Paddle Scabbards

The Paddle Scabbard is easily attached to and removed from the belt. It provides secure retention and rapid presentation of an expandable baton. The carrier may be worn straight or angled on the Strong or Reaction Side. The compact design secures and conceals the full range of ASP expandables. It is ideally suited to the needs of the investigator or plainclothes officer.

#### **Cover (Cover T)**

The flap of this ballistic weave scabbard protects and retains an ASP Friction Loc or Talon (T) Baton. The cover is secured with a wrap around hook & loop snap closure. Side guards center the handle and prevent the cover from sliding to the side.





Cover T

Cover

### Snap-Loc Belt Loop



Designed for military or special operations, the rotating polymer belt loop of ASP scabbards will clip onto all MOLLE equipped vests as well as military or duty belts. The cases swivel to 7 distinct positions or may be locked in place. A retracted baton may be rapidly presented, yet is securely retained during dynamic confrontations.



SideBreak Scabbards allow rapid presentation of an expanded baton.

## **FEATURES**

belt.



Federal Scabbards are compact. They securely retain the ASP Baton.



Envoy Scabbards are easily attached and rigidly secure.



Duty Scabbards are soft, secure and easily attached.

#### The Paddle allows a Black Belt clips may be sized for Ballistic civilian or duty belts. They SideBreak, Federal or Basketweave incorporate a slide-in belt width Envoy Scabbard to be ASPtec<sup>®</sup> worn in a variety of adjuster. investigative configurations. The retaining bar of The hex tool in polymer Envoy Scabbards are ASP polymer scabbards baton scabbards is available for the Talon can be adjusted for removed with the double Series 40, 50 and 60 ease of presentation or lock pin of a handcuff lengths. key. It is used for both strength of retention. adjustment and disassembly. The SideBreak Federal Scabbards SideBreak Scabbards Scabbard retains the retain the baton tip with are fitted with spare baton tip with four a single plate which can retention screws. plates which flex open be bypassed by angled to allow carry of an insertion of the baton. expanded baton. The polymer SideBreak Side guards position the The Duty Scabbard will Scabbard will flex open handle of T Series batons retain 16, 21 or 26 to present an expanded in a Cover Scabbard Friction Loc and 40, 50 baton. or 60 Talon Batons. It combines a soft body with a rotating Snap-Loc<sup>™</sup> belt loop. SideBreak, Federal, Paddle Scabbards Friction Loc Duty Envoy, Duty and Cover adjust to 5 distinct Scabbards have a drop Scabbards rotate to 7 positions. down back cover that allows insertion of an distinct positions. They prevent the baton from turning cap down on the



expanded baton.

# **Classic Carriers with a Hidden Advantage**



Each Tactical Baton Scabbard in the ASP gallery of designs is fabricated for a specific purpose. Each employs advanced computer aided design and fabrication concepts.

ASP Scabbards are a benchmade blend of retention, safety and speed. Each baton case is fashioned with the same painstaking attention to detail as the finest pistol holster.

ASP designs utilize strategically positioned lines of tension and zero tension areas. Each carrier incorporates ISO certified construction in designs so unique that they are patented. The result is a series of compact, inconspicuous and extremely effective carriers for the ASP Baton.





	F16	F21	F26
SideBreak			
Black	52232	52432	52632
Basketweave	52233	52433	52633
Ballistic	52235	52435	52635
ASPtec	52234	52434	52634
Paddle	52236	52436	52636
Federal			
Black	52238	52438	52638
Paddle	52239	52439	52639
Duty			
Ballistic	52249	52449	52649
Cover			
Ballistic	52269	52469	52669
	T40	T50	T60
Envoy			
Black	52246	52446	52646
Paddle	52247	52447	52647
Duty T			
Ballistic	52259	52459	52659
Cover T			
Ballistic	52279	52479	52679

