

TEST REPORT

Applicant: SUNNYLIFE GROUP PTY LTD
B1 85 DUNNING AVENUE
ROSEBERY
NSW 2018
AUSTRALIA

Number: HKGH0302159102

Date: Aug 24, 2023

Attn: NOLIA CHIU

Sample and Information provided by customer :

Item Name : **Luxe Ride-On Swan**
Item No. : **SCSWAWHI**
Quantity : 8 pieces
Labelled Age Group : 6+ Years
Packaging Provided : Yes
Supplier : Shanghai Foreign Trade Enterprises Pudong Co Ltd
Country of Origin : China

For and on behalf of :
Intertek Testing Services HK Ltd.



Cindy I.K. Chan
Vice President



TEST REPORT

Number : HKGH0302159102

Conclusion:

The submitted sample was tested under the following requirements requested by the applicant, subject to the information stated in the remark and attached page(s) for details :

<u>Requirement</u>	<u>Result</u>
(1) EN 71-1:2014 + A1:2018 - Mechanical and physical properties excluding the requirement of EN 25649	Pass
(2) UKCA mark checking	See details enclosed
(3) EN 71-2:2020 - Flammability Test	Pass
(4) BS EN 71-1:2014 + A1:2018 - Mechanical and physical properties excluding the requirement of EN 25649	Pass
(5) BS EN 71-2:2020 - Flammability Test	Pass
(6) EN 71-3 : 2019 + A1 : 2021 - Migration of certain elements	Pass
(7) BS EN71-3:2019 and Directive (EU) 2019/1922 amending 2009/48/EC effective from 20 May 2021 - Migration of certain elements	Pass
(8) REACH Regulation (EC) no. 1907/2006, Annex XVII Items 51 & 52, amendment no. 552/2009 & 2018/2005 - Phthalates content	Pass
(9) Regulation (EC) No. 1907/2006 on REACH Annex XVII as amended by Commission Regulation (EU) No. 835/2012 and Commission Regulation (EU) 2016/217 - Cadmium content requirement	Pass
(10) REACH Regulation (EC) no. 1907/2006 & amendment (EU) no. 1272/2013 Annex XVII Item 50 - Polycyclic aromatic hydrocarbons content	Pass
(11) REACH Regulation (EC) No.1907/2006 , Annex XVII Item 63 & Commission regulation (EU) 2015/628 - Lead content requirement	Not Applicable



Page 2 of 26



TEST REPORT

Number : HKGH0302159102

<u>Requirement</u>	<u>Result</u>
(12) BS EN ISO 25649-1:2017 Floating leisure articles for use on and in the water - Part 1 : Classification, materials, general requirements and test methods	Pass
(13) BS EN ISO 25649-2:2017 Floating leisure articles for use on and in the water - Part 2 : Consumer information, excluding: - Clause 6.5 Colour of safety information symbols and safety sign	Pass
(14) EN ISO 25649-3: 2017 Floating leisure articles for use on and in the water - Part 3 : Additional specific safety requirements and test methods for Class A devices	Pass

Decision Rule(s):

When a statement of conformity to a specification or standard is provided on test report, the decision rule shall be applied. For details, please refer to Intertek's "Decision Rule Document" and is available on Intertek's website. <https://intertekhk.grd.by/decision-rule-doc>.
If decision rule already inhered in the requested specification or standard, Intertek's "Decision Rule Document" is not applicable and indication of "∞" was shown as above table.



TEST REPORT

Number : HKGH0302159102

(1) Mechanical and Physical Test

Test Standard : European Standard on Safety of toys EN 71-1:2014 + A1:2018

Age group for testing : For Ages Over 6 Years

The submitted samples were undergone the following abuse tests:	
<u>Clause</u>	<u>Testing Items</u>
8.3	Torque test (0.34 Nm)
8.4.2.1	Tension test (90 N)

Clause	Requirement	Assessment
4	General requirements	
4.1	Material cleanliness	P
4.2	Assembly	NA
4.3	Flexible plastic sheeting	P
4.4	Toy bags	NA
4.5	Glass	NA
4.6	Expanding Materials	NA
4.7	Edges	P
4.8	Points and Metallic wires	P
4.9	Protruding parts	NA
4.10	Parts moving against each other	NA
4.11	Mouth actuated toys and other toys intended to be put into mouth	NA
4.12	Balloons	NA
4.13	Cords of toy kites and other flying toys	NA
4.14	Enclosures	NA
4.15	Toys intended to bear the mass of a child	NA
4.16	Heavy immobile toys	NA
4.17	Projectiles	NA
4.18	Aquatic toys and inflatable toys	P#1
4.19	Percussion caps specifically designed for use in toys and toys using percussion caps	NA
4.20	Acoustics	NA
4.21	Toys containing non -electrical heat source	NA
4.22	Small balls	NA
4.23	Magnets	NA
4.24	Yo-yo balls	NA
4.25	Toys attached to food	NA
4.26	Toy Disguise Costumes	NA
4.27	Flying toys	NA
5	Toys intended for children under 36 months	
5.1	General requirements for toys intended for children under 36 months	NA
5.2	Soft-filled toys and soft-filled parts of a toy	NA
5.3	Plastic sheeting	NA
5.4	Cords, chains and electrical cables in toys	NA
5.5	Liquid filled toys	NA
5.6	Speed limitation of electrically driven ride-on toys	NA
5.7	Glass and porcelain	NA
5.8	Shape and size of certain toys	NA
5.9	Toys comprising monofilament fibres	NA
5.10	Small balls	NA
5.11	Play figures	NA
5.12	Hemispheric-shaped toys	NA



TEST REPORT

Number : HKGH0302159102

Clause	Requirement	Assessment
5.13	Suction cups	NA
5.14	Straps intended to be worn fully or partially around the neck	NA
6	Packaging	NA
7	Warnings, markings and instructions for use	#2

Abbreviation : P = Pass NA = Not Applicable

Remark(s):

#1 = Clause 4.18 - As the major dimension of the sample is larger than 1.2 metres, such toy also needs to fulfill the applicable requirements in EN 25649. The test result shall refer to the corresponding test item in this report.

#2 = Clause 7 - The item examined is not a toy. Therefore, the warning and other requirements as specified in this clause do not apply.

Comment: The scope of the standard was not applicable to the submitted samples. Testing was conducted with reference to the test method and requirements as stated.

Date sample received : Jun 12, 2023

Test Period : Jun 12, 2023 to Jun 16, 2023



TEST REPORT

Number : HKGH0302159102

(2) UKCA mark checking

Below is additional information checking according to the UK Toy (Safety) Regulations requirement. The checking is not within accreditation scope.

Marking

The manufacturer's and importer's name, registered trade name or registered trademark, the address and type, batch, serial or model number or other element allowing their identification shall be indicated on the product itself.

After checking, it was found that

	Toy	Packaging
Name of authorised representative in Great Britain	Present	Present
Address of authorised representative in Great Britain	Present	Present
Product identification code	Present	Present

With reference to the guidance of using UKCA marking from 1 January 2021 by the Department for Business, Energy and Industrial Strategy published on 1 September 2020, toys or packagings shall also bear the UKCA marking. However, as per the official publication on 14 November 2022, CE marking is continued to be recognised for 2 more years in UK market until 31 December, 2024.

After checking, it was found that

	Toy	Packaging
UKCA marking	Present	Present

Date sample received : Jun 12, 2023

Test Period : Jun 12, 2023 to Jun 16, 2023



TEST REPORT

Number : HKGH0302159102

(3) Flammability Test

Test Standard : European Standard on Safety of Toys EN 71-2:2020

Clause	Requirement	Assessment
4.1	General requirements	P
4.2	Toys to be worn on the head	NA
4.3	Toy disguise costumes and toys intended to be worn by a child in play	NA
4.4	Toys intended to be entered by a child	NA
4.5	Soft filled toys	NA

Abbreviation : P = Pass NA = Not Applicable

Comment: The scope of the standard was not applicable to the submitted samples. Testing was conducted with reference to the test method and requirements as stated.

Date sample received : Jun 12, 2023

Test Period : Jun 12, 2023 to Jun 16, 2023



TEST REPORT

Number : HKGH0302159102

(4) Physical and Mechanical Tests

Test Standard : Safety of toys BS EN 71-1:2014 + A1:2018

Age group for testing : For Ages Over 6 Years

The submitted samples were undergone the following abuse tests:

<u>Clause</u>	<u>Testing Items</u>
8.3	Torque test (0.34 Nm)
8.4.2.1	Tension test (90 N)

<u>Clause</u>	<u>Requirement</u>	<u>Assessment</u>
4	General requirements	
4.1	Material cleanliness	P
4.2	Assembly	NA
4.3	Flexible plastic sheeting	P
4.4	Toy bags	NA
4.5	Glass	NA
4.6	Expanding Materials	NA
4.7	Edges	P
4.8	Points and Metallic wires	P
4.9	Protruding parts	NA
4.10	Parts moving against each other	NA
4.11	Mouth actuated toys and other toys intended to be put into mouth	NA
4.12	Balloons	NA
4.13	Cords of toy kites and other flying toys	NA
4.14	Enclosures	NA
4.15	Toys intended to bear the mass of a child	NA
4.16	Heavy immobile toys	NA
4.17	Projectiles	NA
4.18	Aquatic toys and inflatable toys	P#1
4.19	Percussion caps specifically designed for use in toys and toys using percussion caps	NA
4.20	Acoustics	NA
4.21	Toys containing non -electrical heat source	NA
4.22	Small balls	NA
4.23	Magnets	NA
4.24	Yo-yo balls	NA
4.25	Toys attached to food	NA
4.26	Toy Disguise Costumes	NA



Page 8 of 26



TEST REPORT

Number : HKGH0302159102

Clause	Requirement	Assessment
4.27	Flying toys	NA
5	Toys intended for children under 36 months	
5.1	General requirements for toys intended for children under 36 months	NA
5.2	Soft-filled toys and soft-filled parts of a toy	NA
5.3	Plastic sheeting	NA
5.4	Cords, chains and electrical cables in toys	NA
5.5	Liquid filled toys	NA
5.6	Speed limitation of electrically driven ride-on toys	NA
5.7	Glass and porcelain	NA
5.8	Shape and size of certain toys	NA
5.9	Toys comprising monofilament fibres	NA
5.10	Small balls	NA
5.11	Play figures	NA
5.12	Hemispheric-shaped toys	NA
5.13	Suction cups	NA
5.14	Straps intended to be worn fully or partially around the neck	NA
6	Packaging	NA
7	Warnings, markings and instructions for use	#2

Abbreviation : P = Pass NA = Not Applicable

Remark(s):

#1 = Clause 4.18 - As the major dimension of the sample is larger than 1.2 metres, such toy also needs to fulfill the applicable requirements in EN 25649. The test result shall refer to the corresponding test item in this report.

#2 = Clause 7 - The item examined is not a toy. Therefore, the warning and other requirements as specified in this clause do not apply.

Comment: The scope of the standard was not applicable to the submitted samples. Testing was conducted with reference to the test method and requirements as stated.

Date sample received : Jun 12, 2023

Test Period : Jun 12, 2023 to Jun 16, 2023



Page 9 of 26



TEST REPORT

Number : HKGH0302159102

(5) Flammability Test

Test Standard : Standard on Safety of Toys BS EN 71-2:2020

Clause	Requirement	Assessment
4.1	General requirements	P
4.2	Toys to be worn on the head	NA
4.3	Toy disguise costumes and toys intended to be worn by a child in play	NA
4.4	Toys intended to be entered by a child	NA
4.5	Soft filled toys	NA

Abbreviation : P = Pass NA = Not Applicable

Comment: The scope of the standard was not applicable to the submitted samples. Testing was conducted with reference to the test method and requirements as stated.

Date sample received : Jun 12, 2023

Test Period : Jun 12, 2023 to Jun 16, 2023



TEST REPORT

Number : HKGH0302159102

(6) 19 Toxic Element Migration Test

Test Method : EN 71-3 : 2019 + A1 : 2021. Acid extraction method was used and toxic elements content were determined by Inductively Coupled Argon Plasma Spectrometry and Ion Chromatography- Inductively Coupled Plasma-Mass Spectrometry and/or Gas Chromatographic - Mass Spectrometry

Category (III): Scraped-off toy material:

	Result (mg/kg)			Limit (mg/kg)
	(1)	(2)	(3)	
Soluble Aluminium (Al)	<300	<300	<300	28130
Soluble Antimony (Sb)	<10	<10	<10	560
Soluble Arsenic (As)	<10	<10	<10	47
Soluble Barium (Ba)	41	32	38	18750
Soluble Boron (B)	<50	<50	<50	15000
Soluble Cadmium (Cd)	<5	<5	<5	17
Soluble Chromium (III) (Cr III)	<10	<10	<10	460
Soluble Chromium (VI) (Cr VI)	<0.025	<0.025	<0.025	0.053
Soluble Cobalt (Co)	<10	<10	<10	130
Soluble Copper (Cu)	<10	<10	<10	7700
Soluble Lead (Pb)	<10	<10	<10	23
Soluble Manganese (Mn)	<10	<10	<10	15000
Soluble Mercury (Hg)	<10	<10	<10	94
Soluble Nickel (Ni)	<10	<10	<10	930
Soluble Selenium (Se)	<10	<10	<10	460
Soluble Strontium (Sr)	<100	<100	<100	56000
Soluble Tin (Sn)	<10	<10	<10	180000
Soluble Organic tin ++	<5.0	<5.0	<5.0	12
Soluble Zinc (Zn)	<100	<100	<100	46000



TEST REPORT

Number : HKGH0302159102

	Result (mg/kg)			Limit (mg/kg)
	(4)	(5)	(6)	
Soluble Aluminium (Al)	<300	<300	<300	28130
Soluble Antimony (Sb)	<10	<10	<10	560
Soluble Arsenic (As)	<10	<10	<10	47
Soluble Barium (Ba)	<10	<10	<10	18750
Soluble Boron (B)	<50	<50	<50	15000
Soluble Cadmium (Cd)	<5	<5	<5	17
Soluble Chromium (III) (Cr III)	<10	<10	<10	460
Soluble Chromium (VI) (Cr VI)	<0.025	<0.025	<0.025	0.053
Soluble Cobalt (Co)	<10	<10	<10	130
Soluble Copper (Cu)	<10	<10	<10	7700
Soluble Lead (Pb)	<10	<10	<10	23
Soluble Manganese (Mn)	<10	<10	<10	15000
Soluble Mercury (Hg)	<10	<10	<10	94
Soluble Nickel (Ni)	<10	<10	<10	930
Soluble Selenium (Se)	<10	<10	<10	460
Soluble Strontium (Sr)	<100	<100	<100	56000
Soluble Tin (Sn)	<10	<10	<10	180000
Soluble Organic tin ++	<5.0	<5.0	<5.0	12
Soluble Zinc (Zn)	<100	<100	<100	46000

mg/kg = milligram per kilogram



TEST REPORT

Number : HKGH0302159102

++ : Unless the test result was marked with " Δ ", Organic tin content was not directly determined and was derived from migration result of total tin.

Organic tin test result was expressed as tributyl tin.

Chromium (III) value was calculated as difference between migration results of total Chromium and Chromium (VI) .

Tested Components:

- (1) Orange coating on plastic (mouth).
- (2) Black coating on plastic (pattern).
- (3) Coatings (black, yellow, red, blue, grey) on plastic (word, pattern).
- (4) White plastic (body).
- (5) Transparent plastic (plug).
- (6) Dull white plastic (handle).

Date sample received : Jun 12, 2023

Test Period : Jun 12, 2023 to Jun 26, 2023



Page 13 of 26



TEST REPORT

Number : HKGH0302159102

(7) 19 Toxic Element Migration Test

Test Method : BS EN71-3:2019. Acid extraction method was used and toxic elements content were determined by Inductively Coupled Argon Plasma Spectrometry and Ion Chromatography- Inductively Coupled Plasma-Mass Spectrometry and/or Gas Chromatographic - Mass Spectrometry

Category (III): Scraped-off toy material:

	Result (mg/kg)			Limit (mg/kg)
	(1)	(2)	(3)	
Soluble Aluminium (Al)	<300	<300	<300	70000 / 28130^
Soluble Antimony (Sb)	<10	<10	<10	560
Soluble Arsenic (As)	<10	<10	<10	47
Soluble Barium (Ba)	41	32	38	18750
Soluble Boron (B)	<50	<50	<50	15000
Soluble Cadmium (Cd)	<5	<5	<5	17
Soluble Chromium (III) (Cr III)	<10	<10	<10	460
Soluble Chromium (VI) (Cr VI)	<0.025	<0.025	<0.025	0.053
Soluble Cobalt (Co)	<10	<10	<10	130
Soluble Copper (Cu)	<10	<10	<10	7700
Soluble Lead (Pb)	<10	<10	<10	23
Soluble Manganese (Mn)	<10	<10	<10	15000
Soluble Mercury (Hg)	<10	<10	<10	94
Soluble Nickel (Ni)	<10	<10	<10	930
Soluble Selenium (Se)	<10	<10	<10	460
Soluble Strontium (Sr)	<100	<100	<100	56000
Soluble Tin (Sn)	<10	<10	<10	180000
Soluble Organic tin ++	<2.0	<2.0	<2.0	12
Soluble Zinc (Zn)	<100	<100	<100	46000



TEST REPORT

Number : HKGH0302159102

	Result (mg/kg)			Limit (mg/kg)
	(4)	(5)	(6)	
Soluble Aluminium (Al)	<300	<300	<300	70000 / 28130^
Soluble Antimony (Sb)	<10	<10	<10	560
Soluble Arsenic (As)	<10	<10	<10	47
Soluble Barium (Ba)	<10	<10	<10	18750
Soluble Boron (B)	<50	<50	<50	15000
Soluble Cadmium (Cd)	<5	<5	<5	17
Soluble Chromium (III) (Cr III)	<10	<10	<10	460
Soluble Chromium (VI) (Cr VI)	<0.025	<0.025	<0.025	0.053
Soluble Cobalt (Co)	<10	<10	<10	130
Soluble Copper (Cu)	<10	<10	<10	7700
Soluble Lead (Pb)	<10	<10	<10	23
Soluble Manganese (Mn)	<10	<10	<10	15000
Soluble Mercury (Hg)	<10	<10	<10	94
Soluble Nickel (Ni)	<10	<10	<10	930
Soluble Selenium (Se)	<10	<10	<10	460
Soluble Strontium (Sr)	<100	<100	<100	56000
Soluble Tin (Sn)	<10	<10	<10	180000
Soluble Organic tin ++	<2.0	<2.0	<2.0	12
Soluble Zinc (Zn)	<100	<100	<100	46000

mg/kg = milligram per kilogram



TEST REPORT

Number : HKGH0302159102

++ : Unless the test result was marked with "Δ", Organic tin content was not directly determined and was derived from migration result of total tin.

Organic tin test result was expressed as tributyl tin.

Chromium (III) value was calculated as difference between migration results of total Chromium and Chromium (VI) .

^ : The new aluminium migration limit [2250mg/kg for Category (I), 560mg/kg for category (II) and 28130mg/kg for Category (III)] was quoted from directive (EU) 2019/1922 amending 2009/48/EC effective from 20 May 2021.

Tested Components:

- (1) Orange coating on plastic (mouth).
- (2) Black coating on plastic (pattern).
- (3) Coatings (black, yellow, red, blue, grey) on plastic (word, pattern).
- (4) White plastic (body).
- (5) Transparent plastic (plug).
- (6) Dull white plastic (handle).

Date sample received : Jun 12, 2023

Test Period : Jun 12, 2023 to Jun 26, 2023



Page 16 of 26



TEST REPORT

Number : HKGH0302159102

(8) Phthalate Content Test

Test Method : ISO 8124-6 : 2018 method A with internal standard calibration, by Gas Chromatographic-Mass Spectrometric (GC-MS) analysis.

Seven Phthalates content:

Compound	Result (% w/w)		Limit (% w/w)
	(1/2/3)	(4)	
Dibutyl phthalate (DBP)	<0.0100	<0.0100	--
Diethyl hexyl phthalate (DEHP)	<0.0100	<0.0100	--
Benzyl butyl phthalate (BBP)	<0.0100	<0.0100	--
Diisobutyl phthalate (DIBP)	<0.0100	<0.0100	--
Sum of DBP, DEHP, BBP & DIBP	<0.0100	<0.0100	0.1
Diisononyl phthalate (DINP)	<0.0100	<0.0100	--
Di-n-octyl phthalate (DnOP)	<0.0100	<0.0100	--
Diisodecyl phthalate (DIDP)	<0.0100	<0.0100	--
Sum of DINP, DnOP & DIDP	<0.0100	<0.0100	0.1

The above limit was quoted according to Annex XVII Items 51 & 52 of the REACH Regulation (EC) no. 1907/2006, amendment no. 552/2009 taking into account the (EU) regulation 2018/2005 modifying entry 51 for which the DIBP shall not be placed on the market after 7 July 2020 in toys or childcare articles, individually or in any combination with the first three phthalates which already exist in the entry 51, in a concentration equal to or greater than 0,1 % by weight of the plasticised material.

Tested Components:

- (1) White plastic (body).
- (2) Transparent plastic (plug).
- (3) Dull white plastic (handle).
- (4) Coatings on sample.

Date sample received : Jun 12, 2023

Test Period : Jun 12, 2023 to Jun 21, 2023



TEST REPORT

Number : HKGH0302159102

(9) Cadmium (Cd) Content

Test Method : In House method TC008.TP. Acid digestion method was used and total Cadmium content was determined by Inductively Coupled Argon Plasma Spectrometry.

Tested Component	Result in %, w/w	Limit in %, w/w
(1/2/3)	ND	0.1
(4/5/6)	ND	0.01

ND : Not detected (< 0.0005%)

The above limit was quoted according to Regulation (EC) No. 1907/2006 on REACH Annex XVII as amended by Commission Regulation (EU) No. 835/2012 and Commission Regulation (EU) 2016/217

Tested Components:

- (1) Orange coating on plastic (mouth).
- (2) Black coating on plastic (pattern).
- (3) Coatings (black, yellow, red, blue, grey) on plastic (word, pattern).
- (4) White plastic (body).
- (5) Transparent plastic (plug).
- (6) Dull white plastic (handle).

Date sample received : Jun 12, 2023

Test Period : Jun 12, 2023 to Jun 26, 2023



Page 18 of 26



TEST REPORT

Number : HKGH0302159102

(10) Polycyclic Aromatic Hydrocarbons (PAH) Content

Test Method : The document AfPS GS 2019:01 PAK issued by the Federal Institute for Occupational Safety and Health, solvent extraction and determined by Gas Chromatographic - Mass Spectrometry (GC/MS).

Compound	Result (ppm)		Limit (ppm)
	(1/2/3)	(4/5/6)	
Benzo(a)pyrene	<0.10	<0.10	0.5
Benzo(e)pyrene	<0.10	<0.10	0.5
Benzo(a)anthracene	<0.10	<0.10	0.5
Chrysene	<0.10	<0.10	0.5
Benzo(b)fluoranthene	<0.10	<0.10	0.5
Benzo(j)fluoranthene	<0.10	<0.10	0.5
Benzo(k)fluoranthene	<0.10	<0.10	0.5
Dibenzo(a,h)anthracene	<0.10	<0.10	0.5

The above limit was quoted according to Annex XVII Items 50 of the REACH Regulation (EC) no. 1907/2006 & amendment (EU) no. 1272/2013 for polycyclic aromatic hydrocarbons (PAH).

ppm = parts per million = mg/kg

Tested Components:

- (1) Orange coating on plastic (mouth).
- (2) Black coating on plastic (pattern).
- (3) Coatings (black, yellow, red, blue, grey) on plastic (word, pattern).
- (4) White plastic (body).
- (5) Transparent plastic (plug).
- (6) Dull white plastic (handle).

Date sample received : Jun 12, 2023

Test Period : Jun 12, 2023 to Jun 23, 2023



TEST REPORT

Number : HKGH0302159102

(11) Lead (Pb) Content

Test Method : Lead content requirement in Commission regulation (EU) 2015/628 amending Annex XVII item 63 of the REACH regulation (EC) No. 1907/2006, acid digestion was used and total Lead content was determined by inductively coupled argon plasma spectrometry.

Assessment : Not Applicable

Date sample received : Jun 12, 2023

Test Period : Jun 12, 2023 to Jun 26, 2023



Page 20 of 26



TEST REPORT

Number : HKGH0302159102

(12) Classification, materials, general requirements and test methods for floating leisure article

Test standard: BS EN ISO 25649-1:2017 – Floating leisure articles for use on and in the water - Part 1 : Classification, materials, general requirements and test methods.

Number of samples tested : Three (3) pieces.

Class of floating leisure articles: Class A.

Intended age group as specified in the packaging : 6+.

Clause	Requirement	Assessment
5.1	General	P
5.2	Body entrapment	P
5.3	Torso entrapment on safety line with regard to children	P
5.4	Accessible protruding parts causing entanglement	P
5.6	Design working pressure	P
5.7	Load bearing components	NA
5.8	Towing device	NA
5.9	Valves and valve adapters	P
5.10	Edges, corners and points	P
5.11	Shearing and crushing points	NA
5.12	Strength of the hull and test conditions	
5.12.1	Requirements	P
5.12.2.1	Combined cycle pressure/ static load test for devices manufactured from unsupported material	P
5.12.2.2	Overpressure test for inflatables made from reinforced or fabric covered material	NA
5.12.3	Heat test (not applicable to Class D devices)	P
5.13	Buckles and other fixings	NA
6	Material requirements and test methods	
6.1	General	P
6.2	Chemical requirements for materials making up the hull, unsupported or reinforced	
6.2.2	Resistance to mineral oil	P
6.2.3	Resistance to chlorinated salt water	P
6.3	Physical requirements	
6.3.1	Resistance to cold	P
6.3.2	Resistance to heat	P



TEST REPORT

Number : HKGH0302159102

Clause	Requirement	Assessment
6.4	Mechanical requirements of unsupported hull materials	
6.4.2	Resistance to puncturing	P
6.5	Mechanical requirements for reinforced hull materials	
6.5.2	Adhesion of coatings (if applicable)	NA
6.6	Other materials	
6.6.1	Wood	NA
6.6.2	Metal and synthetic material parts	NA
6.7	Threads	NA
7	Durability of warnings and markings	
7.1	Resistance to perspiration	P
7.2	Resistance to chlorinated salt water	P
7.3	Adhesion of markings	P
7.4	Provision of repair means	P

Abbreviation : P = Pass; NA = Not Applicable

Date sample received : Jun 13, 2023

Testing period : Jun 13, 2023 to Jul 07, 2023



Page 22 of 26



TEST REPORT

Number : HKGH0302159102

(13) Consumer information for floating leisure articles

Test standard: BS EN ISO 25649-2:2017 – Floating leisure articles for use on and in the water - Part 2 : Consumer information

Number of samples tested : Three (3) pieces.

Class of floating leisure articles: Class A.

Intended age group as specified in the packaging : 6+.

Clause	Requirement	Assessment
4	Consumer information	
4.1	General	P
4.2	Consumer information at point of sale (information before buying)	
4.2.1	General	P
4.2.2	General information to be provided	P
4.3	Information related to preparation for use	P
4.4	Information related to maintenance, repair and storage	P
5	Requirements related to printing	
5.1	General	P
5.2	Durability of printings on the product	P
5.3	Language and letter size for plain text information on the product	P
6	Product safety label	
6.1	General	P
6.2	Supplementary safety information symbol	
6.2.1	Supplementary safety information symbols related to warnings	P
6.2.2	Supplementary safety information symbols related to prohibition	P
6.2.3	Supplementary safety information symbols related to mandatory instruction	P
6.4	Position of supplementary safety information symbol and safety sign	P
6.5	Colour of supplementary safety information symbols and safety sign	NT#1
6.6	Size of supplementary safety information symbol and safety sign	P
6.7	Allocation of the supplementary safety information symbols	P
7	Instructions	P
8	Mislabelling	P

Abbreviation : P = Pass; NT = Not Tested



TEST REPORT

Number : HKGH0302159102

Remarks:

- #1- The product safety labels on the submitted sample met the relevant clauses tested in the report except for the colour of safety symbols and/or signs as given in clause 6.5 of EN ISO 25649-2:2017 had not been assessed.
- #2- Only the English version of the marking, packaging and instructions were assessed. According to the standard, all warnings and instructions for safe use as required by the standard shall be written in the official language of the country in which the product will be sold.

Date sample received : Jun 13, 2023; Jul 28, 2023; Aug 16, 2023

Testing period : Jun 13, 2023 to Jul 07, 2023; Jul 28, 2023; Aug 16, 2023 to Aug 18, 2023



Page 24 of 26



TEST REPORT

Number : HKGH0302159102

(14) Additional specific safety requirements and test methods for Class A devices of floating leisure articles

Test standard: BS EN ISO 25649-3: 2017 – Floating leisure articles for use on and in the water - Part 3 : Additional specific safety requirements and test methods for Class A devices

Number of samples tested : Three (3) pieces.

Class of floating leisure articles: Class A.

Intended age group as specified in the packaging : 6+.

Clause	Requirement	Assessment
4	Safety requirements and test methods	
4.1	General	P
4.2	Design, sizing, admissible number of users and maximum load capacity	
4.2.1	General	P
4.2.2	Sizing	NA
4.2.3	A1-products, space per person and admissible number of users	NA
4.2.4	A2-products, space per person and admissible number of users	P
4.3	In water performance	
4.3.1	Amount of buoyancy and stable floating position	P
4.3.2	Residual buoyancy of devices claiming floating stability (CASES A, B)	NA
4.3.3	Residual buoyancy of floating leisure articles not claiming floating stability (CASES C, D)	P
4.3.4	Capsizing and escape	P
4.3.5	Grab handles and safety lines (not applicable to air mattresses)	NA
4.3.6	Re-embarkation from the water in normal use and failure of one air chamber in CASE A1	NA
4.3.7	Extreme high super structure (wind, drift)	NA
4.3.8	Anchorage	NA
4.3.9	Giant rings with bottom, strength of entire device	NA
5	Consumer information	
5.1	General	P#1
5.2	Consumer information on the packaging (point of sale information)	P#1
5.3	Consumer information on the product (information related to safe use)	P#1
5.4	Consumer information by instructions for use (separate written information)	P#1

Abbreviation : P = Pass; NA = Not Applicable

Remarks:

#1- Only the English version of the marking and/or instructions were assessed. According to the standard, all warnings and instructions for safe use as required by the standard shall be written in the official language of the country in which the product will be sold.

Date sample received : Jun 13, 2023; Jul 28, 2023; Aug 16, 2023

Testing period : Jun 13, 2023 to Jul 07, 2023; Jul 28, 2023; Aug 16, 2023 to Aug 18, 2023



TEST REPORT

Number : HKGH0302159102



End of report

This report is for the exclusive use of Intertek's Client and is provided pursuant to the agreement between Intertek and its Client. Intertek's responsibility and liability are limited to and subject to our standard Terms and Conditions which can be obtained at our website: <http://www.intertek.com/terms/>. Intertek assumes no liability to any party, other than to the Client in accordance with the agreement, for any loss, expense or damage occasioned by the use of this report. Intertek is responsible for all the information provided in the reports, except when information is provided by the Client or when the Client requires the item to be tested acknowledging a deviation from specified conditions that can affect the validity of results.

The observations and test results in this report are relevant to the sample(s) tested and submitted by client. The report is not intended to be a recommendation for any particular course of action, you are responsible for acting as you see fit on the basis of the report results. This report does not discharge or release you from your legal obligations and duties to any other person. Only the Client is authorized to permit copying or distribution of this report and the report shall not be reproduced except in full. Any use of the Intertek name or one of its marks for the sale or advertisement of the tested material, product or service must first be approved in writing by Intertek. This report by itself does not imply that the material, product, or service is or has ever been under an Intertek certification program.

