

SECTION 1: Identification of the substance/mixture and of the company/undertaking**1.1. Product identifier**

Trade name or designation of the mixture	Scan'dry plus
Registration number	-
Synonyms	None.
SDS number	5225
Product code	250000
Issue date	19-August-2016
Version number	1,0
Revision date	
Product use	Professional use

1.2. Relevant identified uses of the substance or mixture and uses advised against

Identified uses	For medical use Scanning spray for the digital dentistry, for intraoral use
Uses advised against	None known.

1.3. Details of the supplier of the safety data sheet

Company name	Dentaco GmbH & Co.KG
Address	Max-Keith-Str. 46 45136 Essen, Germany
Telephone number	+ 49 (0) 201/ 8098290
Fax	+ 49 (0) 201/ 80982999
Homepage	www.dentaco.de ; info@dentaco.de
E-mail	info@dentaco.de
1.4 Emergency telephone number	+ 49 (0) 201/ 8098290 (Mo. - Fr. 09:00 - 17:00)

SECTION 2: Hazards identification**2.1. Classification of the substance or mixture**

The mixture has been assessed and/or tested for its physical, health and environmental hazards and the following classification applies.

Classification according to Regulation (EC) No 1272/2008 as amended**Physical hazards**

Aerosols	Category 3	H229 - Pressurized container: May burst if heated.
----------	------------	--

2.2. Label elements**Label according to Regulation (EC) No. 1272/2008 as amended**

Hazard pictograms	None.
Signal word	Warning
Hazard statements	
H229	Pressurized container: May burst if heated.

Precautionary statements**Prevention**

P210	Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.
P251	Do not pierce or burn, even after use.
P260	Do not breathe dust/fume/gas/mist/vapors/spray.
P262	Do not get in eyes, on skin, or on clothing.

Response

P301 + P330 + P331	IF SWALLOWED: rinse mouth. Do NOT induce vomiting.
P310	Immediately call a POISON CENTER/doctor.

Storage

P410 + P412	Protect from sunlight. Do not expose to temperatures exceeding 50°C/122°F.
-------------	--

Disposal	None.
Supplemental label information	10 % by mass of the contents are flammable. For professional use only. Keep out of the reach of children.
2.3. Other hazards	Based on the test data, the product is not classified as a flammable aerosol. The mixture contains no substance that fulfils the criteria of a PBT- or vPvB substance.

SECTION 3: Composition/information on ingredients

3.2. Mixtures

General information

Chemical name	%	CAS-No. / EC No.	REACH Registration No.	Index No.	Notes
1,1,1,2,3,3,3-Heptafluoropropane	80-95	431-89-0 207-079-2	01-2119485489-18-XXXX	-	
Classification:	Press. Gas;H280				
n-Pentane	1 - < 10	109-66-0 203-692-4 601-006-00-1	01-2119485489-18		
Classification:	Flam. Liq. 2; H225 Asp. Tox. 1; H304 STOT SE 3; H336 Aquatic Chronic 2; H411				

List of abbreviations and symbols that may be used above:

Note: Regulation No. 1272/2008 - Annex VI

Composition comments The full text for all H-phrases is displayed in section 16.

SECTION 4: First aid measures

General information Ensure that medical personnel are aware of the material(s) involved, and take precautions to protect themselves.

4.1. Description of first aid measures

Inhalation	If symptoms develop move victim to fresh air. Get medical attention if symptoms persist.
Skin contact	Wash off with soap and water. Contact with liquefied gas might cause frostbites, in some cases with tissue damage. Get medical attention if irritation develops and persists.
Eye contact	Rinse with water. Get medical attention if irritation develops and persists.
Ingestion	In the unlikely event of swallowing contact a physician or poison control centre.

4.2. Most important symptoms and effects, both acute and delayed Dizziness.

4.3. Indication of any immediate medical attention and special treatment needed Provide general supportive measures and treat symptomatically.

SECTION 5: Firefighting measures

General fire hazards Not available.

5.1. Extinguishing media

Suitable extinguishing media	Chemical Powder, Foam, Carbon dioxide (CO2).
Unsuitable extinguishing media	Do not use water jet as an extinguisher, as this will spread the fire.

5.2. Special hazards arising from the substance or mixture Pressurised container: May burst if heated. In case of a fire toxic gases can be generated; do not inhale smoke/gas.

5.3. Advice for firefighters

Special protective equipment for firefighters	Firefighters must use standard protective equipment including flame retardant coat, helmet with face shield, gloves, rubber boots, and in enclosed spaces, SCBA.
--	--

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

- For non-emergency personnel** Keep unnecessary personnel away. Keep people away from and upwind of spill/leak. Keep out of low areas. Wear appropriate protective equipment and clothing during clean-up. Do not touch damaged containers or spilled material unless wearing appropriate protective clothing. Ventilate closed spaces before entering them. Local authorities should be advised if significant spillages cannot be contained. For personal protection, see section 8.
- For emergency responders** Keep unnecessary personnel away. Use personal protection recommended in Section 8 of the SDS.

6.2. Environmental precautions Avoid release to the environment. Prevent further leakage or spillage if safe to do so. Avoid discharge into drains, water courses or onto the ground. Inform appropriate managerial or supervisory personnel of all environmental releases.

6.3. Methods and material for containment and cleaning up Refer to attached safety data sheets and/or instructions for use. Eliminate all ignition sources (no smoking, flares, sparks, or flames in immediate area). Keep combustibles (wood, paper, oil etc) away from spilled material. Stop leak if you can do so without risk. Move the cylinder to a safe and open area if the leak is irreparable. Prevent entry into waterways, sewer, basements or confined areas. Following product recovery, flush area with water.

6.4. Reference to other sections For personal protection, see section 8. For waste disposal, see section 13 of the SDS.

SECTION 7: Handling and storage

7.1. Precautions for safe handling Pressurised container: Do not pierce or burn, even after use. Do not use if spray button is missing or defective. Do not spray on a naked flame or any other incandescent material Do not smoke while using or until sprayed surface is thoroughly dry. Do not cut, weld, solder, drill, grind, or expose containers to heat, flame, sparks, or other sources of ignition. All equipment used when handling the product must be grounded. Do not re-use empty containers. Avoid contact with eyes. Avoid prolonged exposure. When using, do not eat, drink or smoke. Use only in well-ventilated areas. Wear appropriate personal protective equipment. Wash hands thoroughly after handling. Avoid release to the environment. Observe good industrial hygiene practices.

7.2. Conditions for safe storage, including any incompatibilities Pressurized container. Protect from sunlight and do not expose to temperatures exceeding 50°C. Do not puncture, incinerate or crush. Do not handle or store near an open flame, heat or other sources of ignition. This material can accumulate static charge which may cause spark and become an ignition source. Store away from incompatible materials (see Section 10 of the SDS). TRGS 510 storage class: 2B

7.3. Specific end use(s) For medical use
Matting agent for the optical impression in dental CAD / CAM process

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Occupational exposure limits values

Chemical name (CAS)	Limit Values
Pentan (109-66-0)	1800 mg/m ³

Derived no-effect level (DNEL)

Components	Type	Route	Value	Form
Pentan (CAS 109-66-0)	Worker	Dermal	432 mg/kg/day	-
Comments:	Long term exposure systemic effects	Inhalation	3000 mg/m ³	-
	Consumer	Inhalation	643 mg/m ³	-
Comments:	Long term exposure systemic effects	Oral	214 mg/kg/day	-
Comments:	Long term exposure systemic effects			-
Titanium dioxide (CAS 13463-67-7)	Consumer	Oral	700 mg/kg/day	-
Comments:	Long term exposure systemic effects	Inhalation	10 mg/m ³	-
Comments:	Long term Local effects			-

Predicted no effect concentrations (PNECs)

Components	Exp. route	Value
Pentan (CAS 109-66-0)	Fresh water sediment	1,2 mg/kg
	Marine water sediment	1,2 mg/kg
	soil	0,55 mg/kg
Titanium dioxide (CAS 13463-67-7)	Fresh water sediment	1000 mg/kg
	Marine water sediment	100 mg/kg

8.2. Exposure controls

Appropriate engineering controls

Good general ventilation (typically 10 air changes per hour) should be used. Ventilation rates should be matched to conditions. If applicable, use process enclosures, local exhaust ventilation, or other engineering controls to maintain airborne levels below recommended exposure limits. If exposure limits have not been established, maintain airborne levels to an acceptable level. Provide eyewash station.

Individual protection measures, such as personal protective equipment

General information	Use personal protective equipment as required. Personal protection equipment should be chosen according to the CEN standards and in discussion with the supplier of the personal protective equipment.
Eye/face protection	Wear safety glasses with side shields (or goggles).
Skin protection	
- Hand protection	For prolonged or repeated skin contact use suitable protective gloves.
- Other	Wear suitable protective clothing.
Respiratory protection	In case of insufficient ventilation, wear suitable respiratory equipment.
Thermal hazards	Wear appropriate thermal protective clothing, when necessary.

Hygiene measures

When using do not smoke. Always observe good personal hygiene measures, such as washing after handling the material and before eating, drinking, and/or smoking. Routinely wash work clothing and protective equipment to remove contaminants.

Environmental exposure controls

Inform appropriate managerial or supervisory personnel of all environmental releases.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Appearance

Physical state	Aerosol.
Form	Aerosol Light
Colour	blue
Odour	characteristic

pH	Not available.
Melting point	Not available.
Boiling point	-16°C approximately
Flash point	Not applicable, since aerosol
Evaporation rate	Not available.
Flammability (solid, gas)	Not available.
Vapour pressure	Not available.
Vapour density	Not available.
Density	1,3g/cm ³
Solubility(ies)	
Solubility (water)	very low
Solubility (other)	Not available.
Partition coefficient (n-octanol/water)	Not available.
Auto-ignition temperature	No information.
Decomposition temperature	Not available.
Viscosity	Not available.
Explosive properties	Product is not explosive.
Oxidising properties	Not available.
9.2. Other information	Not available.
	Not available.
VOC (EU)	Not applicable

SECTION 10: Stability and reactivity

10.1. Reactivity	The product is stable and non-reactive under normal conditions of use, storage and transport.
10.2. Chemical stability	Material is stable under normal conditions.
10.3. Possibility of hazardous reactions	No dangerous reaction known under conditions of normal use.
10.4. Conditions to avoid	Contact with incompatible materials.
10.5. Incompatible materials	Strong oxidising agents.
10.6. Hazardous decomposition products	Carbon monoxide, carbon dioxide and other hydrocarbon fragments. Fluorine containing gases.

SECTION 11: Toxicological information

General information	Occupational exposure to the substance or mixture may cause adverse effects.
Information on likely routes of exposure	
Inhalation	Prolonged inhalation may be harmful.
Skin contact	May cause an allergic skin reaction.
Eye contact	Based on available data, the classification criteria are not met.
Ingestion	Based on available data, the classification criteria are not met.
Symptoms	May cause an allergic skin reaction.
Information on toxicological effects	
Skin corrosion/irritation	
Serious eye damage/eye irritation	May cause an allergic skin reaction. Direct contact with eyes may cause temporary irritation.
Respiratory sensitisation	Based on available data, the classification criteria are not met.

Carcinogenicity	No classification as carcinogen.
Reproductive toxicity	Based on available data, the classification criteria are not met.
Specific target organ toxicity - single exposure	Based on available data, the classification criteria are not met.
Specific target organ toxicity - repeated exposure	Based on available data, the classification criteria are not met.
Aspiration hazard	Based on available data, the classification criteria are not met.
Mixture versus substance information	No information available.
Other information	Not available.

SECTION 12: Ecological information

12.1. Toxicity	Harmful to aquatic life with long lasting effects.
12.2. Persistence and degradability	No data is available on the degradability of this product.
12.3. Bioaccumulative potential	No data available.
Bioconcentration factor (BCF)	Not available.
12.4. Mobility in soil	No data available.
12.5. Results of PBT and vPvB assessment	The mixture contains no substance that fulfils the criteria of a PBT- or vPvB substance.
12.6. Other adverse effects	No other adverse environmental effects (e.g. ozone depletion, photochemical ozone creation potential, endocrine disruption, global warming potential) are expected from this product.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Residual waste	Dispose of in accordance with local regulations. Empty containers or liners may retain some product residues. This material and its container must be disposed of in a safe manner (see: Disposal instructions).
Contaminated packaging	Empty containers should be taken to an approved waste handling site for recycling or disposal. Since emptied containers may retain product residue, follow label warnings even after container is emptied. Do not re-use empty containers.
EU waste code	The Waste code should be assigned in discussion between the user, the producer and the waste disposal company. 16 05 04
Disposal methods/information	Collect and reclaim or dispose in sealed containers at licensed waste disposal site. Contents under pressure. Do not puncture, incinerate or crush. Do not allow this material to drain into sewers/water supplies. Do not contaminate ponds, waterways or ditches with chemical or used container. Dispose of contents/container in accordance with local/regional/national/international regulations.
Special precautions	Dispose in accordance with all applicable regulations.

SECTION 14: Transport information

ADR

14.1. UN number	UN1950
14.2. UN proper shipping name	AEROSOLS, asphyxiant
14.3. Transport hazard class(es)	
Class	2
Subsidiary risk	-
Label(s)	2.2
Hazard No. (ADR)	Not available.
Tunnel restriction code	E
14.4. Packing group	Not applicable.
14.5. Environmental hazards	No
14.6. Special precautions for user	Read safety instructions, SDS and emergency procedures before handling.
Special provisions	190, 327, 344, 625
Classification code	5A

IATA

- 14.1. UN number** UN1950
14.2. UN proper shipping name AEROSOLS, non-flammable
14.3. Transport hazard class(es)
 Class 2.2
 Subsidiary risk -
14.4. Packing group Not applicable.
14.5. Environmental hazards No
14.6. Special precautions Read safety instructions, SDS and emergency procedures before.

SECTION 15: Regulatory information**15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture**

EU regulations Not applicable.

Water hazard class WGK2

15.2. Chemical safety assessment No chemical safety assessment has been carried out.

SECTION 16: Other information

List of abbreviations

AC: Article category.
acc., acc.to: according, according to.
ACGIH: American Conference of Governmental Industrial Hygienists.
AFNOR: French Institute for Standards (Association Française de Normalisation).
ADN: European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways (Accord européen relatif au transport international des marchandises dangereuses par voies de navigation intérieures).
ADR: European agreement concerning the international carriage of dangerous goods by road (Accord européen relatif transport des marchandises dangereuses par route).
AGW: Occupational threshold limit value (Arbeitsplatzgrenzwert – Germany). AICS: Australian Inventory of Chemical Substances.
ANSI: American National Standards Institute.
AOEL: Acceptable Operator Exposure Level.
AOX: adsorbable organic halogen compounds. approx.: approximately.
ASTM: ASTM International.
ATE: Acute Toxicity Estimate according to REGULATION (EC) No 1272/2008 (CLP).
BAM: Federal Institute for Materials Research and Testing, Germany (Bundesanstalt für Materialforschung und -prüfung).
Maximum permissible concentration of biological working substances (BAT: Biologische Arbeitsstofftoleranzwerte).
BAuA: Federal Institute for Occupational Health and Safety, Germany (Bundesanstalt für Arbeitsschutz und Arbeitsmedizin).
BCF: Bio-concentration factor. BET: Brunauer-Emmett-Teller. BLV: Biological Limit Value.
BLV: Biological Limit Value (BGW: Biologischer Grenzwert, Austria). BMGV: Biological Monitoring Guidance Value (EH40,UK).
BSI: British Standards Institution. BS: British Standard.
BOD5: Biochemical oxygen demand within 5 days. BOD: Biochemical oxygen demand.
bw: Body weight.
calcd.: calculated.
CAS: Chemical Abstract Service.
CEN: European Committee for Standardization (Comité Européen de Normalisation).
CESIO: European Committee on Organic Surfactants and their Intermediates (Comité Européen des Agents de Surface et de leurs Intermédiaires Organiques).
ChemRRV: Ordinance on the risk reduction related to chemical products (ChemRRV: Chemikalien-Risikoreduktions-verordnung, Switzerland).
CLP: Classification, Labeling and Packaging REGULATION (EC) No 1272/2008 on classification, labeling and packaging of substances and mixtures.
CMR: Substances classified as Carcinogenic, Mutagenic or toxic for Reproduction. CNS: Central Nervous System.
CNT: Carbon nanotubes.
COD: Chemical Oxygen Demand.
CSA: Chemical Safety Assessment. CSR: Chemical Safety Report.
DETEC: Swiss Federal Department of the Environment, Transport, Energy and Communications. DIN: German Standards Institute / German industrial norm (Deutsches Institut für Normung / Deutsche Industrienorm).
DMEL: Derived Minimum Effect Level. DNEL: Derived No Effect Level.
DOC: Dissolved organic carbon.
DPD: Directive 1999-45-EC / Dangerous Preparations Directive. DSD: Directive 67/548-EC / Dangerous Substances Directive. DSL: Canada, Domestic Substances List.
DU: Downstream User. dw: dry weight.
e.g.: For example, for instance.
EBW: Exposure Based Waiving. EC: European

Community.EC50: Effective Concentration 50%. ECHA: European Chemical Agency.
 EINECS: European Inventory of Existing Commercial Chemical Substances.
 ELINCS: European List of Notified Chemical Substances.
 EN: European norm.
 ENCS: Japan, Inventory of Existing and New Chemical Substances.
 EPA: United States Environmental Protection Agency.
 ERC: Environmental release category.
 ES: Exposure scenario.
 EUSES: European Union System for the Evaluation of Substances.
 EWC/EWL: European Waste Catalogue.
 GCL: General concentration limit.
 gen.: general.
 GHS: Globally Harmonized System of Classification and Labeling of Chemicals.
 GLP: Good Laboratory Practice.
 GW/VL: Occupational exposure limit value.
 GW-kw: Occupational exposure limit value - short term.
 GW-MVL-M: Occupational exposure limit value – "Ceiling".
 GWP: Global Warming Potential.
 HPV: High Production Volume Chemicals.
 HEPA: High Efficiency Particulate Air.
 IARC: International Agency for Research on Cancer.
 IATA: International Air Transport Association.
 IBC: Intermediate Bulk Container.
 IBC Code: International Bulk Chemical (Code) (International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk).
 ICAO: International Civil Aviation Organization.
 IC50: Inhibition Concentration 50%.
 IECSC: Inventory of Existing Chemical Substances in China.
 IMDG Code: International Maritime Dangerous Goods Code.
 IMO: International Maritime Organization.
 incl.: including, inclusive.
 ISO: International Standards Organization.
 IUCLID: International Uniform Chemical Information Database.
 IUPAC: International Union for Pure Applied Chemistry.
 KECI: Korea Existing Chemicals Inventory.
 LCA: Life Cycle Assessment.
 LC: Lethal Concentration.
 LC50: Lethal Concentration 50%.
 LCLo: Lowest published lethal concentration.
 LD50: Lethal Dose 50%.
 LEV: Local exhaust ventilation.
 LOAEL: Lowest observed adverse effect level.
 LOEC: Lowest observable effect concentration.
 LOEL: Lowest observable effect level.
 LPV: Low Production Volume Chemicals.
 LQ: Limited Quantities.
 Air Quality Control Regulation (LRV: Luftreinhalteverordnung, Switzerland).
 TLV-STEL: Threshold limit value - Short-term exposure limit / Technical reference concentration - short-time value (TRK-Kzw = Technische Richtkonzentration - Kurzzeitwert).
 Maximum allowable workplace concentration – instantaneous value (MAK-Mow: Maximale Arbeitsplatzkonzentration – Momentanwert, Austria)
 Maximum allowable workplace concentration – daily mean value / Technical standard concentration – daily mean value (MAK-Tmw, TRK-Tmw : Maximale Arbeitsplatzkonzentration - Tagesmittelwert / TRK-Tmw = Technische Richtkonzentration – Tagesmittelwert, Austria).
 MAK: Threshold limit values Germany (Maximale Arbeitsplatzkonzentration - DFG).
 MARPOL: International Convention for the Prevention of Pollution From Ships.
 MTD: Maximum tolerated dose.
 MWCNT: Multi-walled carbon nanotubes.
 n.a.: not applicable.
 N/A: Not available.
 n.d.: not determined.
 NLP: No Longer Polymers.
 NDSL: Canada, Non-Domestic Substances List.
 NF: French Norm (See AFNOR).
 NFPA: National Fire Protection Association.
 NIOSH: National Institute for Occupational Safety & Health.
 NOAEC: No Observed Adverse Effect Concentration.

NOAEL: No observed adverse effect level.
 NOEC: No observed effect concentration.
 NOEL: No observed effect level.
 NTP: National Toxicology Program.
 NZIoC: New Zealand Inventory of Chemicals.
 ODP: Ozone Depletion Potential.
 OECD: Organization for Economic Cooperation and Development.
 OEL: Occupational Exposure Limit.
 org.: organic.
 OSHA: Occupational Safety & Health Administration.
 PAH: Polycyclic Aromatic Hydrocarbons.
 PBT: Persistent, bioaccumulative, toxic.
 PC: Product category.
 PE: Polyethylene.
 PEC: Predicted Environmental Concentration.
 PEL: Permissible Exposure Limit.
 PIC: Prior Informed Consent.
 PICCS: Philippines Inventory of Commercial Chemical Substances.
 PNEC: Predicted No Effect Concentration.
 POCP: Photochemical ozone creation potential (Photochemisches Ozonbildungspotenzial).
 POP: Persistent Organic Pollutant.
 PPORD: Product and Process Oriented Research and Development.
 PPE: Personal Protective Equipment.
 PROC: Process category.
 RA: Risk Assessment.
 RAR: Risk Assessment Report.
 RCRA: Resource Conservation Recovery Act.
 REACH: Registration, Evaluation and Authorization of Chemicals (REGULATION (EC) No 1907/2006 concerning Registration, Evaluation Authorization and Restriction of Chemicals).
 RID: Regulations concerning the international carriage of dangerous goods by rail (Règlement International concernant le transport de marchandises dangereuses par chemin de fer).
 RMM: Risk Management Measure.
 RTECS: Registry of Toxic Effects of Chemical Substances.
 QSAR: Quantitative Structure Activity Relation.
 SARA: Superfund Amendments and Reauthorization Act.
 SADT: Self-Accelerating Decomposition Temperature.
 SCL: Specific concentration limit.
 SEA: socio economic analysis.
 STEL: Short-term Exposure Limit.
 STP: Sewage treatment plant.
 SU: Sector of use.
 SVHC: Substance of Very High Concern.
 SWCNT: single-walled carbon nanotubes.
 ThOD: Theoretical oxygen demand.
 TOC: Total Organic Carbon.
 TLV: Threshold Limit Value.
 TRA: Targeted Risk Assessment.
 TRGS: Technical Rules for Hazardous Substances (German Standard)
 TSCA: Toxic Substance Control Act.
 TWA: Time Weighted Average.
 UC: Use category.
 UDS: Use descriptor system.
 UEC: Use and exposure categories.
 UN: United Nations.
 UN RTDG: United Nations Recommendations on the Transport of Dangerous Goods.
 UVCB: Unknown or Variable Composition, Complex Reaction Products, and Biological Materials.
 Regulation on combustible liquids (VbF: Verordnung über brennbare Flüssigkeiten, Austria).
 Regulation of the Austria Minister for Labor and Social Affairs regarding health surveillance at the workplace (VGÜ = Verordnung des Bundesministers für Arbeit und Soziales über die Gesundheitsüberwachung am Arbeitsplatz).
 VOC: Volatile organic compounds.
 vPvB: very Persistent, very Bioaccumulative.
 VwVwS : Administrative Regulation water-polluting substances (German Regulation).
 WEL-TWA: Workplace Exposure Limit-Long term exposure limit (8-hour TWA(=time weighted average)reference period).
 WEL-STEL: Workplace Exposure Limit-Short term exposure limit (15-minute reference period).
 WGK: Water hazard class in accordance with VwVwS (German regulation)
 WGK1:Slightly hazardous for water
 WGK2: Water endangering. WGK3: Severe hazard to waters
 WoE: Weight of evidence.

WHMIS: Workplace Hazardous Materials Information System. WHO: World Health Organization.

wwt: wet weight. Not available.

Based on the test data, the product is not classified as a flammable aerosol. The classification for health and environmental hazards is derived by a combination of calculation methods and test data, if available.

H225 Highly flammable liquid and vapour.

H226 Flammable liquid and vapour.

H280 Contains gas under pressure; may explode if heated.

H304 May be fatal if swallowed and enters airways.

H315 Causes skin irritation.

H317 May cause an allergic skin reaction.

H319 Causes serious eye irritation.

H332 Harmful if inhaled.

H335 May cause respiratory irritation.

H340 May cause genetic defects.

H350 May cause cancer.

H400 Very toxic to aquatic life.

H410 Very toxic to aquatic life with long lasting effects.

None.

Follow training instructions when handling this material.

The above information describes exclusively the safety requirements of the product and is based on our present-day knowledge. The information is intended to give you advice about the safe handling of the product named in this safety data sheet, for storage, processing, transport and disposal. The information cannot be transferred to other products. In the case of mixing the product with other products or in the case of processing, the information on this safety data sheet.

